

# Libro de Resúmenes



**FACULTAD DE CIENCIAS VETERINARIAS**

**UNIVERSIDAD NACIONAL DE LA PLATA**

**2021**

ISBN 978-950-34-2018-8



A standard one-dimensional barcode representing the ISBN 978-950-34-2018-8. Below the barcode, the numbers 9 789503 420188 are printed vertically.



Esta obra se terminó de componer en julio de 2021. Para su confección se utilizó la fuente tipográfica **Montserrat** en sus diversas variantes.

# **Libro de Resúmenes**



**I Congreso de  
Microbiología  
Veterinaria**

**Presente y futuro de la Microbiología  
Veterinaria en el marco de «Una Salud»**

**Modalidad virtual**

**4, 5 y 6 de agosto de 2021**

**Facultad de Ciencias Veterinarias  
Universidad Nacional de La Plata**

I Congreso de Microbiología Veterinaria : libro de resúmenes / Ramón

Noseda... [et al.] ; compilación de María del Pilar Lilia Cagliada ; Cecilia Mónica Galosi. - 1a ed. - La Plata : Universidad Nacional de La Plata.

Facultad de Ciencias Veterinarias, 2021.

Libro digital, PDF

Archivo Digital: descarga y online

ISBN 978-950-34-2018-8

1. Microbiología. 2. Medicina Veterinaria. I. Noseda, Ramón. II. Cagliada, María del Pilar Lilia, comp. III. Galosi, Cecilia Mónica, comp.

CDD 636.08907

Coordinación general de la edición: **María del Pilar Lilia Cagliada y Cecilia Mónica Galosi**

Edición, corrección y maquetación: **Analía Verónica Pinto**

Puesta en línea: **SEDICI**

Sitio web del congreso: <https://congresos.unlp.edu.ar/microvet/>

Licencia CC-BY-NC-SA



## **Analysis of apoptosis induced by bovine gammaherpesvirus 4 in primary culture of bovine endometrial cells**

**FLORENCIA ROMEO<sup>1</sup>, ENRIQUE LEOPOLDO LOUGE URIARTE<sup>2</sup>, SANTIAGO GERMÁN DELGADO<sup>3</sup>, SUSANA BEATRIZ PEREYRA<sup>2</sup>, SANDRA ELIZABETH PÉREZ<sup>1,4</sup> Y ANDREA VERRA<sup>1,2</sup>**

<sup>1</sup> Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET). Ciudad Autónoma de Buenos Aires, Argentina

<sup>2</sup> Laboratorio de Virología Veterinaria, Instituto de Innovación para la Producción Agropecuaria y el Desarrollo Sostenible (IPADS) (INTA-CONICET). Balcarce, Buenos Aires, Argentina

<sup>3</sup> Facultad de Ciencias Agrarias, Universidad Nacional de Mar del Plata (UNMDP). Mar del Plata, Buenos Aires, Argentina

<sup>4</sup> Centro de Investigación Veterinaria de Tandil (CIVETAN) (CONICET-UNCPBA). Tandil, Buenos Aires, Argentina.

[verna.andrea@inta.gob.ar](mailto:verna.andrea@inta.gob.ar)

BoHV-4 is tropic for bovine endometrium being increasingly considered as responsible for reproductive tract problems during postpartum period in concomitance with gramnegative bacteria. Some gammaherpesviruses, including BoHV-4, carry genes that can inhibit or induce apoptosis. BoHV-4 has two genes that encode proteins (v-Bcl2 and v-Flip) with anti-apoptotic functions. However it was shown that, the induction of apoptosis *in vitro* by BoHV-4 depends not only on the dose of the viral inoculum and the time of infection, but also on the nature of the infected cells. The objective of this work was to study apoptosis induced by BoHV4 and lipopolysaccharide (LPS) in primary culture of bovine endometrial

cells. Apoptosis was evaluated in two stages: a) early stage (reversible moment), by staining with rhodamine and propidium iodide at 6, 12 and 24 h post infection (pi), in which mitochondrial permeability was studied, expressed in % of positive rhodamine cells (Rod+cells); b) late stage (irreversible moment), using TUNEL and DAPI after 12, 24 and 48 h pi, which the condensed chromatin was evaluated, expressing the results in relative apoptosis index (RAI). It was shown that in the early stage, the permeability of the mitochondrial membrane decreases after 12 h pi in cells infected with BoHV-4 (49 % Rod+cells) and BoHV-4 +LPS (45 % Rod+cells) compared to the control (90 % Rod+cells). While in the late stage a progressive increase in RAI is found in cells treated with BoHV-4 and/or LPS, being remarkable at 48 h pi both in TUNEL (control = 1.00; LPS = 0.76; BoHV-4 = 29.50; BoHV-4 + LPS = 38.40) and DAPI (control = 1.00; LPS = 1.34; BoHV-4 = 13.90; BoHV4 + LPS = 16.91). Apoptosis increased in both stages due to the interaction of BoHV-4+LPS. Likewise, the induction of apoptosis in bovine endometrial cells infected with BoHV-4 was shown to be time dependent, being further increased in the presence of bacterial LPS. This finding reaffirms the synergy effect of BoHV-4 and gramnegative bacteria in bovine uterine pathologies, since a chronic inflammatory environment is generated accompanied by endometrial tissue damage.

**Keywords:** BoHV-4, LPS, apoptosis, primary culture, bovine endometrium.