



A search for the $Z\gamma$ decay mode of the Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 13 May 2020

Received in revised form 13 August 2020

Accepted 31 August 2020

Available online 8 September 2020

Editor: M. Doser

ABSTRACT

A search for the $Z\gamma$ decay of the Higgs boson, with Z boson decays into pairs of electrons or muons is presented. The analysis uses proton-proton collision data at $\sqrt{s} = 13$ TeV corresponding to an integrated luminosity of 139 fb^{-1} recorded by the ATLAS detector at the Large Hadron Collider. The observed data are consistent with the expected background with a p -value of 1.3%. An upper limit at 95% confidence level on the production cross-section times the branching ratio for $pp \rightarrow H \rightarrow Z\gamma$ is set at 3.6 times the Standard Model prediction while 2.6 times is expected in the presence of the Standard Model Higgs boson. The best-fit value for the signal yield normalised to the Standard Model prediction is $2.0^{+1.0}_{-0.9}$ where the statistical component of the uncertainty is dominant.

© 2020 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

A new boson [1,2] was discovered in 2012 by the ATLAS and CMS Collaborations. The observed properties of the particle, such as its couplings to Standard Model (SM) elementary particles, its spin and its parity, are so far consistent with the predictions for a SM Higgs boson (H) [3–7]. The mass of this boson was determined by the ATLAS and CMS Collaborations to be $m_H = 125.09 \pm 0.21(\text{stat}) \pm 0.11(\text{syst})$ GeV using the LHC Run 1 data set [8]. Subsequent measurements, by both collaborations during the LHC Run 2, are published [9–11] and are consistent with this value.

The SM Higgs boson can decay into $Z\gamma$ through loop diagrams and the branching ratio is predicted to be $B(H \rightarrow Z\gamma) = (1.54 \pm 0.09) \times 10^{-3}$ at $m_H = 125.09$ GeV [12]. It can differ from the SM value for several scenarios beyond the SM, for example, if the Higgs boson were a neutral scalar of different origin [13,14], or a composite state [15]. Different branching ratios are also expected for models with additional colourless charged scalars, leptons or vector bosons that couple to the Higgs boson, due to their contributions via loop corrections [16–18].

Final states where the Z boson decays into electron or muon pairs can be efficiently triggered and clearly distinguished from background events produced in pp collisions. In addition, the $Z(\rightarrow \ell\ell)\gamma$ ($\ell = e$ or μ) final state can be reconstructed completely with good invariant mass resolution and relatively small backgrounds.

Previous searches for the $H \rightarrow Z(\rightarrow \ell\ell)\gamma$ decay by the ATLAS and CMS Collaborations use the full pp data sets collected at $\sqrt{s} = 7$ and 8 TeV [19,20] and partial data sets collected at

13 TeV [21,22]. In all cases, no significant excess of events above the expected background is observed around the Higgs boson mass. Prior to the present study, the ATLAS Collaboration reported an observed (expected assuming the presence of a SM Higgs boson signal) upper limit on the production cross-section times branching ratio for $pp \rightarrow H \rightarrow Z\gamma$ of 6.6 (5.2) times the SM prediction at 95% confidence level for a Higgs boson with $m_H = 125.09$ GeV using a sample corresponding to an integrated luminosity of 36.1 fb^{-1} [21]. The CMS Collaboration reported an observed (expected assuming the presence of a SM Higgs boson signal) upper limit of 7.4 (6.0) times the SM prediction for a Higgs boson with $m_H = 125$ GeV using a sample corresponding to an integrated luminosity of 35.9 fb^{-1} [22].

An updated search for decays of the Higgs boson into $Z\gamma$ with the Z boson decaying into electron or muon pairs is detailed in this letter. The search uses pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector at the LHC from 2015 to 2018, corresponding to a total integrated luminosity of 139 fb^{-1} . There are important improvements in this analysis compared with the previous one [21], including an increase in the size of the data set, an improved event categorisation, and optimised lepton and photon identification criteria. Events with at least one photon and two electrons or muons of opposite charge are classified into six mutually exclusive categories which are designed to enhance the sensitivity to the presence of the SM Higgs boson decaying into $Z\gamma$. The dominant background is the irreducible non-resonant production of Z bosons together with photons. A simultaneous fit to the reconstructed $Z\gamma$ invariant mass distributions in all the categories is performed to extract the overall $H \rightarrow Z\gamma$ signal yield.

* E-mail address: atlas.publications@cern.ch.

Table 1

Higgs boson MC samples produced with Powheg-Box v2 with the techniques used to generate the event and their precision in α_s for the event generation (gen.). The version of PYTHIA 8 and the PDF set used for modelling the Higgs bosons decay, parton shower, hadronisation and the underlying event are listed. The precision of the total cross-section used in the sample normalisation is also reported. The cross-section of the $q\bar{q} \rightarrow ZH$ sample is normalised to take into account contributions from both $q\bar{q} \rightarrow ZH$ and $gg \rightarrow ZH$.

Process	Technique	PYTHIA 8 version & tune	PDF set	QCD (gen.)	Normalisation
ggF	NNLOPS [90,91] & MiNLO [92–98]	8.186, AZNLO [87]	NNPDF30 [75,76]	NNLO	NNNLO (QCD), NLO (EW) [33–44]
VBF	POWHEG [67–71]	8.186, AZNLO	NNPDF30	NLO	NNLO (QCD), NLO (EW) [45–47]
$q\bar{q} \rightarrow VH$	MiNLO [98–100]	8.186, AZNLO	NNPDF30	NLO	NNLO (QCD), NLO (EW) [48–55]
$t\bar{t}H$	POWHEG	8.230, A14 [86]	NNPDF23 [29]	NLO	NNLO (QCD), NLO (EW) [56–59]

2. ATLAS detector and data sample

The ATLAS detector [23,24] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer (MS) incorporating three large air-core toroidal magnets with eight coils each.

A two-level trigger system [25] was used during the $\sqrt{s} = 13$ TeV data-taking period. The first-level trigger (L1) is implemented in hardware and uses a subset of the detector information. This is followed by a software-based high-level trigger which runs algorithms similar to those in the offline reconstruction software, reducing the event rate to approximately 1 kHz from the maximum L1 rate of 100 kHz.

The events were collected with triggers requiring either one or two electrons or muons in the event. Due to the increasing luminosity, the transverse momentum (p_T) thresholds were increased slightly during the data-taking periods. At the highest instantaneous luminosity recorded, the lowest p_T threshold for the single-muon trigger was 26 GeV. For the dimuon trigger, asymmetric p_T thresholds of 22 GeV and 8 GeV were used. The p_T threshold was 26 GeV for the single-electron trigger and 17 GeV for both electrons in the dielectron trigger. These lowest-threshold triggers were complemented by triggers with higher thresholds but looser lepton identification criteria. For $H \rightarrow Z\gamma$ events that pass the full analysis selection, described in Section 4, the trigger selection is 95.6% efficient for the $e\gamma$ final state and 92.2% efficient for the $\mu\gamma$ final state. The trigger efficiency has been measured to an accuracy better than 2%. After applying trigger and data quality requirements, the integrated luminosity of the data used in this search corresponds to $139 \pm 2.4 \text{ fb}^{-1}$. The average number of pp interactions per bunch crossing (pile-up) ranged from about 13 in 2015 to about 39 in 2018, with a peak instantaneous luminosity of $2 \times 10^{34} \text{ cm}^{-2} \text{ s}^{-1}$.

3. Simulation samples

Simulated Monte Carlo (MC) events of the signal and dominant backgrounds are used to optimise the search strategy. The generated MC events, unless stated otherwise, were processed with the detailed ATLAS detector simulation [26] based on GEANT4 [27]. The effects of pile-up were modelled by overlaying simulated inelastic pp events over the original hard-scattering event. The

pile-up events were generated with PYTHIA 8.186 [28] using the NNPDF2.3LO set of parton distribution functions (PDFs) [29] and the A3 parameter tune [30]. The MC events were weighted to reproduce the distribution of the number of interactions per bunch crossing observed in the data.

In order to improve the description of the data, simulated events were corrected to ensure that the efficiencies for the reconstruction and identification of objects match those measured in data. The corrections include those applied to trigger, reconstruction, identification and isolation efficiencies for electrons and muons, identification and selection efficiencies for photons, and selection efficiency for jets [31,32]. Similarly, momentum and energy scale and resolution corrections for simulated objects were also taken into account.

The mass of the Higgs boson for all simulated samples was chosen to be $m_H = 125$ GeV and the corresponding width is $\Gamma_H = 4.1$ MeV [12]. The samples were normalised with the latest available theoretical calculations of the corresponding SM production cross-sections at $m_H = 125.09$ GeV via gluon-gluon fusion (ggF) [12,33–44], via vector-boson fusion (VBF) [12,45–47], in association with a vector boson (VH, where V is a W or a Z boson) [12,48–55] and with a top-quark pair ($t\bar{t}H$) [12,56–59]. The branching ratio is calculated at leading order in QCD [12,60–63] and it has been shown that higher order QCD corrections have a small impact on the estimated coupling strength [64–66].

The production of the SM Higgs boson was modelled with the Powheg-Box v2 Monte Carlo event generator [67–71], as described in Ref. [72] and summarised in Table 1. PYTHIA 8 [28] was used to simulate the $H \rightarrow Z\gamma$ decay as well as to provide parton showering, hadronisation and the underlying event. Other Higgs boson production processes are not considered as their contributions to the total Higgs boson production cross-section are of the order of 0.1% or less. All four production modes of the Higgs boson considered contribute to the signal in this analysis and their relative yields were fixed to the SM predictions. Contributions from $H \rightarrow \mu\mu$ (where the reconstructed photon originates from QED final-state radiation) were evaluated using samples produced in the same manner and are considered as a potential background in this analysis. The impact of interference between Higgs bosons decays with the same final-state signature ($H \rightarrow \gamma^*\gamma$, $\gamma^* \rightarrow e^+e^-/\mu^+\mu^-$ and $H \rightarrow \mu\mu$) is expected to be negligible in the Standard Model [73] and is neglected.

Additional samples of Higgs bosons produced by gluon-gluon fusion are used for studies of theoretical uncertainties. A sample with multiple parton interactions disabled is used to study the uncertainties in the signal acceptance related to the modelling of non-perturbative quantum chromodynamics (QCD) effects. A sample generated with MADGRAPH5_aMC@NLO [74] using the NNPDF30 PDF [75,76] set, which includes up to two jets at next-to-leading-order (NLO) accuracy in QCD using the FxFx merging scheme [74,77], is used to study the ggF acceptance in the analysis categories.

The background in this analysis originates mainly from non-resonant production of a Z boson and a photon ($Z\gamma$), with a

¹ The ATLAS experiment uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Polar coordinates (r, ϕ) are used in the transverse plane. The polar angle (θ) is measured from the positive z -axis and the azimuthal angle (ϕ) is measured from the positive x -axis in the transverse plane. The pseudorapidity is defined in as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

smaller contribution from the production of Z bosons in association with jets ($Z + \text{jets}$), with one jet misidentified as a photon.

A large sample of background $Z\gamma$ events was simulated with the SHERPA v2.2.2 [78] generator using a fast simulation of the calorimeter response [79]. It was produced at NLO precision in QCD for up to one additional parton and leading-order (LO) accuracy in QCD for up to three additional partons using the NNPDF3.0nnlo PDF set [76]. The matrix elements were matched and merged with the SHERPA parton shower [80,81] using the MEPS@LO prescription [82–85].

The electroweak production of $Z\gamma jj$ with jets originating from the fragmentation of partons arising from electroweak vertices is also considered. It was generated at LO accuracy in QCD using MADGRAPH5_aMC@NLO 2.3.3 with no additional partons in the final state, which is orthogonal to the $Z\gamma$ simulation with Sherpa. The NNPDF30 LO PDF set [76] was used for the generation of the events, and the hadronisation, parton shower and the underlying event of the events was modelled using PYTHIA 8.212 with the A14 parameter tune [86].

The background originating from $Z + \text{jets}$ is estimated using a data-driven technique which is validated using a sample simulated with the POWHEG-BOX v1 MC generator [68–70] at NLO accuracy in QCD. It was interfaced to PYTHIA 8.186 for the modelling of the parton shower, hadronisation and the underlying event with parameters set according to the AZNLO tune [87]. The CT10 PDF set [88] was used for the hard-scattering processes, whereas the CTEQ6L1 PDF set [89] was used for the parton shower.

4. Event selection, reconstruction and categorisation

Events are required to have at least one photon candidate and at least two same-flavour opposite-charge leptons, ($\ell = e, \mu$), associated with a primary vertex candidate. This primary vertex candidate is reconstructed from charged particles (tracks) in the ID with transverse momentum $p_T > 500$ MeV, and is defined to be the one with the largest sum of the squared transverse momenta of the associated tracks.

Muon candidates are required to have a high-quality track in the ID or the MS, satisfy the *medium* identification criteria, be within $|\eta| < 2.7$ and have $p_T > 10$ GeV [32]. Electron and photon candidates are reconstructed from topological clusters of energy deposits in the EM calorimeter, and in the case of an electron, a track in the ID matched to the cluster [31,101]. Electron and photon candidates in the transition region between the barrel and endcap EM calorimeters, $1.37 < |\eta| < 1.52$, are excluded. Electrons are required to satisfy *loose* likelihood-based identification criteria [31], have $p_T > 10$ GeV and be within $|\eta| < 2.47$, while photon candidates are required to satisfy $p_T > 10$ GeV, $|\eta| < 2.37$ and the *tight* identification criteria. Compared with the previous ATLAS publication [21] the electron identification criteria is looser, improving signal acceptance, and the photon identification has been updated to improve efficiency in the transverse momentum range 10 GeV – 35 GeV. The lepton and photon candidates are also required to be isolated from additional activity in the tracking detector and in the calorimeters. Contributions to the energy deposited in the calorimeters originating from the underlying events and pile-up are corrected for on an event-by-event basis using the method described in Refs. [102–104].

In order to ensure that muon and electron candidates originate from the primary vertex, it is required that the longitudinal impact parameter, Δz_0 , computed relative to the primary vertex position, satisfies $|\Delta z_0 \cdot \sin\theta| < 0.5$ mm, where θ is the polar angle of the track. Additionally, to suppress leptons from heavy-flavour decays the significance of the transverse impact parameter d_0 calculated relative to the measured beam-line position must

satisfy $|d_0|/\sigma_{d_0} < 3$ (5) for muons (electrons) where σ_{d_0} is the uncertainty in d_0 obtained from the track fit.

Jets are reconstructed from topological clusters [105] using the anti- k_t algorithm [106] with a radius parameter of 0.4. They are required to have $p_T > 25$ GeV and $|\eta| < 4.4$. Jets produced in pile-up interactions are suppressed by requiring that those with $p_T < 60$ GeV and $|\eta| < 2.4$ pass a selection based on a jet vertex tagging algorithm [107], which is 92% efficient for jets originating from the hard interaction.

An overlap removal procedure is applied to the selected lepton, photon and jet candidates. If two electrons share the same track, or the separation between two electron energy clusters satisfies $|\Delta\eta| < 0.075$ and $|\Delta\phi| < 0.125$, then only the highest- p_T electron is retained. Electron candidates that fall within $\Delta R = 0.02$ of a selected muon candidate are also discarded. In order to suppress the events arising from QED final-state radiation (FSR), photon candidates within a $\Delta R = 0.3$ cone around the leptons of the Z boson candidate are rejected. Jet-lepton and jet-photon overlap removal are also performed by removing the jet if its axis is within a cone of size $\Delta R = 0.2$ around one of the leptons or the photon.

The Z boson candidates are reconstructed from two same-flavour opposite-charge leptons satisfying the selection criteria. The leptons of the Z boson candidate are additionally required to be consistent with being accepted by at least one of the triggers that the event passed. It is required that the p_T of the leptons that are associated with the single-lepton or dilepton triggers is 1 GeV above the trigger threshold. The invariant mass of the Z boson candidates is required to be between 50 GeV and 101 GeV before applying the mass resolution improvements described in the following.

The resolution of the invariant mass of the $Z \rightarrow \mu\mu$ candidates is improved by 3% by correcting the muon momenta for collinear FSR ($\Delta R < 0.15$), using all photons identified in the EM calorimeter [72]. A constrained kinematic fit is applied to the dilepton invariant mass [108] for all Z boson candidates. This fit uses a line shape modelled by a Breit-Wigner distribution using the world average values for Z bosons mass and width [109] and a single Gaussian to model the lepton momentum response. It improves the mass resolution by 14% for the Higgs boson candidates with electrons in the final state and by 10% for final states with muons when combined with the FSR correction.

After the FSR correction and applying the kinematic fit, Z boson candidates are required to have an invariant mass within 10 GeV of the Z boson mass, $m_Z = 91.2$ GeV. If an event has multiple Z boson candidates which pass all requirements, the candidate with the mass closest to the Z boson mass is chosen. Fewer than 1% of the simulated signal events that pass the final $H \rightarrow Z\gamma$ selection have more than two leptons (dominated by events produced via VH and $t\bar{t}H$) and less than 0.1% of the signal events have a Z boson candidate that does not match a true Z boson.

The Higgs boson candidate is reconstructed from the Z boson candidate and the highest- p_T photon candidate in the event. The invariant mass of the final-state particles, $m_{Z\gamma}$, after correction for FSR and by the kinematic fit, is required to satisfy $105 \text{ GeV} < m_{Z\gamma} < 160 \text{ GeV}$. Finally, to reduce background contamination and simplify the background modelling, an additional requirement is placed on the transverse momentum of the photon such that $p_T^\gamma/m_{Z\gamma} > 0.12$.

For SM $H \rightarrow Z(\rightarrow \ell\ell)\gamma$ events, the reconstruction and selection efficiency (including kinematic acceptance) is 20.4% varying by a maximum of 2% depending on the production mode.

In order to improve the sensitivity to a $H \rightarrow Z\gamma$ signal, the selected events are classified into six mutually exclusive categories with different expected signal-to-background ratios and mass resolutions. Categories are defined according to the lepton flavour and event kinematics. Additionally, a boosted decision tree (BDT)

Table 2

The number of data events selected in each category and in the $Z\gamma$ mass range of 105–160 GeV. In addition, the following numbers are given: the expected number of Higgs boson signal events in an interval around the peak position for a signal of $m_H = 125.09$ GeV containing 68% of the SM signal (S_{68}), the mass resolution quantified by the width of the S_{68} interval (w_{68}) defined by the difference between the 84th and the 16th percentile of the signal mass distribution, the background in the S_{68} interval (B_{68}) is estimated from fits to the data using the background models described in Section 5, the observed number of events in the S_{68} interval (N_{68}), the expected signal-to-background ratio in the S_{68} window (S_{68}/B_{68}), and the expected significance estimate defined as $S_{68}/\sqrt{S_{68} + B_{68}}$. The final row of the table displays the expected number of events for an analysis performed in a single inclusive category calculated by summing the number of events in each individual category.

Category	Events	S_{68}	B_{68}	N_{68}	w_{68} [GeV]	S_{68}/B_{68} [10^{-2}]	$S_{68}/\sqrt{S_{68} + B_{68}}$
VBF-enriched	194	2.7	16.7	17	3.7	16.2	0.60
High relative p_T	2276	7.6	108.5	118	3.7	7.0	0.70
High $p_T ee$	5567	9.9	474.7	498	3.8	2.1	0.45
Low $p_T ee$	76 679	34.5	6418.6	6505	4.1	0.5	0.43
High $p_T \mu\mu$	6979	12.0	634.4	632	3.9	1.9	0.47
Low $p_T \mu\mu$	100 876	43.5	8506.9	8491	4.0	0.5	0.47
Inclusive	192 571	110.2	16159.8	16261	4.0	0.7	0.86

trained to separate VBF signal events from other Higgs boson production modes and backgrounds is used to define a category of events with at least two jets. If there are more than two jets in an event, the two highest- p_T jets are used. The kinematic variables used in the categorisation and as input to the BDT, which have been extended with respect to the Ref. [21], are:

- The p_T of the highest- p_T jet, p_T^{j1} .
- The pseudorapidity difference between the two jets, $\Delta\eta_{jj}$.
- The minimum ΔR between the Z boson or photon candidate and either of the two jets, $\Delta R_{\gamma \text{ or } Z, j}^{\min}$.
- The invariant mass of the two jets, m_{jj} .
- The absolute value of the difference between the pseudorapidity of the $Z\gamma$ system and the average pseudorapidity of the two jets, $(|\eta_{Z\gamma} - (\eta_{j1} + \eta_{j2})/2|)$ [110].
- The azimuthal separation between the $Z\gamma$ system and the system formed by the two jets, $\Delta\Phi_{Z\gamma, jj}$.
- The azimuthal angle between the dilepton system and the photon, $\Delta\Phi_{Z,\gamma}$.
- The component, p_{Tt} , of the transverse momentum of the $Z\gamma$ system, that is perpendicular to the difference of the 3-momenta of the Z boson and the photon candidate ($p_{Tt} = |\vec{p}_T^{Z\gamma} \times \hat{t}|$, where $\hat{t} = (\vec{p}_T^Z - \vec{p}_T^\gamma)/|\vec{p}_T^Z - \vec{p}_T^\gamma|$). This quantity is strongly correlated with the transverse momentum of the $Z\gamma$ system, but has better experimental resolution [111,112].

Events with two or more jets with $\Delta\eta_{jj} > 2$ that have a BDT output score larger than 0.87 are classified into a *VBF-enriched* category. Of the remaining events, those that satisfy the requirement on $p_T^\gamma/m_{Z\gamma} > 0.4$ are classified into a *High relative p_T* category while the others are separated into four categories depending on the lepton flavour and a cut at $p_T = 40$ GeV. The boundaries of the categories are selected to maximise the expected signal significance.

VBF events are estimated to constitute 72% of the signal in the *VBF-enriched category*. The *High relative p_T* and *High p_T* categories are expected to be enriched in VBF, VH and $t\bar{t}H$ events as these production modes have on average higher Higgs boson p_T than ggF production. Because the continuum $Z\gamma$ background has on average lower Higgs boson candidate p_T than the signal, the signal-to-background ratio is expected to be higher in these categories than in the other categories, as shown in Table 2. The table also summarises the observed number of events in data in the $Z\gamma$ mass range of 105–160 GeV and the expected number of signal (S_{68}) and background (B_{68}) events in a $m_{Z\gamma}$ window containing 68% of the expected signal. In addition the width of the window containing 68% of the SM signal (w_{68}), which quantifies the mass resolution and is defined as the difference between the 84th and the 16th percentile of the signal mass distribution, is reported. B_{68} is estimated from fits to the data using the background models

described in Section 5. The categorisation improves the expected sensitivity, which is defined as $S_{68}/\sqrt{S_{68} + B_{68}}$, by approximately 50%.

5. Signal and background modelling

The signal and background yields are extracted from a fit to the $m_{Z\gamma}$ distribution observed in data by assuming parametric models for both the signal and backgrounds. For the signal, the expected acceptance and parameters that describe the shape are obtained from simulated signal samples in the same manner as Ref. [21]. For the background, the models are chosen using simulated background samples and the values of their parameters are determined by a fit to the mass spectra measured in data.

The signal mass distribution for the Higgs boson decay into $Z\gamma$ is well modelled by a double-sided Crystal Ball (DSCB) function (a Gaussian function with power-law tails on both sides) [113,114]. The peak position and width of the Gaussian component are represented by μ_{CB} and σ_{CB} , respectively. The parameters of the DSCB are determined in each category by performing a maximum-likelihood fit to the signal MC samples.

The parametric model used to describe the background $m_{Z\gamma}$ distribution is selected using a template that is constructed from the simulated $Z\gamma$ and electroweak $Z\gamma jj$ events, and a $Z + \text{jets}$ contribution derived from data. The simulated $Z\gamma$ events use a fast simulation of the calorimeter response which has been confirmed to produce a $m_{Z\gamma}$ distribution compatible, in each category, with $Z\gamma$ events simulated with the detailed simulation. The shape of the $m_{Z\gamma}$ distribution for $Z + \text{jets}$ events is constructed for each category from a data control region defined by requiring the photon candidate to not satisfy the tight identification criteria but still pass a looser identification criteria. To smooth the statistical fluctuations of the $m_{Z\gamma}$ distribution for $Z + \text{jets}$ events, an analytic function is fitted to the ratio of the $m_{Z\gamma}$ distributions for $Z + \text{jets}$ and $Z\gamma$ events, in the $m_{Z\gamma}$ range of 105–160 GeV. The smoothed $m_{Z\gamma}$ distribution for $Z + \text{jets}$ events is constructed by multiplying the $Z\gamma$ distribution by the fitted ratio. The $Z + \text{jets}$ and $Z\gamma$ distributions have similar shapes, allowing a parametric function to be used to fit the ratio.² The uncertainty in the fitted ratio is found to have negligible impact on the background template.

The background composition in each category is determined using data and confirms the dominance of the $Z\gamma$ process over other backgrounds where jets are misidentified as photons. A two-dimensional sideband technique [21,115] based on the track and calorimeter isolation of the photon candidate and whether the

² The functional form used is $(1 - x^{1/3})^{f_0 x^{p_0} + p_1 \log(x)}$ where $x = m_{Z\gamma}/\sqrt{s}$ ($\sqrt{s} = 13$ TeV) where f_i and p_i are the free parameters of the model.

Table 3

The selected background function and fit range in each analysis category.

Category	Function Type	Fit range [GeV]
VBF-enriched	Second-order power function	110–155
High relative p_T	Second-order exponential polynomial	105–155
ee high p_T	Second-order Bernstein polynomial	115–145
ee low p_T	Second-order exponential polynomial	115–160
$\mu\mu$ high p_T	Third-order Bernstein polynomial	115–160
$\mu\mu$ low p_T	Third-order Bernstein polynomial	115–160

photon candidate satisfies the tight or the looser identification criteria is performed in each category. The fraction of $Z\gamma$ events with genuine photons (including the $Z\gamma jj$ contribution), inclusive over categories, is $0.78^{+0.04}_{-0.09}$.

To construct the final background template for each category, the normalisation of the electroweak $Z\gamma jj$ events is based on the predicted cross-section while the combined $Z\gamma$ and $Z + \text{jets}$ distribution is normalised to the number of data events in that category after subtracting the expected number of electroweak $Z\gamma jj$ events. The background template is treated as a representative Asimov dataset [116] when choosing the functional form used to model it.

The functional form used to model the background is selected from the following families of functions: Bernstein polynomials, exponential polynomial functions ($e^{(\sum_{i=0}^N p_i m_{Z\gamma}^i)}$), a sum of power functions ($\sum_{i=1}^N f_i m_{Z\gamma}^{p_i}$), and a class of functions given by $(1 - x^{1/3})^f x^{\sum_{i=0}^N p_i \log(x)^i}$ where $x = m_{Z\gamma}/\sqrt{s}$ ($\sqrt{s} = 13$ TeV) where f_i and p_i are the free parameters of the models. The choice of analytical model of the background and the $m_{Z\gamma}$ range used for the final fit is optimised in each category using the background template mentioned earlier. The optimisation procedure, which has been updated when compared to Ref. [21], includes a limit on the amount of bias in the extracted signal yield (also referred to as spurious signal) and a requirement on the fit quality, and it prefers models with fewer free parameters to maximise the statistical sensitivity to the expected signal. For each category used in the analysis, the bias due to the spurious signal is estimated by performing a signal-plus-background fit to the $m_{Z\gamma}$ background-only distribution estimated as explained above, with m_H varied between 123 GeV and 127 GeV. The maximum number of signal events derived from these fits in each category constitutes the spurious-signal systematic uncertainty. A requirement that the spurious signal be less than 50% of the expected statistical uncertainty in the signal yield is applied when selecting the background modelling function. Stricter requirements on the spurious signal are not possible due to the statistical uncertainty in the $m_{Z\gamma}$ background template. In addition, the χ^2 probability of the background-only fit is required to be larger than 1%. The fit range is optimised in each analysis category by varying the lower and upper bounds in 5 GeV steps within the ranges 105–115 GeV and 140–160 GeV, respectively. The optimal fit range and function are selected to achieve the highest signal significance while fitting the expected mass distribution of background plus SM signal. The significance evaluation also includes the spurious-signal systematic uncertainty. The selected background functional form and fit range in each category are detailed in Table 3.

6. Systematic uncertainties

The dominant experimental uncertainty in the signal yield is the spurious signal from the choice of background model. The spurious signal corresponds to as much as 50% of the statistical error in the expected signal yield per category, due to a limited number of simulated background events. It introduces a 28% systematic uncertainty in the signal strength, defined as the ratio of the observed to expected signal yield; however, it only increases the total

uncertainty in the expected signal strength by 5.6% because of the large statistical uncertainty. The contribution from $H \rightarrow \mu\mu$ is estimated using simulated events and amounts to about 1.7% inclusively, and up to 3.3% in individual categories. An uncertainty in this contribution taken from the latest ATLAS measurement [117] results in an uncertainty of 2.1% in the expected signal yield. The combined uncertainty in the signal yield in any category due to the reconstruction, identification, isolation, and trigger efficiency measurements [31,32] is no more than 2.6%, 2.4% and 1.6% for photons, electrons and muons, respectively. Pile-up also affects the lepton and photon identification efficiency but contributes a negligible amount to the uncertainty (0.2%). The uncertainty in the combined 2015–2018 integrated luminosity is 1.7% [118,119].

The theoretical uncertainties in the predicted signal yield originate from uncertainties in the predicted branching ratio (5.7%) [12] as well as from uncertainties in the modelling of the production cross-section and kinematics of the Higgs boson due to missing higher-order QCD calculations (5.3%), that are dominated by uncertainties in the QCD renormalisation and factorisation scales (5.2%). Smaller effects originate from the parton shower modelling uncertainty (1.3%), PDFs (2.5%) and α_s (1.9%). The uncertainties in the Higgs boson event kinematics due to missing higher-order QCD calculations impact the distribution of signal events amongst the analysis categories. They are evaluated using an extension of the Stewart-Tackmann method [12,120], based on inputs from Refs. [121–123]. Details of how the uncertainty in the acceptance of ggF events in the VBF-enriched category and all other categories is evaluated can be found in Refs. [124] and [21], respectively. Additionally, to account for the uncertainties in the modelling of jet kinematics in ggF events the category acceptance is compared with the acceptance derived from the MADGRAPH5_aMC@NLO sample. The Higgs boson and jet kinematics particularly affect the ggF signal acceptance in the VBF-enriched category (37%) and High relative p_T category (21%). The effect of parton shower modelling, PDFs and α_s on the distribution of signal events amongst the analysis categories is less than 11%, 1% and 2%, respectively. The expected signal yield in the VBF category is also affected (14%) by the jet energy scale, jet energy resolution and vertex tagging efficiency [125].

The uncertainty in the modelling of the signal shape varies between analysis channels. The uncertainty in the mass resolution (σ_{CB}) is dominated by the uncertainty in the electron and photon energy resolution (< 3.4%) and in the muon momentum resolution (< 3.6%). The uncertainty in the signal position (μ_{CB}) from the uncertainty in electron, photon and muon calibration (< 0.15%) is less than the uncertainty in the assumed Higgs boson mass of 0.19% [8]. The impact of the signal model uncertainty on the signal strength is less than 2%.

7. Results

A profile-likelihood-ratio test statistic [116] is used to search for a localised excess of events above the expected background by performing a fit to the $m_{Z\gamma}$ spectra in the various categories. In the same manner as was done in previous searches for $H \rightarrow Z\gamma$ [21], the likelihood is built from the product of Poisson probability terms across all categories with two contributions: non-resonant background, and Higgs boson signal. The likelihood includes terms for the systematic uncertainties discussed in Section 6 implemented as nuisance parameters. The nuisance parameters describe the systematic uncertainties, which are parameterised as Gaussian or log-normal priors and are correlated across analysis categories where appropriate. Upper limits are set on the Higgs boson production cross-section at 95% confidence level (CL) using the modified frequentist formalism [126]. The results are derived using closed-form asymptotic formulae [116].




Fig. 1. The $Z\gamma$ invariant mass ($m_{Z\gamma}$) distributions of events satisfying the $H \rightarrow Z\gamma$ selection in data for the six event categories: (a) VBF-enriched, (b) High relative p_T^γ , (c) High p_T ee, (d) Low p_T ee, (e) High p_T $\mu\mu$, and (f) Low p_T $\mu\mu$. The black points represent data. The error bars represent only the statistical uncertainty of the data. The solid blue lines show the background-only fits to the data, performed independently in each category. The dashed red histogram corresponds to the expected signal for a SM Higgs boson with $m_H = 125$ GeV decaying into $Z\gamma$ multiplied by a factor of 20. The bottom part of the figures shows the residuals of the data with respect to the background-only fit.

The invariant mass distributions of the $Z\gamma$ events for the various categories are shown in Fig. 1 with the background-only fit superimposed. The expected Higgs boson signal normalised to 20 times the SM prediction for $m_H = 125$ GeV is also shown. At $m_H = 125.09$ GeV, the observed (expected with a SM Higgs boson) p -value under the background hypothesis is 1.3% (12.3%), which corresponds to a significance of 2.2σ (1.2σ). A weighted sum of all categories with the fitted signal-plus-background model superimposed is shown in Fig. 2. The events are weighted by $\ln(1 + S_{68}/B_{68})$, where S_{68} and B_{68} are defined in Section 4.

The best-fit value for the $H \rightarrow Z\gamma$ signal strength, defined as the ratio of the observed to the predicted SM signal yield, is found to be $2.0 \pm 0.9(\text{stat.})^{+0.4}_{-0.3}(\text{syst.}) = 2.0^{+1.0}_{-0.9}(\text{tot.})$ with an expected value of $1.0 \pm 0.8(\text{stat.}) \pm 0.3(\text{syst.})$ assuming the presence of the SM Higgs boson. The measured signal strength amongst

all categories are compatible within their total uncertainties. The largest measured signal strength is $4.7^{+3.0}_{-2.7}(\text{tot.})$ in the High p_T ee category. The total uncertainty is dominated by the statistical component from the data. The systematic component of the total uncertainty is dominated by the spurious-signal uncertainties.

The observed 95% CL limit on the $H \rightarrow Z\gamma$ signal strength is found to be 3.6 times the SM prediction compared with an expected value of 1.7 (2.6) assuming no (SM) Higgs boson decays into $Z\gamma$. The observed upper limit on $\sigma(pp \rightarrow H) \cdot B(H \rightarrow Z\gamma)$ is 305 fb at 95% CL. Assuming the SM Higgs boson production cross-section, the upper limit at 95% CL on $B(H \rightarrow Z\gamma)$ is found to be 0.55%.

This result represents an improvement of about a factor of 2.4 in expected sensitivity compared with the previous ATLAS publication [21]. Of this improvement, a factor of approximately two is




Fig. 2. Weighted $Z\gamma$ invariant mass ($m_{Z\gamma}$) distribution of events satisfying the $H \rightarrow Z\gamma$ selection in data. The black points represent data. The error bars represent only the statistical uncertainty of the data. Events are weighted by $\ln(1 + S_{68}/B_{68})$, where S_{68} and B_{68} are the expected signal and background events in a $m_{Z\gamma}$ window containing 68% of the expected signal. The solid blue curve shows the combined fitted signal-plus-background model when fitting all analysis categories simultaneously, the dashed line shows the model of the background component.

due to the larger analysed dataset and the additional 20% improvement can be attributed to the improvements in the analysis.

8. Conclusion

A search for $Z\gamma$ decays of the SM Higgs boson in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ is performed with the ATLAS experiment at the LHC. The observed data are consistent with the expected background with a p -value of 1.3%, while the expected p -value in the presence of a SM Higgs boson is 12.3%. These p -values correspond to a significance of 2.2 and 1.2 standard deviations, respectively. The observed 95% CL upper limit on the $\sigma(pp \rightarrow H) \cdot B(H \rightarrow Z\gamma)$ is 3.6 times the SM prediction for a Higgs boson mass of 125.09 GeV. The expected limit on $\sigma(pp \rightarrow H) \cdot B(H \rightarrow Z\gamma)$ assuming either no Higgs boson decay into $Z\gamma$ or the presence of the SM Higgs boson decay is 1.7 and 2.6 times the SM prediction, respectively. The best-fit value for the signal yield normalised to the SM prediction is $2.0^{+1.0}_{-0.9}$ where the statistical component of the uncertainty is dominant.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRT, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco;

NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russia Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, Compute Canada and CRC, Canada; ERC, ERDF, Horizon 2020, Marie Skłodowska-Curie Actions and COST, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and GIF, Israel; CERCA Programme Generalitat de Catalunya and PROMETEO Programme Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [127].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] ATLAS Collaboration, Study of the spin and parity of the Higgs boson in di-boson decays with the ATLAS detector, Eur. Phys. J. C 75 (2015) 476, arXiv: 1506.05669 [hep-ex], Erratum: Eur. Phys. J. C 76 (2016) 152.
- [4] CMS Collaboration, Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV, Phys. Rev. D 92 (2015) 012004, arXiv:1411.3441 [hep-ex].
- [5] ATLAS CMS Collaborations, Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV, J. High Energy Phys. 08 (2016) 045, arXiv:1606.02266 [hep-ex].
- [6] CMS Collaboration, Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 79 (2019) 421, arXiv: 1809.10733 [hep-ex].
- [7] ATLAS Collaboration, Combined measurements of Higgs boson production and decay using up to 80 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS experiment, Phys. Rev. D 101 (2020) 012002, arXiv: 1909.02845 [hep-ex].
- [8] ATLAS CMS Collaborations, Combined measurement of the Higgs boson mass in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments, Phys. Rev. Lett. 114 (2015) 191803, arXiv:1503.07589 [hep-ex].
- [9] ATLAS Collaboration, Measurement of the Higgs boson mass in the $H \rightarrow ZZ^* \rightarrow 4\ell$ and $H \rightarrow \gamma\gamma$ channels with $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector, Phys. Lett. B 784 (2018) 345, arXiv:1806.00242 [hep-ex].
- [10] CMS Collaboration, Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, J. High Energy Phys. 11 (2017) 047, arXiv:1706.09936 [hep-ex].
- [11] CMS Collaboration, A measurement of the Higgs boson mass in the diphoton decay channel, Phys. Lett. B 805 (2020) 135425, arXiv:2002.06398 [hep-ex].
- [12] D. de Florian, et al., Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, arXiv:1610.07922 [hep-ph], 2016.
- [13] I. Low, J. Lykken, G. Shaughnessy, Singlet scalars as Higgs imposters at the large hadron collider, Phys. Rev. D 84 (2011) 035027, arXiv:1105.4587 [hep-ph].
- [14] I. Low, J. Lykken, G. Shaughnessy, Have we observed the Higgs (impostor)?, Phys. Rev. D 86 (2012) 093012, arXiv:1207.1093 [hep-ph].
- [15] A. Azatov, R. Contino, A. Di lura, J. Galloway, New prospects for Higgs compositeness in $h \rightarrow Z\gamma$, Phys. Rev. D 88 (2013) 075019, arXiv:1308.2676 [hep-ph].
- [16] M. Carena, I. Low, C.E. Wagner, Implications of a modified Higgs to diphoton decay width, J. High Energy Phys. 08 (2012) 060, arXiv:1206.1082 [hep-ph].
- [17] C.-W. Chiang, K. Yagyu, Higgs boson decays to $\gamma\gamma$ and $Z\gamma$ in models with Higgs extensions, Phys. Rev. D 87 (2013) 033003, arXiv:1207.1065 [hep-ph].

- [18] C.-S. Chen, C.-Q. Geng, D. Huang, L.-H. Tsai, New scalar contributions to $h \rightarrow Z\gamma$, Phys. Rev. D 87 (2013) 075019, arXiv:1301.4694 [hep-ph].
- [19] ATLAS Collaboration, Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector, Phys. Lett. B 732 (2014) 8, arXiv:1402.3051 [hep-ex].
- [20] CMS Collaboration, Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s} = 7$ and 8 TeV, Phys. Lett. B 726 (2013) 587, arXiv: 1307.5515 [hep-ex].
- [21] ATLAS Collaboration, Search for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 10 (2017) 112, arXiv:1708.00212 [hep-ex].
- [22] CMS Collaboration, Search for the decay of a Higgs boson in the $ll\gamma$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 11 (2018) 152, arXiv:1806.05996 [hep-ex].
- [23] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [24] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19, <https://cds.cern.ch/record/1291633>, 2010, Addendum: ATLAS-TDR-19-ADD-1, <https://cds.cern.ch/record/1451888>, 2012.
- [25] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [26] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [27] S. Agostinelli, et al., GEANT4 - a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [28] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [29] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [30] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model, ATL-PHYS-PUB-2016-017, <https://cds.cern.ch/record/2206965>, 2016.
- [31] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, J. Instrum. 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [32] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [33] C. Anastasiou, C. Duhr, F. Dulat, F. Herzog, B. Mistlberger, Higgs boson gluon-fusion production in QCD at three loops, Phys. Rev. Lett. 114 (2015) 212001, arXiv:1503.06056 [hep-ph].
- [34] C. Anastasiou, et al., High precision determination of the gluon fusion Higgs boson cross-section at the LHC, J. High Energy Phys. 05 (2016) 058, arXiv: 1602.00695 [hep-ph].
- [35] F. Dulat, A. Lazopoulos, B. Mistlberger, iHixs 2 – inclusive Higgs cross sections, Comput. Phys. Commun. 233 (2018) 243, arXiv:1802.00827 [hep-ph].
- [36] R.V. Harlander, K.J. Ozeren, Finite top mass effects for hadronic Higgs production at next-to-next-to-leading order, J. High Energy Phys. 11 (2009) 088, arXiv:0909.3420 [hep-ph].
- [37] R.V. Harlander, K.J. Ozeren, Top mass effects in Higgs production at next-to-next-to-leading order QCD: virtual corrections, Phys. Lett. B 679 (2009) 467, arXiv:0907.2997 [hep-ph].
- [38] R.V. Harlander, H. Mantler, S. Marzani, K.J. Ozeren, Higgs production in gluon fusion at next-to-next-to-leading order QCD for finite top mass, Eur. Phys. J. C 66 (2010) 359, arXiv:0912.2104 [hep-ph].
- [39] A. Pak, M. Rogal, M. Steinhauser, Finite top quark mass effects in NNLO Higgs boson production at LHC, J. High Energy Phys. 02 (2010) 025, arXiv:0911.4662 [hep-ph].
- [40] S. Actis, G. Passarino, C. Sturm, S. Uccirati, NLO electroweak corrections to Higgs boson production at hadron colliders, Phys. Lett. B 670 (2008) 12, arXiv: 0809.1301 [hep-ph].
- [41] S. Actis, G. Passarino, C. Sturm, S. Uccirati, NNLO computational techniques: the cases $H \rightarrow \gamma\gamma$ and $H \rightarrow gg$, Nucl. Phys. B 811 (2009) 182, arXiv:0809.3667 [hep-ph].
- [42] C. Anastasiou, R. Boughezal, F. Petriello, Mixed QCD-electroweak corrections to Higgs boson production in gluon fusion, J. High Energy Phys. 04 (2009) 003, arXiv:0811.3458 [hep-ph].
- [43] U. Aglietti, R. Bonciani, G. Degrassi, A. Vicini, Two loop light fermion contribution to Higgs production and decays, Phys. Lett. B 595 (2004) 432, arXiv:hep-ph/0404071 [hep-ph].
- [44] M. Bonetti, K. Melnikov, L. Tancredi, Higher order corrections to mixed QCD-EW contributions to Higgs boson production in gluon fusion, Phys. Rev. D 97 (2018) 056017, Erratum: Phys. Rev. D 97 (2018) 099906, arXiv:1801.10403 [hep-ph].
- [45] M. Ciccolini, A. Denner, S. Dittmaier, Strong and electroweak corrections to the production of Higgs+2jets via weak interactions at the LHC, Phys. Rev. Lett. 99 (2007) 161803, arXiv:0707.0381 [hep-ph].
- [46] M. Ciccolini, A. Denner, S. Dittmaier, Electroweak and QCD corrections to Higgs production via vector-boson fusion at the LHC, Phys. Rev. D 77 (2008) 013002, arXiv:0710.4749 [hep-ph].
- [47] P. Bolzoni, F. Maltoni, S.-O. Moch, M. Zaro, Higgs boson production via vector-boson fusion at next-to-next-to-leading order in QCD, Phys. Rev. Lett. 105 (2010) 011801, arXiv:1003.4451 [hep-ph].
- [48] M.L. Ciccolini, S. Dittmaier, M. Krämer, Electroweak radiative corrections to associated WH and ZH production at hadron colliders, Phys. Rev. D 68 (2003) 073003, arXiv:hep-ph/0306234 [hep-ph].
- [49] O. Brein, A. Djouadi, R. Harlander, NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders, Phys. Lett. B 579 (2004) 149, arXiv: hep-ph/0307206.
- [50] O. Brein, R. Harlander, M. Wiesemann, T. Zirke, Top-quark mediated effects in hadronic Higgs-strahlung, Eur. Phys. J. C 72 (2012) 1868, arXiv:1111.0761 [hep-ph].
- [51] L. Altenkamp, S. Dittmaier, R.V. Harlander, H. Rzezhak, T.J.E. Zirke, Gluon-induced Higgs-strahlung at next-to-leading order QCD, J. High Energy Phys. 02 (2013) 078, arXiv:1211.5015 [hep-ph].
- [52] A. Denner, S. Dittmaier, S. Kallweit, A. Mück, HAWK 2.0: a Monte Carlo program for Higgs production in vector-boson fusion and Higgs strahlung at hadron colliders, Comput. Phys. Commun. 195 (2015) 161, arXiv:1412.5390 [hep-ph].
- [53] O. Brein, R.V. Harlander, T.J.E. Zirke, vh@nnlo – Higgs strahlung at hadron colliders, Comput. Phys. Commun. 184 (2013) 998, arXiv:1210.5347 [hep-ph].
- [54] R.V. Harlander, A. Kulesza, V. Theeuwes, T. Zirke, Soft gluon resummation for gluon-induced Higgs strahlung, J. High Energy Phys. 11 (2014) 082, arXiv: 1410.0217 [hep-ph].
- [55] R.V. Harlander, J. Klappert, S. Liebler, L. Simon, vh@nnlo-v2: new physics in Higgs strahlung, J. High Energy Phys. 05 (2018) 089, arXiv:1802.04817 [hep-ph].
- [56] W. Beenakker, et al., NLO QCD corrections to $t\bar{t}H$ production in hadron collisions, Nucl. Phys. B 653 (2003) 151, arXiv:hep-ph/0211352.
- [57] S. Dawson, C. Jackson, L.H. Orr, L. Reina, D. Wackerlo, Associated Higgs boson production with top quarks at the CERN large hadron collider: NLO QCD corrections, Phys. Rev. D 68 (2003) 034022, arXiv:hep-ph/0305087.
- [58] Y. Zhang, W.-G. Ma, R.-Y. Zhang, C. Chen, L. Guo, QCD NLO and EW NLO corrections to $t\bar{t}H$ production with top quark decays at hadron collider, Phys. Lett. B 738 (2014) 1, arXiv:1407.1110 [hep-ph].
- [59] S. Frixione, V. Hirschi, D. Pagani, H.-S. Shao, M. Zaro, Electroweak and QCD corrections to top-pair hadroproduction in association with heavy bosons, J. High Energy Phys. 06 (2015) 184, arXiv:1504.03446 [hep-ph].
- [60] A. Djouadi, J. Kalinowski, M. Spira, HDECAY: a program for Higgs boson decays in the standard model and its supersymmetric extension, Comput. Phys. Commun. 108 (1998) 56, arXiv:hep-ph/9704448.
- [61] M. Spira, QCD effects in Higgs physics, Fortschr. Phys. 46 (1998) 203, arXiv: hep-ph/9705337.
- [62] A. Djouadi, M.M. Mühlleitner, M. Spira, Decays of supersymmetric particles: the program SUSY-HIT (SUspect-SdecaY-Hdecay-Interface), Acta Phys. Pol. B 38 (2007) 635, arXiv:hep-ph/0609292.
- [63] A. Djouadi, J. Kalinowski, M. Mühlleitner, M. Spira, HDECAY: Twenty++ years after, Comput. Phys. Commun. 238 (2019) 214, arXiv:1801.09506 [hep-ph].
- [64] M. Spira, A. Djouadi, P. Zerwas, QCD corrections to the $HZ\gamma$ coupling, Phys. Lett. B (ISSN 0370-2693) 276 (1992) 350.
- [65] R. Bonciani, et al., Next-to-leading order QCD corrections to the decay width $H \rightarrow Z\gamma$, J. High Energy Phys. 2015 (2015) 108, arXiv:1505.00567 [hep-ph].
- [66] T. Gehrmann, S. Guns, D. Kara, The rare decay $H \rightarrow Z\gamma$ in perturbative QCD, J. High Energy Phys. 2015 (2015) 38, arXiv:1505.00561 [hep-ph].
- [67] P. Nason, C. Oleari, NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG, J. High Energy Phys. 02 (2010) 037, arXiv:0911.5299 [hep-ph].
- [68] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043 (using ATLAS svn revisions r2856 for v1, r3080 for v2 ggF, r3052 for v2 VBF, and r3133 for v2 VH), arXiv:1002.2581 [hep-ph].
- [69] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040, arXiv:hep-ph/0409146.
- [70] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, J. High Energy Phys. 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [71] H.B. Hartanto, B. Jager, L. Reina, D. Wackerlo, Higgs boson production in association with top quarks in the POWHEG BOX, Phys. Rev. D 91 (2015) 094003, arXiv:1501.04498 [hep-ph].
- [72] ATLAS Collaboration, Higgs boson production cross-section measurements and their EFT interpretation in the $4l$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector, CERN-EP-2020-034, arXiv:2004.03447 [hep-ex], 2020.
- [73] Long-Bin Chen, Cong-Feng Qiao, Rui-Lin Zhu, Reconstructing the 125 GeV SM Higgs boson through $ll\gamma$, Phys. Lett. B 726 (2013) 306, arXiv:1211.6058 [hep-ph].
- [74] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [75] J. Butterworth, et al., PDF4LHC recommendations for LHC Run II, J. Phys. G 43 (2016) 023001, arXiv:1510.03865 [hep-ph].

- [76] R.D. Ball, et al., Parton distributions for the LHC Run II, *J. High Energy Phys.* 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [77] R. Frederix, S. Frixione, Merging meets matching in MC@NLO, *J. High Energy Phys.* 12 (2012) 061, arXiv:1209.6215 [hep-ph].
- [78] E. Bothmann, et al., Event generation with Sherpa 2.2, *SciPost Phys.* 7 (2019) 034, arXiv:1905.09127 [hep-ph].
- [79] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <https://cds.cern.ch/record/1300517>, 2010.
- [80] S. Schumann, F. Krauss, A parton shower algorithm based on Catani-Seymour dipole factorisation, *J. High Energy Phys.* 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [81] T. Gleisberg, S. Höche, Comix, a new matrix element generator, *J. High Energy Phys.* 12 (2008) 039, arXiv:0808.3674 [hep-ph].
- [82] S. Catani, F. Krauss, R. Kuhn, B.R. Webber, QCD matrix elements + parton showers, *J. High Energy Phys.* 11 (2001) 063, arXiv:hep-ph/0109231.
- [83] S. Höche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, *J. High Energy Phys.* 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [84] S. Höche, F. Krauss, M. Schönher, F. Siegert, A critical appraisal of NLO+PS matching methods, *J. High Energy Phys.* 09 (2012) 049, arXiv:1111.1220 [hep-ph].
- [85] S. Höche, F. Krauss, M. Schönher, F. Siegert, QCD matrix elements + parton showers: the NLO case, *J. High Energy Phys.* 04 (2013) 027, arXiv:1207.5030 [hep-ph].
- [86] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [87] ATLAS Collaboration, Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* 09 (2014) 145, arXiv:1406.3660 [hep-ex].
- [88] H.-L. Lai, M. Guzzi, J. Huston, Z. Li, P.M. Nadolsky, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [89] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 012, arXiv:hep-ph/0201195.
- [90] K. Hamilton, P. Nason, E. Re, G. Zanderighi, NNLOPS simulation of Higgs boson production, *J. High Energy Phys.* 10 (2013) 222, arXiv:1309.0017 [hep-ph].
- [91] K. Hamilton, P. Nason, G. Zanderighi, Finite quark-mass effects in the NNLOPS POWHEG+MiNLO Higgs generator, *J. High Energy Phys.* 05 (2015) 140, arXiv:1501.04637 [hep-ph].
- [92] G. Bozzi, S. Catani, D. de Florian, M. Grazzini, Transverse-momentum resummation and the spectrum of the Higgs boson at the LHC, *Nucl. Phys. B* 737 (2006) 73, arXiv:hep-ph/0508068 [hep-ph].
- [93] S. Catani, M. Grazzini, An NNLO subtraction formalism in hadron collisions and its application to Higgs boson production at the LHC, *Phys. Rev. Lett.* 98 (2007) 222002, arXiv:hep-ph/0703012 [hep-ph].
- [94] E. Bagnaschi, G. Degrassi, P. Slavich, A. Vicini, Higgs production via gluon fusion in the POWHEG approach in the SM and in the MSSM, *J. High Energy Phys.* 02 (2012) 088, arXiv:1111.2854 [hep-ph].
- [95] D. de Florian, G. Ferrera, M. Grazzini, D. Tommasini, Transverse-momentum resummation: Higgs boson production at the tevatron and the LHC, *J. High Energy Phys.* 11 (2011) 064, arXiv:1109.2109 [hep-ph].
- [96] K. Hamilton, P. Nason, G. Zanderighi, MINLO: multi-scale improved NLO, *J. High Energy Phys.* 10 (2012) 155, arXiv:1206.3572 [hep-ph].
- [97] J.M. Campbell, et al., NLO Higgs boson production plus one and two jets using the POWHEG BOX, MadGraph4 and MCFM, *J. High Energy Phys.* 07 (2012) 092, arXiv:1202.5475 [hep-ph].
- [98] K. Hamilton, P. Nason, C. Oleari, G. Zanderighi, Merging H/W/Z + 0 and 1 jet at NLO with no merging scale: a path to parton shower + NNLO matching, *J. High Energy Phys.* 05 (2013) 082, arXiv:1212.4504 [hep-ph].
- [99] G. Cullen, et al., Automated one-loop calculations with GoSam, *Eur. Phys. J. C* 72 (2012) 1889, arXiv:1111.2034 [hep-ph].
- [100] G. Luisoni, P. Nason, C. Oleari, F. Tramontano, HW $^\pm$ /HZ+ 0 and 1 jet at NLO with the POWHEG BOX interfaced to GoSam and their merging within MiNLO, *J. High Energy Phys.* 10 (2013) 083, arXiv:1306.2542 [hep-ph].
- [101] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016, *Eur. Phys. J. C* 79 (2019) 205, arXiv:1810.05087 [hep-ex].
- [102] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Phys. Rev. D* 83 (2011) 052005, arXiv:1012.4389 [hep-ex].
- [103] M. Cacciari, G.P. Salam, S. Sapeta, On the characterisation of the underlying event, *J. High Energy Phys.* 04 (2010) 065, arXiv:0912.4926 [hep-ph].
- [104] M. Cacciari, G.P. Salam, G. Soyez, The catchment area of jets, *J. High Energy Phys.* 2008 (2008) 005, arXiv:0802.1188 [hep-ph].
- [105] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [106] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [107] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, ATLAS-CONF-2014-018, <https://cds.cern.ch/record/1700870>, 2014.
- [108] ATLAS Collaboration, Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, *Phys. Rev. D* 91 (2015) 012006, arXiv:1408.5191 [hep-ex].
- [109] C. Patrignani, et al., Review of particle physics, *Chin. Phys. C* 40 (2016) 100001.
- [110] D. Rainwater, R. Szalapski, D. Zeppenfeld, Probing color-singlet exchange in $Z + 2$ -jet events at the CERN LHC, *Phys. Rev. D* 54 (11 1996) 6680, arXiv:hep-ph/9605444 [hep-ph].
- [111] OPAL Collaboration, K. Ackerstaff, et al., Search for anomalous production of dilepton events with missing transverse momentum in e^+e^- collisions at $\sqrt{s} = 161$ GeV and 172 GeV, *Eur. Phys. J. C* 4 (1998) 47, arXiv:hep-ex/9710010.
- [112] M. Vesterinen, T. Wyatt, A novel technique for studying the Z boson transverse momentum distribution at hadron colliders, *Nucl. Instrum. Methods A* 602 (2009) 432, arXiv:0807.4956 [hep-ph].
- [113] M. Oreglia, A study of the reactions $\psi' \rightarrow \gamma\gamma\psi$, <https://www.slac.stanford.edu/cgi-wrap/getdoc/slac-r-236.pdf>, 1980.
- [114] ATLAS Collaboration, Search for scalar diphoton resonances in the mass range 65–600 GeV with the ATLAS detector in pp collision data at $\sqrt{s} = 8$ TeV, *Phys. Rev. Lett.* 113 (2014) 171801, arXiv:1407.6583 [hep-ex].
- [115] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Phys. Rev. D* 83 (2011) 052005, arXiv:1012.4389 [hep-ex].
- [116] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: *Eur. Phys. J. C* 73 (2013) 2501.
- [117] ATLAS Collaboration, Search for the dimuon decay of the Higgs boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. Lett.* 119 (2017) 051802, arXiv:1705.04582 [hep-ex].
- [118] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [119] G. Avonni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, *J. Instrum.* 13 (2018) P07017.
- [120] I.W. Stewart, F.J. Tackmann, Theory uncertainties for Higgs and other searches using jet bins, *Phys. Rev. D* 85 (2012) 034011, arXiv:1107.2117 [hep-ph].
- [121] J.M. Campbell, R. Ellis, MCFM for the Tevatron and the LHC, *Nucl. Phys. B, Proc. Suppl.* 205–206 (2010) 10, arXiv:1007.3492 [hep-ph].
- [122] S. Gangal, F.J. Tackmann, Next-to-leading-order uncertainties in Higgs \pm jets from gluon fusion, *Phys. Rev. D* 87 (2013) 093008, arXiv:1302.5437 [hep-ph].
- [123] M. Grazzini, H. Sargsyan, Heavy-quark mass effects in Higgs boson production at the LHC, *J. High Energy Phys.* 09 (2013) 129, arXiv:1306.4581 [hep-ph].
- [124] ATLAS Collaboration, Measurements of Higgs boson properties in the diphoton decay channel with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 98 (2018) 052005, arXiv:1802.04146 [hep-ex].
- [125] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [126] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G, Nucl. Part. Phys.* 28 (2002) 2693.
- [127] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

G. Aad ¹⁰², B. Abbott ¹²⁸, D.C. Abbott ¹⁰³, A. Abed Abud ³⁶, K. Abeling ⁵³, D.K. Abhayasinghe ⁹⁴, S.H. Abidi ¹⁶⁶, O.S. AbouZeid ⁴⁰, N.L. Abraham ¹⁵⁵, H. Abramowicz ¹⁶⁰, H. Abreu ¹⁵⁹, Y. Abulaiti ⁶, B.S. Acharya ^{67a,67b,n}, B. Achkar ⁵³, L. Adam ¹⁰⁰, C. Adam Bourdarios ⁵, L. Adamczyk ^{84a}, L. Adamek ¹⁶⁶, J. Adelman ¹²¹, M. Adersberger ¹¹⁴, A. Adiguzel ^{12c}, C. Agapopoulou ⁶⁵, M.N. Agaras ³⁸, A. Aggarwal ¹¹⁹, A. Ahmad ³⁶, F. Ahmadov ⁸⁰, W.S. Ahmed ¹⁰⁴, X. Ai ¹⁸, G. Aielli ^{74a,74b}, S. Akatsuka ⁸⁶, M. Akbiyik ¹⁰⁰,

- T.P.A. Åkesson 97, E. Akilli 54, A.V. Akimov 111, K. Al Khoury 65, G.L. Alberghi 23b,23a, J. Albert 175,
 M.J. Alconada Verzini 160, S. Alderweireldt 36, M. Aleksa 36, I.N. Aleksandrov 80, C. Alexa 27b,
 T. Alexopoulos 10, A. Alfonsi 120, F. Alfonsi 23b,23a, M. Alhroob 128, B. Ali 141, S. Ali 157, M. Aliev 165,
 G. Alimonti 69a, C. Allaire 36, B.M.M. Allbrooke 155, B.W. Allen 131, P.P. Allport 21, A. Aloisio 70a,70b,
 F. Alonso 89, C. Alpigiani 147, E. Alunno Camelia 74a,74b, M. Alvarez Estevez 99, M.G. Alviggi 70a,70b,
 Y. Amaral Coutinho 81b, A. Ambler 104, L. Ambroz 134, C. Amelung 26, D. Amidei 106,
 S.P. Amor Dos Santos 139a, S. Amoroso 46, C.S. Amrouche 54, F. An 79, C. Anastopoulos 148, N. Andari 144,
 T. Andeen 11, J.K. Anders 20, S.Y. Andrean 45a,45b, A. Andreazza 69a,69b, V. Andrei 61a, C.R. Anelli 175,
 S. Angelidakis 9, A. Angerami 39, A.V. Anisenkov 122b,122a, A. Annovi 72a, C. Antel 54, M.T. Anthony 148,
 E. Antipov 129, M. Antonelli 51, D.J.A. Antrim 170, F. Anulli 73a, M. Aoki 82, J.A. Aparisi Pozo 173,
 M.A. Aparo 155, L. Aperio Bella 46, N. Aranzabal Barrio 36, V. Araujo Ferraz 81a, R. Araujo Pereira 81b,
 C. Arcangeletti 51, A.T.H. Arce 49, F.A. Arduh 89, J-F. Arguin 110, S. Argyropoulos 52, J.-H. Arling 46,
 A.J. Armbruster 36, A. Armstrong 170, O. Arnaez 166, H. Arnold 120, Z.P. Arrubarrena Tame 114, G. Artoni 134,
 K. Asai 126, S. Asai 162, T. Asawatavonvanich 164, N. Asbah 59, E.M. Asimakopoulou 171, L. Asquith 155,
 J. Assahsah 35d, K. Assamagan 29, R. Astalos 28a, R.J. Atkin 33a, M. Atkinson 172, N.B. Atlay 19, H. Atmani 65,
 K. Augsten 141, V.A. Austrup 181, G. Avolio 36, M.K. Ayoub 15a, G. Azuelos 110,al, H. Bachacou 144,
 K. Bachas 161, M. Backes 134, F. Backman 45a,45b, P. Bagnaia 73a,73b, M. Bahmani 85, H. Bahrasemani 151,
 A.J. Bailey 173, V.R. Bailey 172, J.T. Baines 143, C. Bakalis 10, O.K. Baker 182, P.J. Bakker 120, E. Bakos 16,
 D. Bakshi Gupta 8, S. Balaji 156, E.M. Baldin 122b,122a, P. Balek 179, F. Balli 144, W.K. Balunas 134, J. Balz 100,
 E. Banas 85, M. Bandieramonte 138, A. Bandyopadhyay 24, Sw. Banerjee 180,i, L. Barak 160, W.M. Barbe 38,
 E.L. Barberio 105, D. Barberis 55b,55a, M. Barbero 102, G. Barbour 95, T. Barillari 115, M-S. Barisits 36,
 J. Barkeloo 131, T. Barklow 152, R. Barnea 159, B.M. Barnett 143, R.M. Barnett 18, Z. Barnovska-Blenessy 60a,
 A. Baroncelli 60a, G. Barone 29, A.J. Barr 134, L. Barranco Navarro 45a,45b, F. Barreiro 99,
 J. Barreiro Guimarães da Costa 15a, U. Barron 160, S. Barsov 137, F. Bartels 61a, R. Bartoldus 152,
 G. Bartolini 102, A.E. Barton 90, P. Bartos 28a, A. Basalaev 46, A. Basan 100, A. Bassalat 65,ai, M.J. Basso 166,
 R.L. Bates 57, S. Batlamous 35e, J.R. Batley 32, B. Batool 150, M. Battaglia 145, M. Bauce 73a,73b, F. Bauer 144,
 K.T. Bauer 170, P. Bauer 24, H.S. Bawa 31, A. Bayirli 12c, J.B. Beacham 49, T. Beau 135, P.H. Beauchemin 169,
 F. Becherer 52, P. Bechtle 24, H.C. Beck 53, H.P. Beck 20,p, K. Becker 177, C. Becot 46, A. Beddall 12d,
 A.J. Beddall 12a, V.A. Bednyakov 80, M. Bedognetti 120, C.P. Bee 154, T.A. Beermann 181, M. Begalli 81b,
 M. Begel 29, A. Behera 154, J.K. Behr 46, F. Beisiegel 24, M. Belfkir 5, A.S. Bell 95, G. Bella 160,
 L. Bellagamba 23b, A. Bellerive 34, P. Bellos 9, K. Beloborodov 122b,122a, K. Belotskiy 112, N.L. Belyaev 112,
 D. Benchekroun 35a, N. Benekos 10, Y. Benhammou 160, D.P. Benjamin 6, M. Benoit 54, J.R. Bensinger 26,
 S. Bentvelsen 120, L. Beresford 134, M. Beretta 51, D. Berge 19, E. Bergeaas Kuutmann 171, N. Berger 5,
 B. Bergmann 141, L.J. Bergsten 26, J. Beringer 18, S. Berlendis 7, G. Bernardi 135, C. Bernius 152,
 F.U. Bernlochner 24, T. Berry 94, P. Berta 100, C. Bertella 15a, A. Berthold 48, I.A. Bertram 90,
 O. Bessidskaia Bylund 181, N. Besson 144, A. Bethani 101, S. Bethke 115, A. Betti 42, A.J. Bevan 93, J. Beyer 115,
 D.S. Bhattacharya 176, P. Bhattacharai 26, V.S. Bhopatkar 6, R. Bi 138, R.M. Bianchi 138, O. Biebel 114,
 D. Biedermann 19, R. Bielski 36, K. Bierwagen 100, N.V. Biesuz 72a,72b, M. Biglietti 75a, T.R.V. Billoud 110,
 M. Bindi 53, A. Bingul 12d, C. Bini 73a,73b, S. Biondi 23b,23a, C.J. Birch-sykes 101, M. Birman 179, T. Bisanz 53,
 J.P. Biswal 3, D. Biswas 180,i, A. Bitadze 101, C. Bittrich 48, K. Bjørke 133, T. Blazek 28a, I. Bloch 46,
 C. Blocker 26, A. Blue 57, U. Blumenschein 93, G.J. Bobbink 120, V.S. Bobrovnikov 122b,122a, S.S. Bocchetta 97,
 D. Boerner 46, D. Bogavac 14, A.G. Bogdanchikov 122b,122a, C. Bohm 45a, V. Boisvert 94, P. Bokan 53,171,
 T. Bold 84a, A.E. Bolz 61b, M. Bomben 135, M. Bona 93, J.S. Bonilla 131, M. Boonekamp 144, C.D. Booth 94,
 A.G. Borbély 57, H.M. Borecka-Bielska 91, L.S. Borgna 95, A. Borisov 123, G. Borissov 90, D. Bortoletto 134,
 D. Boscherini 23b, M. Bosman 14, J.D. Bossio Sola 104, K. Bouaouda 35a, J. Boudreau 138,
 E.V. Bouhova-Thacker 90, D. Boumediene 38, S.K. Boutle 57, A. Boveia 127, J. Boyd 36, D. Boye 33c,
 I.R. Boyko 80, A.J. Bozson 94, J. Bracinik 21, N. Brahimi 60d, G. Brandt 181, O. Brandt 32, F. Braren 46,
 B. Brau 103, J.E. Brau 131, W.D. Breaden Madden 57, K. Brendlinger 46, R. Brener 159, L. Brenner 36,
 R. Brenner 171, S. Bressler 179, B. Brickwedde 100, D.L. Briglin 21, D. Britton 57, D. Britzger 115, I. Brock 24,
 R. Brock 107, G. Brooijmans 39, W.K. Brooks 146d, E. Brost 29, P.A. Bruckman de Renstrom 85, B. Brüuers 46,
 D. Bruncko 28b, A. Bruni 23b, G. Bruni 23b, L.S. Bruni 120, S. Bruno 74a,74b, M. Bruschi 23b, N. Bruscino 73a,73b,
 L. Bryngemark 152, T. Buanes 17, Q. Buat 154, P. Buchholz 150, A.G. Buckley 57, I.A. Budagov 80,
 M.K. Bugge 133, F. Bührer 52, O. Bulekov 112, B.A. Bullard 59, T.J. Burch 121, S. Burdin 91, C.D. Burgard 120,

- A.M. Burger ¹²⁹, B. Burghgrave ⁸, J.T.P. Burr ⁴⁶, C.D. Burton ¹¹, J.C. Burzynski ¹⁰³, V. Büscher ¹⁰⁰, E. Buschmann ⁵³, P.J. Bussey ⁵⁷, J.M. Butler ²⁵, C.M. Buttar ⁵⁷, J.M. Butterworth ⁹⁵, P. Butti ³⁶, W. Buttlinger ³⁶, C.J. Buxo Vazquez ¹⁰⁷, A. Buzatu ¹⁵⁷, A.R. Buzykaev ^{122b, 122a}, G. Cabras ^{23b, 23a}, S. Cabrera Urbán ¹⁷³, D. Caforio ⁵⁶, H. Cai ¹³⁸, V.M.M. Cairo ¹⁵², O. Cakir ^{4a}, N. Calace ³⁶, P. Calafiura ¹⁸, G. Calderini ¹³⁵, P. Calfayan ⁶⁶, G. Callea ⁵⁷, L.P. Caloba ^{81b}, A. Caltabiano ^{74a, 74b}, S. Calvente Lopez ⁹⁹, D. Calvet ³⁸, S. Calvet ³⁸, T.P. Calvet ¹⁰², M. Calvetti ^{72a, 72b}, R. Camacho Toro ¹³⁵, S. Camarda ³⁶, D. Camarero Munoz ⁹⁹, P. Camarri ^{74a, 74b}, M.T. Camerlingo ^{75a, 75b}, D. Cameron ¹³³, C. Camincher ³⁶, S. Campana ³⁶, M. Campanelli ⁹⁵, A. Camplani ⁴⁰, V. Canale ^{70a, 70b}, A. Canesse ¹⁰⁴, M. Cano Bret ⁷⁸, J. Cantero ¹²⁹, T. Cao ¹⁶⁰, Y. Cao ¹⁷², M.D.M. Capeans Garrido ³⁶, M. Capua ^{41b, 41a}, R. Cardarelli ^{74a}, F. Cardillo ¹⁴⁸, G. Carducci ^{41b, 41a}, I. Carli ¹⁴², T. Carli ³⁶, G. Carlino ^{70a}, B.T. Carlson ¹³⁸, E.M. Carlson ^{175, 167a}, L. Carminati ^{69a, 69b}, R.M.D. Carney ¹⁵², S. Caron ¹¹⁹, E. Carquin ^{146d}, S. Carrá ⁴⁶, G. Carratta ^{23b, 23a}, J.W.S. Carter ¹⁶⁶, T.M. Carter ⁵⁰, M.P. Casado ^{14f}, A.F. Casha ¹⁶⁶, F.L. Castillo ¹⁷³, L. Castillo Garcia ¹⁴, V. Castillo Gimenez ¹⁷³, N.F. Castro ^{139a, 139e}, A. Catinaccio ³⁶, J.R. Catmore ¹³³, A. Cattai ³⁶, V. Cavalieri ²⁹, V. Cavasinni ^{72a, 72b}, E. Celebi ^{12b}, F. Celli ¹³⁴, K. Cerny ¹³⁰, A.S. Cerqueira ^{81a}, A. Cerri ¹⁵⁵, L. Cerrito ^{74a, 74b}, F. Cerutti ¹⁸, A. Cervelli ^{23b, 23a}, S.A. Cetin ^{12b}, Z. Chadi ^{35a}, D. Chakraborty ¹²¹, J. Chan ¹⁸⁰, W.S. Chan ¹²⁰, W.Y. Chan ⁹¹, J.D. Chapman ³², B. Chargeishvili ^{158b}, D.G. Charlton ²¹, T.P. Charman ⁹³, C.C. Chau ³⁴, S. Che ¹²⁷, S. Chekanov ⁶, S.V. Chekulaev ^{167a}, G.A. Chelkov ^{80, ag}, B. Chen ⁷⁹, C. Chen ^{60a}, C.H. Chen ⁷⁹, H. Chen ²⁹, J. Chen ^{60a}, J. Chen ³⁹, J. Chen ²⁶, S. Chen ¹³⁶, S.J. Chen ^{15c}, X. Chen ^{15b}, Y. Chen ^{60a}, Y.-H. Chen ⁴⁶, H.C. Cheng ^{63a}, H.J. Cheng ^{15a}, A. Cheplakov ⁸⁰, E. Cheremushkina ¹²³, R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁴, T.J.A. Chevaléries ¹⁴⁴, L. Chevalier ¹⁴⁴, V. Chiarella ⁵¹, G. Chiarella ^{72a}, G. Chiodini ^{68a}, A.S. Chisholm ²¹, A. Chitan ^{27b}, I. Chiu ¹⁶², Y.H. Chiu ¹⁷⁵, M.V. Chizhov ⁸⁰, K. Choi ¹¹, A.R. Chomont ^{73a, 73b}, Y.S. Chow ¹²⁰, L.D. Christopher ^{33e}, M.C. Chu ^{63a}, X. Chu ^{15a, 15d}, J. Chudoba ¹⁴⁰, J.J. Chwastowski ⁸⁵, L. Chytka ¹³⁰, D. Cieri ¹¹⁵, K.M. Ciesla ⁸⁵, D. Cinca ⁴⁷, V. Cindro ⁹², I.A. Cioară ^{27b}, A. Ciocio ¹⁸, F. Cirotto ^{70a, 70b}, Z.H. Citron ^{179j}, M. Citterio ^{69a}, D.A. Ciubotaru ^{27b}, B.M. Ciungu ¹⁶⁶, A. Clark ⁵⁴, M.R. Clark ³⁹, P.J. Clark ⁵⁰, S.E. Clawson ¹⁰¹, C. Clement ^{45a, 45b}, Y. Coadou ¹⁰², M. Cobal ^{67a, 67c}, A. Coccaro ^{55b}, J. Cochran ⁷⁹, R. Coelho Lopes De Sa ¹⁰³, H. Cohen ¹⁶⁰, A.E.C. Coimbra ³⁶, B. Cole ³⁹, A.P. Colijn ¹²⁰, J. Collot ⁵⁸, P. Conde Muiño ^{139a, 139h}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁷, S. Constantinescu ^{27b}, F. Conventi ^{70a, am}, A.M. Cooper-Sarkar ¹³⁴, F. Cormier ¹⁷⁴, K.J.R. Cormier ¹⁶⁶, L.D. Corpe ⁹⁵, M. Corradi ^{73a, 73b}, E.E. Corrigan ⁹⁷, F. Corriveau ^{104, ab}, M.J. Costa ¹⁷³, F. Costanza ⁵, D. Costanzo ¹⁴⁸, G. Cowan ⁹⁴, J.W. Cowley ³², J. Crane ¹⁰¹, K. Cranmer ¹²⁵, R.A. Creager ¹³⁶, S. Crépé-Renaudin ⁵⁸, F. Crescioli ¹³⁵, M. Cristinziani ²⁴, V. Croft ¹⁶⁹, G. Crosetti ^{41b, 41a}, A. Cueto ⁵, T. Cuhadar Donszelmann ¹⁷⁰, H. Cui ^{15a, 15d}, A.R. Cukierman ¹⁵², W.R. Cunningham ⁵⁷, S. Czekiera ⁸⁵, P. Czodrowski ³⁶, M.M. Czurylo ^{61b}, M.J. Da Cunha Sargedas De Sousa ^{60b}, J.V. Da Fonseca Pinto ^{81b}, C. Da Via ¹⁰¹, W. Dabrowski ^{84a}, F. Dachs ³⁶, T. Dado ⁴⁷, S. Dahbi ^{33e}, T. Dai ¹⁰⁶, C. Dallapiccola ¹⁰³, M. Dam ⁴⁰, G. D'amen ²⁹, V. D'Amico ^{75a, 75b}, J. Damp ¹⁰⁰, J.R. Dandoy ¹³⁶, M.F. Daneri ³⁰, M. Danninger ¹⁵¹, V. Dao ³⁶, G. Darbo ^{55b}, O. Dartsi ⁵, A. Dattagupta ¹³¹, T. Daubney ⁴⁶, S. D'Auria ^{69a, 69b}, C. David ^{167b}, T. Davidek ¹⁴², D.R. Davis ⁴⁹, I. Dawson ¹⁴⁸, K. De ⁸, R. De Asmundis ^{70a}, M. De Beurs ¹²⁰, S. De Castro ^{23b, 23a}, N. De Groot ¹¹⁹, P. de Jong ¹²⁰, H. De la Torre ¹⁰⁷, A. De Maria ^{15c}, D. De Pedis ^{73a}, A. De Salvo ^{73a}, U. De Sanctis ^{74a, 74b}, M. De Santis ^{74a, 74b}, A. De Santo ¹⁵⁵, J.B. De Vivie De Regie ⁶⁵, C. Debenedetti ¹⁴⁵, D.V. Dedovich ⁸⁰, A.M. Deiana ⁴², J. Del Peso ⁹⁹, Y. Delabat Diaz ⁴⁶, D. Delgove ⁶⁵, F. Deliot ¹⁴⁴, C.M. Delitzsch ⁷, M. Della Pietra ^{70a, 70b}, D. Della Volpe ⁵⁴, A. Dell'Acqua ³⁶, L. Dell'Asta ^{74a, 74b}, M. Delmastro ⁵, C. Delporte ⁶⁵, P.A. Delsart ⁵⁸, D.A. DeMarco ¹⁶⁶, S. Demers ¹⁸², M. Demichev ⁸⁰, G. Demontigny ¹¹⁰, S.P. Denisov ¹²³, L. D'Eramo ¹²¹, D. Derendarz ⁸⁵, J.E. Derkaoui ^{35d}, F. Derue ¹³⁵, P. Dervan ⁹¹, K. Desch ²⁴, K. Dette ¹⁶⁶, C. Deutsch ²⁴, M.R. Devesa ³⁰, P.O. Deviveiros ³⁶, F.A. Di Bello ^{73a, 73b}, A. Di Ciaccio ^{74a, 74b}, L. Di Ciaccio ⁵, W.K. Di Clemente ¹³⁶, C. Di Donato ^{70a, 70b}, A. Di Girolamo ³⁶, G. Di Gregorio ^{72a, 72b}, B. Di Micco ^{75a, 75b}, R. Di Nardo ^{75a, 75b}, K.F. Di Petrillo ⁵⁹, R. Di Sipio ¹⁶⁶, C. Diaconu ¹⁰², F.A. Dias ¹²⁰, T. Dias Do Vale ^{139a}, M.A. Diaz ^{146a}, F.G. Diaz Capriles ²⁴, J. Dickinson ¹⁸, M. Didenko ¹⁶⁵, E.B. Diehl ¹⁰⁶, J. Dietrich ¹⁹, S. Díez Cornell ⁴⁶, C. Diez Pardos ¹⁵⁰, A. Dimitrijevska ¹⁸, W. Ding ^{15b}, J. Dingfelder ²⁴, S.J. Dittmeier ^{61b}, F. Dittus ³⁶, F. Djama ¹⁰², T. Djobava ^{158b}, J.I. Djuvsland ¹⁷, M.A.B. Do Vale ^{81c}, M. Dobre ^{27b}, D. Dodsworth ²⁶, C. Doglioni ⁹⁷, J. Dolejsi ¹⁴², Z. Dolezal ¹⁴², M. Donadelli ^{81d}, B. Dong ^{60c}, J. Donini ³⁸, A. D'onofrio ^{15c}, M. D'Onofrio ⁹¹, J. Dopke ¹⁴³, A. Doria ^{70a}, M.T. Dova ⁸⁹, A.T. Doyle ⁵⁷, E. Drechsler ¹⁵¹, E. Dreyer ¹⁵¹, T. Dreyer ⁵³, A.S. Drobac ¹⁶⁹, D. Du ^{60b}, T.A. du Pree ¹²⁰, Y. Duan ^{60d}, F. Dubinin ¹¹¹, M. Dubovsky ^{28a},

- A. Dubreuil ⁵⁴, E. Duchovni ¹⁷⁹, G. Duckeck ¹¹⁴, O.A. Ducu ³⁶, D. Duda ¹¹⁵, A. Dudarev ³⁶, A.C. Dudder ¹⁰⁰,
 E.M. Duffield ¹⁸, M. D'uffizi ¹⁰¹, L. Duflot ⁶⁵, M. Dührssen ³⁶, C. Dülsen ¹⁸¹, M. Dumancic ¹⁷⁹,
 A.E. Dumitriu ^{27b}, M. Dunford ^{61a}, A. Duperrin ¹⁰², H. Duran Yildiz ^{4a}, M. Düren ⁵⁶, A. Durglishvili ^{158b},
 D. Duschinger ⁴⁸, B. Dutta ⁴⁶, D. Duvnjak ¹, G.I. Dyckes ¹³⁶, M. Dyndal ³⁶, S. Dysch ¹⁰¹, B.S. Dziedzic ⁸⁵,
 M.G. Eggleston ⁴⁹, T. Eifert ⁸, G. Eigen ¹⁷, K. Einsweiler ¹⁸, T. Ekelof ¹⁷¹, H. El Jarrari ^{35e}, V. Ellajosyula ¹⁷¹,
 M. Ellert ¹⁷¹, F. Ellinghaus ¹⁸¹, A.A. Elliot ⁹³, N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emeliyanov ¹⁴³,
 A. Emerman ³⁹, Y. Enari ¹⁶², M.B. Epland ⁴⁹, J. Erdmann ⁴⁷, A. Ereditato ²⁰, P.A. Erland ⁸⁵, M. Errenst ¹⁸¹,
 M. Escalier ⁶⁵, C. Escobar ¹⁷³, O. Estrada Pastor ¹⁷³, E. Etzion ¹⁶⁰, H. Evans ⁶⁶, M.O. Evans ¹⁵⁵,
 A. Ezhilov ¹³⁷, F. Fabbri ⁵⁷, L. Fabbri ^{23b,23a}, V. Fabiani ¹¹⁹, G. Facini ¹⁷⁷, R.M. Fakhrutdinov ¹²³,
 S. Falciano ^{73a}, P.J. Falke ²⁴, S. Falke ³⁶, J. Faltova ¹⁴², Y. Fang ^{15a}, Y. Fang ^{15a}, G. Fanourakis ⁴⁴,
 M. Fanti ^{69a,69b}, M. Faraj ^{67a,67c,q}, A. Farbin ⁸, A. Farilla ^{75a}, E.M. Farina ^{71a,71b}, T. Farooque ¹⁰⁷,
 S.M. Farrington ⁵⁰, P. Farthouat ³⁶, F. Fassi ^{35e}, P. Fassnacht ³⁶, D. Fassouliotis ⁹, M. Faucci Giannelli ⁵⁰,
 W.J. Fawcett ³², L. Fayard ⁶⁵, O.L. Fedin ^{137,o}, W. Fedorko ¹⁷⁴, A. Fehr ²⁰, M. Feickert ¹⁷², L. Feligioni ¹⁰²,
 A. Fell ¹⁴⁸, C. Feng ^{60b}, M. Feng ⁴⁹, M.J. Fenton ¹⁷⁰, A.B. Fenyuk ¹²³, S.W. Ferguson ⁴³, J. Ferrando ⁴⁶,
 A. Ferrante ¹⁷², A. Ferrari ¹⁷¹, P. Ferrari ¹²⁰, R. Ferrari ^{71a}, D.E. Ferreira de Lima ^{61b}, A. Ferrer ¹⁷³,
 D. Ferrere ⁵⁴, C. Ferretti ¹⁰⁶, F. Fiedler ¹⁰⁰, A. Filipčič ⁹², F. Filthaut ¹¹⁹, K.D. Finelli ²⁵,
 M.C.N. Fiolhais ^{139a,139c,a}, L. Fiorini ¹⁷³, F. Fischer ¹¹⁴, J. Fischer ¹⁰⁰, W.C. Fisher ¹⁰⁷, T. Fitschen ²¹,
 I. Fleck ¹⁵⁰, P. Fleischmann ¹⁰⁶, T. Flick ¹⁸¹, B.M. Flierl ¹¹⁴, L. Flores ¹³⁶, L.R. Flores Castillo ^{63a},
 F.M. Follega ^{76a,76b}, N. Fomin ¹⁷, J.H. Foo ¹⁶⁶, G.T. Forcolin ^{76a,76b}, B.C. Forland ⁶⁶, A. Formica ¹⁴⁴,
 F.A. Förster ¹⁴, A.C. Forti ¹⁰¹, E. Fortin ¹⁰², M.G. Foti ¹³⁴, D. Fournier ⁶⁵, H. Fox ⁹⁰, P. Francavilla ^{72a,72b},
 S. Francescato ^{73a,73b}, M. Franchini ^{23b,23a}, S. Franchino ^{61a}, D. Francis ³⁶, L. Franco ⁵, L. Franconi ²⁰,
 M. Franklin ⁵⁹, G. Frattari ^{73a,73b}, A.N. Fray ⁹³, P.M. Freeman ²¹, B. Freund ¹¹⁰, W.S. Freund ^{81b},
 E.M. Freundlich ⁴⁷, D.C. Frizzell ¹²⁸, D. Froidevaux ³⁶, J.A. Frost ¹³⁴, M. Fujimoto ¹²⁶, C. Fukunaga ¹⁶³,
 E. Fullana Torregrosa ¹⁷³, T. Fusayasu ¹¹⁶, J. Fuster ¹⁷³, A. Gabrielli ^{23b,23a}, A. Gabrielli ³⁶, S. Gadatsch ⁵⁴,
 P. Gadow ¹¹⁵, G. Gagliardi ^{55b,55a}, L.G. Gagnon ¹¹⁰, G.E. Gallardo ¹³⁴, E.J. Gallas ¹³⁴, B.J. Gallop ¹⁴³,
 R. Gamboa Goni ⁹³, K.K. Gan ¹²⁷, S. Ganguly ¹⁷⁹, J. Gao ^{60a}, Y. Gao ⁵⁰, Y.S. Gao ^{31,l}, F.M. Garay Walls ^{146a},
 C. García ¹⁷³, J.E. García Navarro ¹⁷³, J.A. García Pascual ^{15a}, C. Garcia-Argos ⁵², M. Garcia-Sciveres ¹⁸,
 R.W. Gardner ³⁷, N. Garelli ¹⁵², S. Gargiulo ⁵², C.A. Garner ¹⁶⁶, V. Garonne ¹³³, S.J. Gasiorowski ¹⁴⁷,
 P. Gaspar ^{81b}, A. Gaudiello ^{55b,55a}, G. Gaudio ^{71a}, I.I. Gavrilenko ¹¹¹, A. Gavrilyuk ¹²⁴, C. Gay ¹⁷⁴,
 G. Gaycken ⁴⁶, E.N. Gazis ¹⁰, A.A. Geanta ^{27b}, C.M. Gee ¹⁴⁵, C.N.P. Gee ¹⁴³, J. Geisen ⁹⁷, M. Geisen ¹⁰⁰,
 C. Gemme ^{55b}, M.H. Genest ⁵⁸, C. Geng ¹⁰⁶, S. Gentile ^{73a,73b}, S. George ⁹⁴, T. Geralis ⁴⁴, L.O. Gerlach ⁵³,
 P. Gessinger-Befurt ¹⁰⁰, G. Gessner ⁴⁷, S. Ghasemi ¹⁵⁰, M. Ghasemi Bostanabad ¹⁷⁵, M. Ghneimat ¹⁵⁰,
 A. Ghosh ⁶⁵, A. Ghosh ⁷⁸, B. Giacobbe ^{23b}, S. Giagu ^{73a,73b}, N. Giangiacomi ^{23b,23a}, P. Giannetti ^{72a},
 A. Giannini ^{70a,70b}, G. Giannini ¹⁴, S.M. Gibson ⁹⁴, M. Gignac ¹⁴⁵, D.T. Gil ^{84b}, B.J. Gilbert ³⁹, D. Gillberg ³⁴,
 G. Gilles ¹⁸¹, D.M. Gingrich ^{3,al}, M.P. Giordani ^{67a,67c}, P.F. Giraud ¹⁴⁴, G. Giugliarelli ^{67a,67c}, D. Giugni ^{69a},
 F. Giuli ^{74a,74b}, S. Gkaitatzis ¹⁶¹, I. Gkalias ^{9,g}, E.L. Gkougkousis ¹⁴, P. Gkountoumis ¹⁰, L.K. Gladilin ¹¹³,
 C. Glasman ⁹⁹, J. Glatzer ¹⁴, P.C.F. Glaysher ⁴⁶, A. Glazov ⁴⁶, G.R. Gledhill ¹³¹, I. Gnesi ^{41b,b},
 M. Goblirsch-Kolb ²⁶, D. Godin ¹¹⁰, S. Goldfarb ¹⁰⁵, T. Golling ⁵⁴, D. Golubkov ¹²³, A. Gomes ^{139a,139b},
 R. Goncalves Gama ⁵³, R. Gonçalo ^{139a,139c}, G. Gonella ¹³¹, L. Gonella ²¹, A. Gongadze ⁸⁰, F. Gonnella ²¹,
 J.L. Gonski ³⁹, S. González de la Hoz ¹⁷³, S. Gonzalez Fernandez ¹⁴, R. Gonzalez Lopez ⁹¹,
 C. Gonzalez Renteria ¹⁸, R. Gonzalez Suarez ¹⁷¹, S. Gonzalez-Sevilla ⁵⁴, G.R. Gonzalvo Rodriguez ¹⁷³,
 L. Goossens ³⁶, N.A. Gorasia ²¹, P.A. Gorbounov ¹²⁴, H.A. Gordon ²⁹, B. Gorini ³⁶, E. Gorini ^{68a,68b},
 A. Gorišek ⁹², A.T. Goshaw ⁴⁹, M.I. Gostkin ⁸⁰, C.A. Gottardo ¹¹⁹, M. Gouighri ^{35b}, A.G. Goussiou ¹⁴⁷,
 N. Govender ^{33c}, C. Goy ⁵, I. Grabowska-Bold ^{84a}, E.C. Graham ⁹¹, J. Gramling ¹⁷⁰, E. Gramstad ¹³³,
 S. Grancagnolo ¹⁹, M. Grandi ¹⁵⁵, V. Gratchev ¹³⁷, P.M. Gravila ^{27f}, F.G. Gravili ^{68a,68b}, C. Gray ⁵⁷,
 H.M. Gray ¹⁸, C. Grefe ²⁴, K. Gregersen ⁹⁷, I.M. Gregor ⁴⁶, P. Grenier ¹⁵², K. Grevtsov ⁴⁶, C. Grieco ¹⁴,
 N.A. Grieser ¹²⁸, A.A. Grillo ¹⁴⁵, K. Grimm ^{31,k}, S. Grinstein ^{14,w}, J.-F. Grivaz ⁶⁵, S. Groh ¹⁰⁰, E. Gross ¹⁷⁹,
 J. Grosse-Knetter ⁵³, Z.J. Grout ⁹⁵, C. Grud ¹⁰⁶, A. Grummer ¹¹⁸, J.C. Grundy ¹³⁴, L. Guan ¹⁰⁶, W. Guan ¹⁸⁰,
 C. Gubbel ¹⁷⁴, J. Guenther ³⁶, A. Guerguichon ⁶⁵, J.G.R. Guerrero Rojas ¹⁷³, F. Guescini ¹¹⁵, D. Guest ¹⁷⁰,
 R. Gugel ¹⁰⁰, A. Guida ⁴⁶, T. Guillemin ⁵, S. Guindon ³⁶, U. Gul ⁵⁷, J. Guo ^{60c}, W. Guo ¹⁰⁶, Y. Guo ^{60a},
 Z. Guo ¹⁰², R. Gupta ⁴⁶, S. Gurbuz ^{12c}, G. Gustavino ¹²⁸, M. Guth ⁵², P. Gutierrez ¹²⁸, C. Gutschow ⁹⁵,
 C. Guyot ¹⁴⁴, C. Gwenlan ¹³⁴, C.B. Gwilliam ⁹¹, E.S. Haaland ¹³³, A. Haas ¹²⁵, C. Haber ¹⁸, H.K. Hadavand ⁸,
 A. Hadef ^{60a}, M. Haleem ¹⁷⁶, J. Haley ¹²⁹, J.J. Hall ¹⁴⁸, G. Halladjian ¹⁰⁷, G.D. Hallewell ¹⁰², K. Hamano ¹⁷⁵,

- H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵⁰, K. Han ^{60a,v}, L. Han ^{60a}, S. Han ¹⁸, Y.F. Han ¹⁶⁶,
 K. Hanagaki ^{82,t}, M. Hance ¹⁴⁵, D.M. Handl ¹¹⁴, M.D. Hank ³⁷, R. Hankache ¹³⁵, E. Hansen ⁹⁷, J.B. Hansen ⁴⁰,
 J.D. Hansen ⁴⁰, M.C. Hansen ²⁴, P.H. Hansen ⁴⁰, E.C. Hanson ¹⁰¹, K. Hara ¹⁶⁸, T. Harenberg ¹⁸¹,
 S. Harkusha ¹⁰⁸, P.F. Harrison ¹⁷⁷, N.M. Hartman ¹⁵², N.M. Hartmann ¹¹⁴, Y. Hasegawa ¹⁴⁹, A. Hasib ⁵⁰,
 S. Hassani ¹⁴⁴, S. Haug ²⁰, R. Hauser ¹⁰⁷, L.B. Havener ³⁹, M. Havranek ¹⁴¹, C.M. Hawkes ²¹,
 R.J. Hawkings ³⁶, S. Hayashida ¹¹⁷, D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹⁷⁴, C.P. Hays ¹³⁴, J.M. Hays ⁹³,
 H.S. Hayward ⁹¹, S.J. Haywood ¹⁴³, F. He ^{60a}, Y. He ¹⁶⁴, M.P. Heath ⁵⁰, V. Hedberg ⁹⁷, S. Heer ²⁴,
 A.L. Heggelund ¹³³, C. Heidegger ⁵², K.K. Heidegger ⁵², W.D. Heidorn ⁷⁹, J. Heilman ³⁴, S. Heim ⁴⁶,
 T. Heim ¹⁸, B. Heinemann ^{46,aj}, J.G. Heinlein ¹³⁶, J.J. Heinrich ¹³¹, L. Heinrich ³⁶, J. Hejbal ¹⁴⁰, L. Helary ⁴⁶,
 A. Held ¹²⁵, S. Hellesund ¹³³, C.M. Helling ¹⁴⁵, S. Hellman ^{45a,45b}, C. Helsens ³⁶, R.C.W. Henderson ⁹⁰,
 Y. Heng ¹⁸⁰, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ²⁶, Y. Hernández Jiménez ^{33e},
 H. Herr ¹⁰⁰, M.G. Herrmann ¹¹⁴, T. Herrmann ⁴⁸, G. Herten ⁵², R. Hertenberger ¹¹⁴, L. Hervas ³⁶,
 T.C. Herwig ¹³⁶, G.G. Hesketh ⁹⁵, N.P. Hessey ^{167a}, H. Hibi ⁸³, A. Higashida ¹⁶², S. Higashino ⁸²,
 E. Higón-Rodriguez ¹⁷³, K. Hildebrand ³⁷, J.C. Hill ³², K.K. Hill ²⁹, K.H. Hiller ⁴⁶, S.J. Hillier ²¹, M. Hils ⁴⁸,
 I. Hinchliffe ¹⁸, F. Hinterkeuser ²⁴, M. Hirose ¹³², S. Hirose ⁵², D. Hirschbuehl ¹⁸¹, B. Hiti ⁹², O. Hladík ¹⁴⁰,
 D.R. Hlaluku ^{33e}, J. Hobbs ¹⁵⁴, N. Hod ¹⁷⁹, M.C. Hodgkinson ¹⁴⁸, A. Hoecker ³⁶, D. Hohn ⁵², D. Hohov ⁶⁵,
 T. Holm ²⁴, T.R. Holmes ³⁷, M. Holzbock ¹¹⁴, L.B.A.H. Hommels ³², T.M. Hong ¹³⁸, J.C. Honig ⁵², A. Höngle ¹¹⁵,
 B.H. Hooberman ¹⁷², W.H. Hopkins ⁶, Y. Horii ¹¹⁷, P. Horn ⁴⁸, L.A. Horyn ³⁷, S. Hou ¹⁵⁷, A. Hoummada ^{35a},
 J. Howarth ⁵⁷, J. Hoya ⁸⁹, M. Hrabovsky ¹³⁰, J. Hrdinka ⁷⁷, J. Hrvnac ⁶⁵, A. Hrynevich ¹⁰⁹, T. Hrynev'ova ⁵,
 P.J. Hsu ⁶⁴, S.-C. Hsu ¹⁴⁷, Q. Hu ²⁹, S. Hu ^{60c}, Y.F. Hu ^{15a,15d,an}, D.P. Huang ⁹⁵, Y. Huang ^{60a}, Y. Huang ^{15a},
 Z. Hubacek ¹⁴¹, F. Hubaut ¹⁰², M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹³⁴, M. Huhtinen ³⁶,
 R. Hulskens ⁵⁸, R.F.H. Hunter ³⁴, P. Huo ¹⁵⁴, N. Huseynov ^{80,ac}, J. Huston ¹⁰⁷, J. Huth ⁵⁹, R. Hyneman ¹⁵²,
 S. Hyrych ^{28a}, G. Iacobucci ⁵⁴, G. Iakovidis ²⁹, I. Ibragimov ¹⁵⁰, L. Iconomou-Fayard ⁶⁵, P. Iengo ³⁶,
 R. Ignazzi ⁴⁰, O. Igonkina ^{120,y,*}, R. Iguchi ¹⁶², T. Iizawa ⁵⁴, Y. Ikegami ⁸², M. Ikeno ⁸², N. Illic ^{119,166,ab},
 F. Iltzsche ⁴⁸, H. Imam ^{35a}, G. Introzzi ^{71a,71b}, M. Iodice ^{75a}, K. Iordanidou ^{167a}, V. Ippolito ^{73a,73b},
 M.F. Isacson ¹⁷¹, M. Ishino ¹⁶², W. Islam ¹²⁹, C. Issever ^{19,46}, S. Istin ¹⁵⁹, F. Ito ¹⁶⁸, J.M. Iturbe Ponce ^{63a},
 R. Iuppa ^{76a,76b}, A. Ivina ¹⁷⁹, H. Iwasaki ⁸², J.M. Izen ⁴³, V. Izzo ^{70a}, P. Jacka ¹⁴⁰, P. Jackson ¹, R.M. Jacobs ⁴⁶,
 B.P. Jaeger ¹⁵¹, V. Jain ², G. Jäkel ¹⁸¹, K.B. Jakobi ¹⁰⁰, K. Jakobs ⁵², T. Jakoubek ¹⁷⁹, J. Jamieson ⁵⁷,
 K.W. Janas ^{84a}, R. Jansky ⁵⁴, M. Janus ⁵³, P.A. Janus ^{84a}, G. Jarlskog ⁹⁷, A.E. Jaspan ⁹¹, N. Javadov ^{80,ac},
 T. Javůrek ³⁶, M. Javurkova ¹⁰³, F. Jeanneau ¹⁴⁴, L. Jeanty ¹³¹, J. Jejelava ^{158a}, P. Jenni ^{52,c}, N. Jeong ⁴⁶,
 S. Jézéquel ⁵, H. Ji ¹⁸⁰, J. Jia ¹⁵⁴, H. Jiang ⁷⁹, Y. Jiang ^{60a}, Z. Jiang ¹⁵², S. Jiggins ⁵², F.A. Jimenez Morales ³⁸,
 J. Jimenez Pena ¹¹⁵, S. Jin ^{15c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁶⁴, H. Jivan ^{33e}, P. Johansson ¹⁴⁸, K.A. Johns ⁷,
 C.A. Johnson ⁶⁶, R.W.L. Jones ⁹⁰, S.D. Jones ¹⁵⁵, T.J. Jones ⁹¹, J. Jongmanns ^{61a}, J. Jovicevic ³⁶, X. Ju ¹⁸,
 J.J. Junggeburth ¹¹⁵, A. Juste Rozas ^{14,w}, A. Kaczmarśka ⁸⁵, M. Kado ^{73a,73b}, H. Kagan ¹²⁷, M. Kagan ¹⁵²,
 A. Kahn ³⁹, C. Kahra ¹⁰⁰, T. Kaji ¹⁷⁸, E. Kajomovitz ¹⁵⁹, C.W. Kalderon ²⁹, A. Kaluza ¹⁰⁰,
 A. Kamenshchikov ¹²³, M. Kaneda ¹⁶², N.J. Kang ¹⁴⁵, S. Kang ⁷⁹, Y. Kano ¹¹⁷, J. Kanzaki ⁸², L.S. Kaplan ¹⁸⁰,
 D. Kar ^{33e}, K. Karava ¹³⁴, M.J. Kareem ^{167b}, I. Karkanas ¹⁶¹, S.N. Karpov ⁸⁰, Z.M. Karpova ⁸⁰,
 V. Kartvelishvili ⁹⁰, A.N. Karyukhin ¹²³, E. Kasimi ¹⁶¹, A. Kastanas ^{45a,45b}, C. Kato ^{60d,60c}, J. Katzy ⁴⁶,
 K. Kawade ¹⁴⁹, K. Kawagoe ⁸⁸, T. Kawaguchi ¹¹⁷, T. Kawamoto ¹⁴⁴, G. Kawamura ⁵³, E.F. Kay ¹⁷⁵,
 S. Kazakos ¹⁴, V.F. Kazanin ^{122b,122a}, R. Keeler ¹⁷⁵, R. Kehoe ⁴², J.S. Keller ³⁴, E. Kellermann ⁹⁷, D. Kelsey ¹⁵⁵,
 J.J. Kempster ²¹, J. Kendrick ²¹, K.E. Kennedy ³⁹, O. Kepka ¹⁴⁰, S. Kersten ¹⁸¹, B.P. Kerševan ⁹²,
 S. Katabchi Haghight ¹⁶⁶, M. Khader ¹⁷², F. Khalil-Zada ¹³, M. Khandoga ¹⁴⁴, A. Khanov ¹²⁹,
 A.G. Kharlamov ^{122b,122a}, T. Kharlamova ^{122b,122a}, E.E. Khoda ¹⁷⁴, A. Khodinov ¹⁶⁵, T.J. Khoo ⁵⁴,
 G. Khoriauli ¹⁷⁶, E. Khramov ⁸⁰, J. Khubua ^{158b}, S. Kido ⁸³, M. Kiehn ³⁶, C.R. Kilby ⁹⁴, E. Kim ¹⁶⁴, Y.K. Kim ³⁷,
 N. Kimura ⁹⁵, A. Kirchhoff ⁵³, D. Kirchmeier ⁴⁸, J. Kirk ¹⁴³, A.E. Kiryunin ¹¹⁵, T. Kishimoto ¹⁶²,
 D.P. Kisliuk ¹⁶⁶, V. Kitali ⁴⁶, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, T. Klapdor-Kleingrothaus ⁵², M. Klassen ^{61a},
 C. Klein ³⁴, M.H. Klein ¹⁰⁶, M. Klein ⁹¹, U. Klein ⁹¹, K. Kleinknecht ¹⁰⁰, P. Klimek ¹²¹, A. Klimentov ²⁹,
 T. Klingl ²⁴, T. Klioutchnikova ³⁶, F.F. Klitzner ¹¹⁴, P. Kluit ¹²⁰, S. Kluth ¹¹⁵, E. Knerner ⁷⁷,
 E.B.F.G. Knoops ¹⁰², A. Knue ⁵², D. Kobayashi ⁸⁸, M. Kobel ⁴⁸, M. Kocian ¹⁵², T. Kodama ¹⁶², P. Kodys ¹⁴²,
 D.M. Koeck ¹⁵⁵, P.T. Koenig ²⁴, T. Koffas ³⁴, N.M. Köhler ³⁶, M. Kolb ¹⁴⁴, I. Koletsou ⁵, T. Komarek ¹³⁰,
 T. Kondo ⁸², K. Köneke ⁵², A.X.Y. Kong ¹, A.C. König ¹¹⁹, T. Kono ¹²⁶, V. Konstantinides ⁹⁵,
 N. Konstantinidis ⁹⁵, B. Konya ⁹⁷, R. Kopeliansky ⁶⁶, S. Koperny ^{84a}, K. Korcyl ⁸⁵, K. Kordas ¹⁶¹, G. Koren ¹⁶⁰,
 A. Korn ⁹⁵, I. Korolkov ¹⁴, E.V. Korolkova ¹⁴⁸, N. Korotkova ¹¹³, O. Kortner ¹¹⁵, S. Kortner ¹¹⁵,

- V.V. Kostyukhin ^{148,165}, A. Kotsokechagia ⁶⁵, A. Kotwal ⁴⁹, A. Koulouris ¹⁰,
 A. Kourkoumeli-Charalampidi ^{71a,71b}, C. Kourkoumelis ⁹, E. Kourlitis ⁶, V. Kouskoura ²⁹, R. Kowalewski ¹⁷⁵,
 W. Kozanecki ¹⁰¹, A.S. Kozhin ¹²³, V.A. Kramarenko ¹¹³, G. Kramberger ⁹², D. Krasnopevtsev ^{60a},
 M.W. Krasny ¹³⁵, A. Krasznahorkay ³⁶, D. Krauss ¹¹⁵, J.A. Kremer ¹⁰⁰, J. Kretzschmar ⁹¹, P. Krieger ¹⁶⁶,
 F. Krieter ¹¹⁴, A. Krishnan ^{61b}, M. Krivos ¹⁴², K. Krizka ¹⁸, K. Kroeninger ⁴⁷, H. Kroha ¹¹⁵, J. Kroll ¹⁴⁰,
 J. Kroll ¹³⁶, K.S. Krowppman ¹⁰⁷, U. Kruchonak ⁸⁰, H. Krüger ²⁴, N. Krumnack ⁷⁹, M.C. Kruse ⁴⁹,
 J.A. Krzysiak ⁸⁵, A. Kubota ¹⁶⁴, O. Kuchinskaia ¹⁶⁵, S. Kuday ^{4b}, J.T. Kuechler ⁴⁶, S. Kuehn ³⁶, T. Kuhl ⁴⁶,
 V. Kukhtin ⁸⁰, Y. Kulchitsky ^{108,ae}, S. Kuleshov ^{146b}, Y.P. Kulinich ¹⁷², M. Kuna ⁵⁸, T. Kunigo ⁸⁶, A. Kupco ¹⁴⁰,
 T. Kupfer ⁴⁷, O. Kuprash ⁵², H. Kurashige ⁸³, LL. Kurchaninov ^{167a}, Y.A. Kurochkin ¹⁰⁸, A. Kurova ¹¹²,
 M.G. Kurth ^{15a,15d}, E.S. Kuwertz ³⁶, M. Kuze ¹⁶⁴, A.K. Kvam ¹⁴⁷, J. Kvita ¹³⁰, T. Kwan ¹⁰⁴, F. La Ruffa ^{41b,41a},
 C. Lacasta ¹⁷³, F. Lacava ^{73a,73b}, D.P.J. Lack ¹⁰¹, H. Lacker ¹⁹, D. Lacour ¹³⁵, E. Ladygin ⁸⁰, R. Lafaye ⁵,
 B. Laforge ¹³⁵, T. Lagouri ^{146c}, S. Lai ⁵³, I.K. Lakomiec ^{84a}, J.E. Lambert ¹²⁸, S. Lammers ⁶⁶, W. Lampl ⁷,
 C. Lampoudis ¹⁶¹, E. Lançon ²⁹, U. Landgraf ⁵², M.P.J. Landon ⁹³, M.C. Lanfermann ⁵⁴, V.S. Lang ⁵²,
 J.C. Lange ⁵³, R.J. Langenberg ¹⁰³, A.J. Lankford ¹⁷⁰, F. Lanni ²⁹, K. Lantzsch ²⁴, A. Lanza ^{71a},
 A. Lapertosa ^{55b,55a}, J.F. Laporte ¹⁴⁴, T. Lari ^{69a}, F. Lasagni Manghi ^{23b,23a}, M. Lassnig ³⁶, T.S. Lau ^{63a},
 A. Laudrain ⁶⁵, A. Laurier ³⁴, M. Lavorgna ^{70a,70b}, S.D. Lawlor ⁹⁴, M. Lazzaroni ^{69a,69b}, B. Le ¹⁰¹,
 E. Le Guiriec ¹⁰², A. Lebedev ⁷⁹, M. LeBlanc ⁷, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁸, A.C.A. Lee ⁹⁵,
 C.A. Lee ²⁹, G.R. Lee ¹⁷, L. Lee ⁵⁹, S.C. Lee ¹⁵⁷, S. Lee ⁷⁹, B. Lefebvre ^{167a}, H.P. Lefebvre ⁹⁴, M. Lefebvre ¹⁷⁵,
 C. Leggett ¹⁸, K. Lehmann ¹⁵¹, N. Lehmann ²⁰, G. Lehmann Miotto ³⁶, W.A. Leight ⁴⁶, A. Leisos ^{161,u},
 M.A.L. Leite ^{81d}, C.E. Leitgeb ¹¹⁴, R. Leitner ¹⁴², D. Lellouch ^{179,*}, K.J.C. Leney ⁴², T. Lenz ²⁴, S. Leone ^{72a},
 C. Leonidopoulos ⁵⁰, A. Leopold ¹³⁵, C. Leroy ¹¹⁰, R. Les ¹⁰⁷, C.G. Lester ³², M. Levchenko ¹³⁷, J. Levêque ⁵,
 D. Levin ¹⁰⁶, L.J. Levinson ¹⁷⁹, D.J. Lewis ²¹, B. Li ^{15b}, B. Li ¹⁰⁶, C-Q. Li ^{60a}, F. Li ^{60c}, H. Li ^{60a}, H. Li ^{60b}, J. Li ^{60c},
 K. Li ¹⁴⁷, L. Li ^{60c}, M. Li ^{15a,15d}, Q. Li ^{15a,15d}, Q.Y. Li ^{60a}, S. Li ^{60d,60c}, X. Li ⁴⁶, Y. Li ⁴⁶, Z. Li ^{60b}, Z. Li ¹³⁴,
 Z. Li ¹⁰⁴, Z. Liang ^{15a}, M. Liberatore ⁴⁶, B. Liberti ^{74a}, A. Liblong ¹⁶⁶, K. Lie ^{63c}, S. Lim ²⁹, C.Y. Lin ³²,
 K. Lin ¹⁰⁷, R.A. Linck ⁶⁶, R.E. Lindley ⁷, J.H. Lindon ²¹, A. Linss ⁴⁶, A.L. Lioni ⁵⁴, E. Lipeles ¹³⁶,
 A. Lipniacka ¹⁷, T.M. Liss ^{172,ak}, A. Lister ¹⁷⁴, J.D. Little ⁸, B. Liu ⁷⁹, B.L. Liu ⁶, H.B. Liu ²⁹, J.B. Liu ^{60a},
 J.K.K. Liu ³⁷, K. Liu ^{60d}, M. Liu ^{60a}, P. Liu ^{15a}, X. Liu ^{60a}, Y. Liu ⁴⁶, Y. Liu ^{15a,15d}, Y.L. Liu ¹⁰⁶, Y.W. Liu ^{60a},
 M. Livan ^{71a,71b}, A. Lleres ⁵⁸, J. Llorente Merino ¹⁵¹, S.L. Lloyd ⁹³, C.Y. Lo ^{63b}, E.M. Lobodzinska ⁴⁶, P. Loch ⁷,
 S. Loffredo ^{74a,74b}, T. Lohse ¹⁹, K. Lohwasser ¹⁴⁸, M. Lokajicek ¹⁴⁰, J.D. Long ¹⁷², R.E. Long ⁹⁰,
 I. Longarini ^{73a,73b}, L. Longo ³⁶, K.A.Looper ¹²⁷, I. Lopez Paz ¹⁰¹, A. Lopez Solis ¹⁴⁸, J. Lorenz ¹¹⁴,
 N. Lorenzo Martinez ⁵, A.M. Lory ¹¹⁴, P.J. Lösel ¹¹⁴, A. Lösle ⁵², X. Lou ⁴⁶, X. Lou ^{15a}, A. Lounis ⁶⁵, J. Love ⁶,
 P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁷³, M. Lu ^{60a}, Y.J. Lu ⁶⁴, H.J. Lubatti ¹⁴⁷, C. Luci ^{73a,73b}, F.L. Lucio Alves ^{15c},
 A. Lucotte ⁵⁸, F. Luehring ⁶⁶, I. Luise ¹³⁵, L. Luminari ^{73a}, B. Lund-Jensen ¹⁵³, M.S. Lutz ¹⁶⁰, D. Lynn ²⁹,
 H. Lyons ⁹¹, R. Lysak ¹⁴⁰, E. Lytken ⁹⁷, F. Lyu ^{15a}, V. Lyubushkin ⁸⁰, T. Lyubushkina ⁸⁰, H. Ma ²⁹, L.L. Ma ^{60b},
 Y. Ma ⁹⁵, D.M. Mac Donell ¹⁷⁵, G. Maccarrone ⁵¹, A. Macchiolo ¹¹⁵, C.M. Macdonald ¹⁴⁸, J.C. MacDonald ¹⁴⁸,
 J. Machado Miguens ¹³⁶, D. Madaffari ¹⁷³, R. Madar ³⁸, W.F. Mader ⁴⁸, M. Madugoda Ralalage Don ¹²⁹,
 N. Madysa ⁴⁸, J. Maeda ⁸³, T. Maeno ²⁹, M. Maerker ⁴⁸, V. Magerl ⁵², N. Magini ⁷⁹, J. Magro ^{67a,67c,q},
 D.J. Mahon ³⁹, C. Maidantchik ^{81b}, T. Maier ¹¹⁴, A. Maio ^{139a,139b,139d}, K. Maj ^{84a}, O. Majersky ^{28a},
 S. Majewski ¹³¹, Y. Makida ⁸², N. Makovec ⁶⁵, B. Malaescu ¹³⁵, Pa. Malecki ⁸⁵, V.P. Maleev ¹³⁷, F. Malek ⁵⁸,
 D. Malito ^{41b,41a}, U. Mallik ⁷⁸, D. Malon ⁶, C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ⁸⁰, J. Mamuzic ¹⁷³,
 G. Mancini ^{70a,70b}, I. Mandić ⁹², L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ¹⁶¹, J. Manjarres Ramos ⁴⁸,
 K.H. Mankinen ⁹⁷, A. Mann ¹¹⁴, A. Manousos ⁷⁷, B. Mansoulie ¹⁴⁴, I. Manthos ¹⁶¹, S. Manzoni ¹²⁰,
 A. Marantis ¹⁶¹, G. Marceca ³⁰, L. Marchese ¹³⁴, G. Marchiori ¹³⁵, M. Marcisovsky ¹⁴⁰, L. Marcoccia ^{74a,74b},
 C. Marcon ⁹⁷, C.A. Marin Tobon ³⁶, M. Marjanovic ¹²⁸, Z. Marshall ¹⁸, M.U.F. Martensson ¹⁷¹,
 S. Marti-Garcia ¹⁷³, C.B. Martin ¹²⁷, T.A. Martin ¹⁷⁷, V.J. Martin ⁵⁰, B. Martin dit Latour ¹⁷,
 L. Martinelli ^{75a,75b}, M. Martinez ^{14,w}, P. Martinez Agullo ¹⁷³, V.I. Martinez Outschoorn ¹⁰³,
 S. Martin-Haugh ¹⁴³, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹¹⁵, L. Masetti ¹⁰⁰,
 T. Mashimo ¹⁶², R. Mashinistov ¹¹¹, J. Masik ¹⁰¹, A.L. Maslenikov ^{122b,122a}, L. Massa ^{23b,23a},
 P. Massarotti ^{70a,70b}, P. Mastrandrea ^{72a,72b}, A. Mastoberardino ^{41b,41a}, T. Masubuchi ¹⁶², D. Matakias ²⁹,
 A. Matic ¹¹⁴, N. Matsuzawa ¹⁶², P. Mättig ²⁴, J. Maurer ^{27b}, B. Maček ⁹², D.A. Maximov ^{122b,122a},
 R. Mazini ¹⁵⁷, I. Maznas ¹⁶¹, S.M. Mazza ¹⁴⁵, J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶, T.G. McCarthy ¹¹⁵,
 W.P. McCormack ¹⁸, E.F. McDonald ¹⁰⁵, J.A. McFayden ³⁶, G. Mchedlidze ^{158b}, M.A. McKay ⁴²,
 K.D. McLean ¹⁷⁵, S.J. McMahon ¹⁴³, P.C. McNamara ¹⁰⁵, C.J. McNicol ¹⁷⁷, R.A. McPherson ^{175,ab},

- J.E. Mdhluli ^{33e}, Z.A. Meadows ¹⁰³, S. Meehan ³⁶, T. Megy ³⁸, S. Mehlhase ¹¹⁴, A. Mehta ⁹¹, B. Meirose ⁴³, D. Melini ¹⁵⁹, B.R. Mellado Garcia ^{33e}, J.D. Mellenthin ⁵³, M. Melo ^{28a}, F. Meloni ⁴⁶, A. Melzer ²⁴, E.D. Mendes Gouveia ^{139a,139e}, L. Meng ³⁶, X.T. Meng ¹⁰⁶, S. Menke ¹¹⁵, E. Meoni ^{41b,41a}, S. Mergelmeyer ¹⁹, S.A.M. Merkt ¹³⁸, C. Merlassino ¹³⁴, P. Mermod ⁵⁴, L. Merola ^{70a,70b}, C. Meroni ^{69a}, G. Merz ¹⁰⁶, O. Meshkov ^{113,111}, J.K.R. Meshreki ¹⁵⁰, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁶, J-P. Meyer ¹⁴⁴, M. Michetti ¹⁹, R.P. Middleton ¹⁴³, L. Mijović ⁵⁰, G. Mikenberg ¹⁷⁹, M. Mikestikova ¹⁴⁰, M. Mikuž ⁹², H. Mildner ¹⁴⁸, A. Milic ¹⁶⁶, C.D. Milke ⁴², D.W. Miller ³⁷, A. Milov ¹⁷⁹, D.A. Milstead ^{45a,45b}, R.A. Mina ¹⁵², A.A. Minaenko ¹²³, I.A. Minashvili ^{158b}, A.I. Mincer ¹²⁵, B. Mindur ^{84a}, M. Mineev ⁸⁰, Y. Minegishi ¹⁶², L.M. Mir ¹⁴, M. Mironova ¹³⁴, A. Mirta ^{68a,68b}, K.P. Mistry ¹³⁶, T. Mitani ¹⁷⁸, J. Mitrevski ¹¹⁴, V.A. Mitsou ¹⁷³, M. Mittal ^{60c}, O. Miu ¹⁶⁶, A. Miucci ²⁰, P.S. Miyagawa ⁹³, A. Mizukami ⁸², J.U. Mjörnmark ⁹⁷, T. Mkrtchyan ^{61a}, M. Mlynarikova ¹⁴², T. Moa ^{45a,45b}, S. Mobius ⁵³, K. Mochizuki ¹¹⁰, P. Mogg ¹¹⁴, S. Mohapatra ³⁹, R. Moles-Valls ²⁴, K. Mönig ⁴⁶, E. Monnier ¹⁰², A. Montalbano ¹⁵¹, J. Montejo Berlingen ³⁶, M. Montella ⁹⁵, F. Monticelli ⁸⁹, S. Monzani ^{69a}, N. Morange ⁶⁵, A.L. Moreira De Carvalho ^{139a}, D. Moreno ^{22a}, M. Moreno Llácer ¹⁷³, C. Moreno Martinez ¹⁴, P. Morettini ^{55b}, M. Morgenstern ¹⁵⁹, S. Morgenstern ⁴⁸, D. Mori ¹⁵¹, M. Morii ⁵⁹, M. Morinaga ¹⁷⁸, V. Morisbak ¹³³, A.K. Morley ³⁶, G. Mornacchi ³⁶, A.P. Morris ⁹⁵, L. Morvaj ¹⁵⁴, P. Moschovakos ³⁶, B. Moser ¹²⁰, M. Mosidze ^{158b}, T. Moskalets ¹⁴⁴, J. Moss ^{31,m}, E.J.W. Moyse ¹⁰³, S. Muanza ¹⁰², J. Mueller ¹³⁸, R.S.P. Mueller ¹¹⁴, D. Muenstermann ⁹⁰, G.A. Mullier ⁹⁷, D.P. Mungo ^{69a,69b}, J.L. Munoz Martinez ¹⁴, F.J. Munoz Sanchez ¹⁰¹, P. Murin ^{28b}, W.J. Murray ^{177,143}, A. Murrone ^{69a,69b}, J.M. Muse ¹²⁸, M. Muškinja ¹⁸, C. Mwewa ^{33a}, A.G. Myagkov ^{123,ag}, A.A. Myers ¹³⁸, G. Myers ⁶⁶, J. Myers ¹³¹, M. Myska ¹⁴¹, B.P. Nachman ¹⁸, O. Nackenhorst ⁴⁷, A. Nag Nag ⁴⁸, K. Nagai ¹³⁴, K. Nagano ⁸², Y. Nagasaka ⁶², J.L. Nagle ²⁹, E. Nagy ¹⁰², A.M. Nairz ³⁶, Y. Nakahama ¹¹⁷, K. Nakamura ⁸², T. Nakamura ¹⁶², H. Nanjo ¹³², F. Napolitano ^{61a}, R.F. Naranjo Garcia ⁴⁶, R. Narayan ⁴², I. Naryshkin ¹³⁷, T. Naumann ⁴⁶, G. Navarro ^{22a}, P.Y. Nechaeva ¹¹¹, F. Nechansky ⁴⁶, T.J. Neep ²¹, A. Negri ^{71a,71b}, M. Negrini ^{23b}, C. Nellist ¹¹⁹, C. Nelson ¹⁰⁴, M.E. Nelson ^{45a,45b}, S. Nemecek ¹⁴⁰, M. Nessi ^{36,e}, M.S. Neubauer ¹⁷², F. Neuhaus ¹⁰⁰, M. Neumann ¹⁸¹, R. Newhouse ¹⁷⁴, P.R. Newman ²¹, C.W. Ng ¹³⁸, Y.S. Ng ¹⁹, Y.W.Y. Ng ¹⁷⁰, B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰², T. Nguyen Manh ¹¹⁰, E. Nibigira ³⁸, R.B. Nickerson ¹³⁴, R. Nicolaïdou ¹⁴⁴, D.S. Nielsen ⁴⁰, J. Nielsen ¹⁴⁵, M. Niemeyer ⁵³, N. Nikiforou ¹¹, V. Nikolaenko ^{123,ag}, I. Nikolic-Audit ¹³⁵, K. Nikolopoulos ²¹, P. Nilsson ²⁹, H.R. Nindhito ⁵⁴, Y. Ninomiya ⁸², A. Nisati ^{73a}, N. Nishu ^{60c}, R. Nisius ¹¹⁵, I. Nitsche ⁴⁷, T. Nitta ¹⁷⁸, T. Nobe ¹⁶², D.L. Noel ³², Y. Noguchi ⁸⁶, I. Nomidis ¹³⁵, M.A. Nomura ²⁹, M. Nordberg ³⁶, J. Novak ⁹², T. Novak ⁹², O. Novgorodova ⁴⁸, R. Novotny ¹⁴¹, L. Nozka ¹³⁰, K. Ntekas ¹⁷⁰, E. Nurse ⁹⁵, F.G. Oakham ^{34,al}, H. Oberlack ¹¹⁵, J. Ocariz ¹³⁵, A. Ochi ⁸³, I. Ochoa ³⁹, J.P. Ochoa-Ricoux ^{146a}, K. O'Connor ²⁶, S. Oda ⁸⁸, S. Odaka ⁸², S. Oerdekk ⁵³, A. Ogródniak ^{84a}, A. Oh ¹⁰¹, C.C. Ohm ¹⁵³, H. Oide ¹⁶⁴, M.L. Ojeda ¹⁶⁶, H. Okawa ¹⁶⁸, Y. Okazaki ⁸⁶, M.W. O'Keefe ⁹¹, Y. Okumura ¹⁶², T. Okuyama ⁸², A. Olariu ^{27b}, L.F. Oleiro Seabra ^{139a}, S.A. Olivares Pino ^{146a}, D. Oliveira Damazio ²⁹, J.L. Oliver ¹, M.J.R. Olsson ¹⁷⁰, A. Olszewski ⁸⁵, J. Olszowska ⁸⁵, Ö.O. Öncel ²⁴, D.C. O'Neil ¹⁵¹, A.P. O'Neill ¹³⁴, A. Onofre ^{139a,139e}, P.U.E. Onyisi ¹¹, H. Oppen ¹³³, R.G. Oreamuno Madriz ¹²¹, M.J. Oreglia ³⁷, G.E. Orellana ⁸⁹, D. Orestano ^{75a,75b}, N. Orlando ¹⁴, R.S. Orr ¹⁶⁶, V. O'Shea ⁵⁷, R. Ospanov ^{60a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁸, P.S. Ott ^{61a}, G.J. Ottino ¹⁸, M. Ouchrif ^{35d}, J. Ouellette ²⁹, F. Ould-Saada ¹³³, A. Ouraou ¹⁴⁴, Q. Ouyang ^{15a}, M. Owen ⁵⁷, R.E. Owen ¹⁴³, V.E. Ozcan ^{12c}, N. Ozturk ⁸, J. Pacalt ¹³⁰, H.A. Pacey ³², K. Pachal ⁴⁹, A. Pacheco Pages ¹⁴, C. Padilla Aranda ¹⁴, S. Pagan Griso ¹⁸, G. Palacino ⁶⁶, S. Palazzo ⁵⁰, S. Palestini ³⁶, M. Palka ^{84b}, P. Palni ^{84a}, C.E. Pandini ⁵⁴, J.G. Panduro Vazquez ⁹⁴, P. Pani ⁴⁶, G. Panizzo ^{67a,67c}, L. Paolozzi ⁵⁴, C. Papadatos ¹¹⁰, K. Papageorgiou ^{9,g}, S. Parajuli ⁴², A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{63b}, S.R. Paredes Saenz ¹³⁴, B. Parida ¹⁷⁹, T.H. Park ¹⁶⁶, A.J. Parker ³¹, M.A. Parker ³², F. Parodi ^{55b,55a}, E.W. Parrish ¹²¹, J.A. Parsons ³⁹, U. Parzefall ⁵², L. Pascual Dominguez ¹³⁵, V.R. Pascuzzi ¹⁸, J.M.P. Pasner ¹⁴⁵, F. Pasquali ¹²⁰, E. Pasqualucci ^{73a}, S. Passaggio ^{55b}, F. Pastore ⁹⁴, P. Pasuwan ^{45a,45b}, S. Patarraia ¹⁰⁰, J.R. Pater ¹⁰¹, A. Pathak ^{180,i}, J. Patton ⁹¹, T. Pauly ³⁶, J. Pearkes ¹⁵², B. Pearson ¹¹⁵, M. Pedersen ¹³³, L. Pedraza Diaz ¹¹⁹, R. Pedro ^{139a}, T. Peiffer ⁵³, S.V. Peleganchuk ^{122b,122a}, O. Penc ¹⁴⁰, H. Peng ^{60a}, B.S. Peralva ^{81a}, M.M. Perego ⁶⁵, A.P. Pereira Peixoto ^{139a}, L. Pereira Sanchez ^{45a,45b}, D.V. Perepelitsa ²⁹, E. Perez Codina ^{167a}, F. Peri ¹⁹, L. Perini ^{69a,69b}, H. Pernegger ³⁶, S. Perrella ³⁶, A. Perrevoort ¹²⁰, K. Peters ⁴⁶, R.F.Y. Peters ¹⁰¹, B.A. Petersen ³⁶, T.C. Petersen ⁴⁰, E. Petit ¹⁰², V. Petousis ¹⁴¹, A. Petridis ¹, C. Petridou ¹⁶¹, P. Petroff ⁶⁵, F. Petrucci ^{75a,75b}, M. Pettee ¹⁸², N.E. Pettersson ¹⁰³, K. Petukhova ¹⁴², A. Peyaud ¹⁴⁴, R. Pezoa ^{146d},

- L. Pezzotti 71a,71b, T. Pham 105, F.H. Phillips 107, P.W. Phillips 143, M.W. Phipps 172, G. Piacquadio 154,
 E. Pianori 18, A. Picazio 103, R.H. Pickles 101, R. Piegaia 30, D. Pietreanu 27b, J.E. Pilcher 37,
 A.D. Pilkington 101, M. Pinamonti 67a,67c, J.L. Pinfold 3, C. Pitman Donaldson 95, M. Pitt 160,
 L. Pizzimento 74a,74b, A. Pizzini 120, M.-A. Pleier 29, V. Plesanovs 52, V. Pleskot 142, E. Plotnikova 80,
 P. Podberezko 122b,122a, R. Poettgen 97, R. Poggi 54, L. Poggioli 135, I. Pogrebnyak 107, D. Pohl 24,
 I. Pokharel 53, G. Polesello 71a, A. Poley 151,167a, A. Policicchio 73a,73b, R. Polifka 142, A. Polini 23b,
 C.S. Pollard 46, V. Polychronakos 29, D. Ponomarenko 112, L. Pontecorvo 36, S. Popa 27a, G.A. Popeneciu 27d,
 L. Portales 5, D.M. Portillo Quintero 58, S. Pospisil 141, K. Potamianos 46, I.N. Potrap 80, C.J. Potter 32,
 H. Potti 11, T. Poulsen 97, J. Poveda 173, T.D. Powell 148, G. Pownall 46, M.E. Pozo Astigarraga 36,
 P. Pralavorio 102, S. Prell 79, D. Price 101, M. Primavera 68a, M.L. Proffitt 147, N. Proklova 112, K. Prokofiev 63c,
 F. Prokoshin 80, S. Protopopescu 29, J. Proudfoot 6, M. Przybycien 84a, D. Pudzha 137, A. Puri 172, P. Puzo 65,
 D. Pyatiizbyantseva 112, J. Qian 106, Y. Qin 101, A. Quadt 53, M. Queitsch-Maitland 36, M. Racko 28a,
 F. Ragusa 69a,69b, G. Rahal 98, J.A. Raine 54, S. Rajagopalan 29, A. Ramirez Morales 93, K. Ran 15a,15d,
 D.M. Rauch 46, F. Rauscher 114, S. Rave 100, B. Ravina 148, I. Ravinovich 179, J.H. Rawling 101, M. Raymond 36,
 A.L. Read 133, N.P. Readioff 148, M. Reale 68a,68b, D.M. Rebuzzi 71a,71b, G. Redlinger 29, K. Reeves 43,
 J. Reichert 136, D. Reikher 160, A. Reiss 100, A. Rej 150, C. Rembser 36, A. Renardi 46, M. Renda 27b,
 M.B. Rendel 115, A.G. Rennie 57, S. Resconi 69a, E.D. Ressegueie 18, S. Rettie 95, B. Reynolds 127,
 E. Reynolds 21, O.L. Rezanova 122b,122a, P. Reznicek 142, E. Ricci 76a,76b, R. Richter 115, S. Richter 46,
 E. Richter-Was 84b, M. Ridel 135, P. Rieck 115, O. Rifki 46, M. Rijssenbeek 154, A. Rimoldi 71a,71b,
 M. Rimoldi 46, L. Rinaldi 23b, T.T. Rinn 172, G. Ripellino 153, I. Riu 14, P. Rivadeneira 46,
 J.C. Rivera Vergara 175, F. Rizatdinova 129, E. Rizvi 93, C. Rizzi 36, S.H. Robertson 104,ab, M. Robin 46,
 D. Robinson 32, C.M. Robles Gajardo 146d, M. Robles Manzano 100, A. Robson 57, A. Rocchi 74a,74b,
 E. Rocco 100, C. Roda 72a,72b, S. Rodriguez Bosca 173, A.M. Rodríguez Vera 167b, S. Roe 36, J. Roggel 181,
 O. Røhne 133, R. Röhrlig 115, R.A. Rojas 146d, B. Roland 52, C.P.A. Roland 66, J. Roloff 29, A. Romanouk 112,
 M. Romano 23b,23a, N. Rompotis 91, M. Ronzani 125, L. Roos 135, S. Rosati 73a, G. Rosin 103, B.J. Rosser 136,
 E. Rossi 46, E. Rossi 75a,75b, E. Rossi 70a,70b, L.P. Rossi 55b, L. Rossini 46, R. Rosten 14, M. Rotaru 27b,
 B. Rottler 52, D. Rousseau 65, G. Rovelli 71a,71b, A. Roy 11, D. Roy 33e, A. Rozanov 102, Y. Rozen 159,
 X. Ruan 33e, T.A. Ruggeri 1, F. Rühr 52, A. Ruiz-Martinez 173, A. Rummler 36, Z. Rurikova 52,
 N.A. Rusakovich 80, H.L. Russell 104, L. Rustige 38,47, J.P. Rutherford 7, E.M. Rüttinger 148, M. Rybar 142,
 G. Rybkin 65, E.B. Rye 133, A. Ryzhov 123, J.A. Sabater Iglesias 46, P. Sabatini 53, L. Sabetta 73a,73b,
 S. Sacerdoti 65, H.F-W. Sadrozinski 145, R. Sadykov 80, F. Safai Tehrani 73a, B. Safarzadeh Samani 155,
 M. Safdari 152, P. Saha 121, S. Saha 104, M. Sahinsoy 115, A. Sahu 181, M. Saimpert 36, M. Saito 162,
 T. Saito 162, H. Sakamoto 162, D. Salamani 54, G. Salamanna 75a,75b, A. Salnikov 152, J. Salt 173,
 A. Salvador Salas 14, D. Salvatore 41b,41a, F. Salvatore 155, A. Salvucci 63a,63b,63c, A. Salzburger 36,
 J. Samarati 36, D. Sammel 52, D. Sampsonidis 161, D. Sampsonidou 161, J. Sánchez 173,
 A. Sanchez Pineda 67a,36,67c, H. Sandaker 133, C.O. Sander 46, I.G. Sanderswood 90, M. Sandhoff 181,
 C. Sandoval 22b, D.P.C. Sankey 143, M. Sannino 55b,55a, Y. Sano 117, A. Sansoni 51, C. Santoni 38,
 H. Santos 139a,139b, S.N. Santpur 18, A. Santra 173, K.A. Saoucha 148, A. Sapronov 80, J.G. Saraiva 139a,139d,
 O. Sasaki 82, K. Sato 168, F. Sauerburger 52, E. Sauvan 5, P. Savard 166,al, R. Sawada 162, C. Sawyer 143,
 L. Sawyer 96,af, I. Sayago Galvan 173, C. Sbarra 23b, A. Sbrizzi 67a,67c, T. Scanlon 95, J. Schaarschmidt 147,
 P. Schacht 115, D. Schaefer 37, L. Schaefer 136, S. Schaepe 36, U. Schäfer 100, A.C. Schaffer 65, D. Schaile 114,
 R.D. Schamberger 154, E. Schanet 114, C. Scharf 19, N. Scharnberg 101, V.A. Schegelsky 137, D. Scheirich 142,
 F. Schenck 19, M. Schernau 170, C. Schiavi 55b,55a, L.K. Schildgen 24, Z.M. Schillaci 26, E.J. Schioppa 68a,68b,
 M. Schioppa 41b,41a, K.E. Schleicher 52, S. Schlenker 36, K.R. Schmidt-Sommerfeld 115, K. Schmieden 36,
 C. Schmitt 100, S. Schmitt 46, J.C. Schmoekel 46, L. Schoeffel 144, A. Schoening 61b, P.G. Scholer 52,
 E. Schopf 134, M. Schott 100, J.F.P. Schouwenberg 119, J. Schovancova 36, S. Schramm 54, F. Schroeder 181,
 A. Schulte 100, H-C. Schultz-Coulon 61a, M. Schumacher 52, B.A. Schumm 145, Ph. Schune 144,
 A. Schwartzman 152, T.A. Schwarz 106, Ph. Schwemling 144, R. Schwienhorst 107, A. Sciandra 145,
 G. Sciolla 26, M. Scornajenghi 41b,41a, F. Scuri 72a, F. Scutti 105, L.M. Scyboz 115, C.D. Sebastiani 91,
 P. Seema 19, S.C. Seidel 118, A. Seiden 145, B.D. Seidlitz 29, T. Seiss 37, C. Seitz 46, J.M. Seixas 81b,
 G. Sekhniaidze 70a, S.J. Sekula 42, N. Semprini-Cesari 23b,23a, S. Sen 49, C. Serfon 29, L. Serin 65,
 L. Serkin 67a,67b, M. Sessa 60a, H. Severini 128, S. Sevova 152, F. Sforza 55b,55a, A. Sfyrla 54, E. Shabalina 53,
 J.D. Shahinian 145, N.W. Shaikh 45a,45b, D. Shaked Renous 179, L.Y. Shan 15a, M. Shapiro 18, A. Sharma 134,

- A.S. Sharma ¹, P.B. Shatalov ¹²⁴, K. Shaw ¹⁵⁵, S.M. Shaw ¹⁰¹, M. Shehade ¹⁷⁹, Y. Shen ¹²⁸, A.D. Sherman ²⁵, P. Sherwood ⁹⁵, L. Shi ⁹⁵, S. Shimizu ⁸², C.O. Shimmin ¹⁸², Y. Shimogama ¹⁷⁸, M. Shimojima ¹¹⁶, I.P.J. Shipsey ¹³⁴, S. Shirabe ¹⁶⁴, M. Shiyakova ^{80,z}, J. Shlomi ¹⁷⁹, A. Shmeleva ¹¹¹, M.J. Shochet ³⁷, J. Shojaei ¹⁰⁵, D.R. Shope ¹⁵³, S. Shrestha ¹²⁷, E.M. Shrif ^{33e}, E. Shulga ¹⁷⁹, P. Sicho ¹⁴⁰, A.M. Sickles ¹⁷², E. Sideras Haddad ^{33e}, O. Sidiropoulou ³⁶, A. Sidoti ^{23b,23a}, F. Siegert ⁴⁸, Dj. Sijacki ¹⁶, M.Jr. Silva ¹⁸⁰, M.V. Silva Oliveira ³⁶, S.B. Silverstein ^{45a}, S. Simion ⁶⁵, R. Simonello ¹⁰⁰, C.J. Simpson-allsop ²¹, S. Simsek ^{12b}, P. Sinervo ¹⁶⁶, V. Sinetckii ¹¹³, S. Singh ¹⁵¹, M. Sioli ^{23b,23a}, I. Siral ¹³¹, S.Yu. Sivoklokov ¹¹³, J. Sjölin ^{45a,45b}, A. Skaf ⁵³, E. Skorda ⁹⁷, P. Skubic ¹²⁸, M. Slawinska ⁸⁵, K. Sliwa ¹⁶⁹, R. Slovak ¹⁴², V. Smakhtin ¹⁷⁹, B.H. Smart ¹⁴³, J. Smiesko ^{28b}, N. Smirnov ¹¹², S.Yu. Smirnov ¹¹², Y. Smirnov ¹¹², L.N. Smirnova ^{113,r}, O. Smirnova ⁹⁷, E.A. Smith ³⁷, H.A. Smith ¹³⁴, M. Smizanska ⁹⁰, K. Smolek ¹⁴¹, A. Smykiewicz ⁸⁵, A.A. Snesarev ¹¹¹, H.L. Snoek ¹²⁰, I.M. Snyder ¹³¹, S. Snyder ²⁹, R. Sobie ^{175,ab}, A. Soffer ¹⁶⁰, A. Søgaard ⁵⁰, F. Sohns ⁵³, C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ¹¹², U. Soldevila ¹⁷³, A.A. Solodkov ¹²³, A. Soloshenko ⁸⁰, O.V. Solovyanov ¹²³, V. Solovyev ¹³⁷, P. Sommer ¹⁴⁸, H. Son ¹⁶⁹, W. Song ¹⁴³, W.Y. Song ^{167b}, A. Sopczak ¹⁴¹, A.L. Sopio ⁹⁵, F. Sopkova ^{28b}, S. Sottocornola ^{71a,71b}, R. Soualah ^{67a,67c}, A.M. Soukharev ^{122b,122a}, D. South ⁴⁶, S. Spagnolo ^{68a,68b}, M. Spalla ¹¹⁵, M. Spangenberg ¹⁷⁷, F. Spanò ⁹⁴, D. Sperlich ⁵², T.M. Spieker ^{61a}, G. Spigo ³⁶, M. Spina ¹⁵⁵, D.P. Spiteri ⁵⁷, M. Spousta ¹⁴², A. Stabile ^{69a,69b}, B.L. Stamas ¹²¹, R. Stamen ^{61a}, M. Stamenkovic ¹²⁰, E. Stanecka ⁸⁵, B. Stanislaus ¹³⁴, M.M. Stanitzki ⁴⁶, M. Stankaityte ¹³⁴, B. Stapf ¹²⁰, E.A. Starchenko ¹²³, G.H. Stark ¹⁴⁵, J. Stark ⁵⁸, P. Staroba ¹⁴⁰, P. Starovoitov ^{61a}, S. Stärz ¹⁰⁴, R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁴, M. Stegler ⁴⁶, P. Steinberg ²⁹, A.L. Steinhebel ¹³¹, B. Stelzer ^{151,167a}, H.J. Stelzer ¹³⁸, O. Stelzer-Chilton ^{167a}, H. Stenzel ⁵⁶, T.J. Stevenson ¹⁵⁵, G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{139a}, S. Stonjek ¹¹⁵, A. Straessner ⁴⁸, J. Strandberg ¹⁵³, S. Strandberg ^{45a,45b}, M. Strauss ¹²⁸, T. Streble ¹⁰², P. Strizenec ^{28b}, R. Ströhmer ¹⁷⁶, D.M. Strom ¹³¹, R. Stroynowski ⁴², A. Strubig ⁵⁰, S.A. Stucci ²⁹, B. Stugu ¹⁷, J. Stupak ¹²⁸, N.A. Styles ⁴⁶, D. Su ¹⁵², W. Su ^{60c,147}, X. Su ^{60a}, V.V. Sulin ¹¹¹, M.J. Sullivan ⁹¹, D.M.S. Sultan ⁵⁴, S. Sultansoy ^{4c}, T. Sumida ⁸⁶, S. Sun ¹⁰⁶, X. Sun ¹⁰¹, K. Suruliz ¹⁵⁵, C.J.E. Suster ¹⁵⁶, M.R. Sutton ¹⁵⁵, S. Suzuki ⁸², M. Svatos ¹⁴⁰, M. Swiatlowski ^{167a}, S.P. Swift ², T. Swirski ¹⁷⁶, A. Sydorenko ¹⁰⁰, I. Sykora ^{28a}, M. Sykora ¹⁴², T. Sykora ¹⁴², D. Ta ¹⁰⁰, K. Tackmann ^{46,x}, J. Taenzer ¹⁶⁰, A. Taffard ¹⁷⁰, R. Tafirout ^{167a}, E. Tagiev ¹²³, R. Takashima ⁸⁷, K. Takeda ⁸³, T. Takeshita ¹⁴⁹, E.P. Takeva ⁵⁰, Y. Takubo ⁸², M. Talby ¹⁰², A.A. Talyshев ^{122b,122a}, K.C. Tam ^{63b}, N.M. Tamir ¹⁶⁰, J. Tanaka ¹⁶², R. Tanaka ⁶⁵, S. Tapia Araya ¹⁷², S. Tapprogge ¹⁰⁰, A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁹, K. Tariq ^{60b}, G. Tarna ^{27b,d}, G.F. Tartarelli ^{69a}, P. Tas ¹⁴², M. Tasevsky ¹⁴⁰, T. Tashiro ⁸⁶, E. Tassi ^{41b,41a}, A. Tavares Delgado ^{139a}, Y. Tayalati ^{35e}, A.J. Taylor ⁵⁰, G.N. Taylor ¹⁰⁵, W. Taylor ^{167b}, H. Teagle ⁹¹, A.S. Tee ⁹⁰, R. Teixeira De Lima ¹⁵², P. Teixeira-Dias ⁹⁴, H. Ten Kate ³⁶, J.J. Teoh ¹²⁰, S. Terada ⁸², K. Terashi ¹⁶², J. Terron ⁹⁹, S. Terzo ¹⁴, M. Testa ⁵¹, R.J. Teuscher ^{166,ab}, S.J. Thais ¹⁸², N. Themistokleous ⁵⁰, T. Theveneaux-Pelzer ⁴⁶, F. Thiele ⁴⁰, D.W. Thomas ⁹⁴, J.O. Thomas ⁴², J.P. Thomas ²¹, E.A. Thompson ⁴⁶, P.D. Thompson ²¹, E. Thomson ¹³⁶, E.J. Thorpe ⁹³, R.E. Ticse Torres ⁵³, V.O. Tikhomirov ^{111,ah}, Yu.A. Tikhonov ^{122b,122a}, S. Timoshenko ¹¹², P. Tipton ¹⁸², S. Tisserant ¹⁰², K. Todome ^{23b,23a}, S. Todorova-Nova ¹⁴², S. Todt ⁴⁸, J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², E. Tolley ¹²⁷, R. Tombs ³², K.G. Tomiwa ^{33e}, M. Tomoto ¹¹⁷, L. Tompkins ¹⁵², P. Tornambe ¹⁰³, E. Torrence ¹³¹, H. Torres ⁴⁸, E. Torró Pastor ¹⁴⁷, C. Toscri ¹³⁴, J. Toth ^{102,aa}, D.R. Tovey ¹⁴⁸, A. Traeet ¹⁷, C.J. Treado ¹²⁵, T. Trefzger ¹⁷⁶, F. Tresoldi ¹⁵⁵, A. Tricoli ²⁹, I.M. Trigger ^{167a}, S. Trincaz-Duvold ¹³⁵, D.A. Trischuk ¹⁷⁴, W. Trischuk ¹⁶⁶, B. Trocmé ⁵⁸, A. Trofymov ⁶⁵, C. Troncon ^{69a}, F. Trovato ¹⁵⁵, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupek ⁸⁵, F. Tsai ⁴⁶, J.C-L. Tseng ¹³⁴, P.V. Tsiareshka ^{108,ae}, A. Tsirigotis ^{161,u}, V. Tsiskaridze ¹⁵⁴, E.G. Tskhadadze ^{158a}, M. Tsopoulou ¹⁶¹, I.I. Tsukerman ¹²⁴, V. Tsulaia ¹⁸, S. Tsuno ⁸², D. Tsybychev ¹⁵⁴, Y. Tu ^{63b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, T.T. Tulbure ^{27a}, A.N. Tuna ⁵⁹, S. Turchikhin ⁸⁰, D. Turgeman ¹⁷⁹, I. Turk Cakir ^{4b,s}, R.J. Turner ²¹, R. Turra ^{69a}, P.M. Tuts ³⁹, S. Tzamarias ¹⁶¹, E. Tzovara ¹⁰⁰, K. Uchida ¹⁶², F. Ukegawa ¹⁶⁸, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁷⁰, F.C. Ungaro ¹⁰⁵, Y. Unno ⁸², K. Uno ¹⁶², J. Urban ^{28b}, P. Urquijo ¹⁰⁵, G. Usai ⁸, Z. Uysal ^{12d}, V. Vacek ¹⁴¹, B. Vachon ¹⁰⁴, K.O.H. Vadla ¹³³, T. Vafeiadis ³⁶, A. Vaidya ⁹⁵, C. Valderanis ¹¹⁴, E. Valdes Santurio ^{45a,45b}, M. Valente ⁵⁴, S. Valentini ^{23b,23a}, A. Valero ¹⁷³, L. Valéry ⁴⁶, R.A. Vallance ²¹, A. Vallier ³⁶, J.A. Valls Ferrer ¹⁷³, T.R. Van Daalen ¹⁴, P. Van Gemmeren ⁶, S. Van Stroud ⁹⁵, I. Van Vulpen ¹²⁰, M. Vanadia ^{74a,74b}, W. Vandelli ³⁶, M. Vandenbroucke ¹⁴⁴, E.R. Vandewall ¹²⁹, A. Vaniachine ¹⁶⁵, D. Vannicola ^{73a,73b}, R. Vari ^{73a}, E.W. Varnes ⁷, C. Varni ^{55b,55a}, T. Varol ¹⁵⁷, D. Varouchas ⁶⁵, K.E. Varvell ¹⁵⁶, M.E. Vasile ^{27b}, G.A. Vasquez ¹⁷⁵, F. Vazeille ³⁸, D. Vazquez Furelos ¹⁴,

- T. Vazquez Schroeder ³⁶, J. Veatch ⁵³, V. Vecchio ¹⁰¹, M.J. Veen ¹²⁰, L.M. Veloce ¹⁶⁶, F. Veloso ^{139a,139c},
 S. Veneziano ^{73a}, A. Ventura ^{68a,68b}, A. Verbytskyi ¹¹⁵, V. Vercesi ^{71a}, M. Verducci ^{72a,72b},
 C.M. Vergel Infante ⁷⁹, C. Vergis ²⁴, W. Verkerke ¹²⁰, A.T. Vermeulen ¹²⁰, J.C. Vermeulen ¹²⁰, C. Vernieri ¹⁵²,
 M.C. Vetterli ^{151,al}, N. Viaux Maira ^{146d}, T. Vickey ¹⁴⁸, O.E. Vickey Boeriu ¹⁴⁸, G.H.A. Viehhauser ¹³⁴,
 L. Vigani ^{61b}, M. Villa ^{23b,23a}, M. Villaplana Perez ³, E.M. Villhauer ⁵⁰, E. Vilucchi ⁵¹, M.G. Vincter ³⁴,
 G.S. Virdee ²¹, A. Vishwakarma ⁵⁰, C. Vittori ^{23b,23a}, I. Vivarelli ¹⁵⁵, M. Vogel ¹⁸¹, P. Vokac ¹⁴¹,
 S.E. von Buddenbrock ^{33e}, E. Von Toerne ²⁴, V. Vorobel ¹⁴², K. Vorobev ¹¹², M. Vos ¹⁷³, J.H. Vossebeld ⁹¹,
 M. Vozak ¹⁰¹, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, V. Vrba ¹⁴¹, M. Vreeswijk ¹²⁰, R. Vuillermet ³⁶,
 I. Vukotic ³⁷, S. Wada ¹⁶⁸, P. Wagner ²⁴, W. Wagner ¹⁸¹, J. Wagner-Kuhr ¹¹⁴, S. Wahdan ¹⁸¹, H. Wahlberg ⁸⁹,
 R. Wakasa ¹⁶⁸, V.M. Walbrecht ¹¹⁵, J. Walder ¹⁴³, R. Walker ¹¹⁴, S.D. Walker ⁹⁴, W. Walkowiak ¹⁵⁰,
 V. Wallangen ^{45a,45b}, A.M. Wang ⁵⁹, A.Z. Wang ¹⁸⁰, C. Wang ^{60a}, C. Wang ^{60c}, F. Wang ¹⁸⁰, H. Wang ¹⁸,
 H. Wang ³, J. Wang ^{63a}, P. Wang ⁴², Q. Wang ¹²⁸, R.-J. Wang ¹⁰⁰, R. Wang ^{60a}, R. Wang ⁶, S.M. Wang ¹⁵⁷,
 W.T. Wang ^{60a}, W. Wang ^{15c}, W.X. Wang ^{60a}, Y. Wang ^{60a}, Z. Wang ¹⁰⁶, C. Wanotayaroj ⁴⁶, A. Warburton ¹⁰⁴,
 C.P. Ward ³², D.R. Wardrope ⁹⁵, N. Warrack ⁵⁷, A.T. Watson ²¹, M.F. Watson ²¹, G. Watts ¹⁴⁷, B.M. Waugh ⁹⁵,
 A.F. Webb ¹¹, C. Weber ²⁹, M.S. Weber ²⁰, S.A. Weber ³⁴, S.M. Weber ^{61a}, A.R. Weidberg ¹³⁴,
 J. Weingarten ⁴⁷, M. Weirich ¹⁰⁰, C. Weiser ⁵², P.S. Wells ³⁶, T. Wenaus ²⁹, B. Wendland ⁴⁷, T. Wengler ³⁶,
 S. Wenig ³⁶, N. Wermes ²⁴, M. Wessels ^{61a}, T.D. Weston ²⁰, K. Whalen ¹³¹, A.M. Wharton ⁹⁰, A.S. White ¹⁰⁶,
 A. White ⁸, M.J. White ¹, D. Whiteson ¹⁷⁰, B.W. Whitmore ⁹⁰, W. Wiedenmann ¹⁸⁰, C. Wiel ⁴⁸,
 M. Wielers ¹⁴³, N. Wieseotte ¹⁰⁰, C. Wiglesworth ⁴⁰, L.A.M. Wiik-Fuchs ⁵², H.G. Wilkens ³⁶, L.J. Wilkins ⁹⁴,
 H.H. Williams ¹³⁶, S. Williams ³², S. Willocq ¹⁰³, P.J. Windischhofer ¹³⁴, I. Wingerter-Seez ⁵, E. Winkels ¹⁵⁵,
 F. Winklmeier ¹³¹, B.T. Winter ⁵², M. Wittgen ¹⁵², M. Wobisch ⁹⁶, A. Wolf ¹⁰⁰, R. Wölker ¹³⁴, J. Wollrath ⁵²,
 M.W. Wolter ⁸⁵, H. Wolters ^{139a,139c}, V.W.S. Wong ¹⁷⁴, N.L. Woods ¹⁴⁵, S.D. Worm ⁴⁶, B.K. Wosiek ⁸⁵,
 K.W. Woźniak ⁸⁵, K. Wraight ⁵⁷, S.L. Wu ¹⁸⁰, X. Wu ⁵⁴, Y. Wu ^{60a}, J. Wuerzinger ¹³⁴, T.R. Wyatt ¹⁰¹,
 B.M. Wynne ⁵⁰, S. Xella ⁴⁰, L. Xia ¹⁷⁷, J. Xiang ^{63c}, X. Xiao ¹⁰⁶, X. Xie ^{60a}, I. Xiotidis ¹⁵⁵, D. Xu ^{15a}, H. Xu ^{60a},
 H. Xu ^{60a}, L. Xu ²⁹, T. Xu ¹⁴⁴, W. Xu ¹⁰⁶, Z. Xu ^{60b}, Z. Xu ¹⁵², B. Yabsley ¹⁵⁶, S. Yacoob ^{33a}, K. Yajima ¹³²,
 D.P. Yallup ⁹⁵, N. Yamaguchi ⁸⁸, Y. Yamaguchi ¹⁶⁴, A. Yamamoto ⁸², M. Yamatani ¹⁶², T. Yamazaki ¹⁶²,
 Y. Yamazaki ⁸³, J. Yan ^{60c}, Z. Yan ²⁵, H.J. Yang ^{60c,60d}, H.T. Yang ¹⁸, S. Yang ^{60a}, T. Yang ^{63c}, X. Yang ^{60b,58},
 Y. Yang ¹⁶², Z. Yang ^{60a}, W-M. Yao ¹⁸, Y.C. Yap ⁴⁶, Y. Yasu ⁸², E. Yatsenko ^{60c}, H. Ye ^{15c}, J. Ye ⁴², S. Ye ²⁹,
 I. Yeletskikh ⁸⁰, M.R. Yexley ⁹⁰, E. Yigitbasi ²⁵, P. Yin ³⁹, K. Yorita ¹⁷⁸, K. Yoshihara ⁷⁹, C.J.S. Young ³⁶,
 C. Young ¹⁵², J. Yu ⁷⁹, R. Yuan ^{60b,h}, X. Yue ^{61a}, M. Zaazoua ^{35e}, B. Zabinski ⁸⁵, G. Zacharis ¹⁰, E. Zaffaroni ⁵⁴,
 J. Zahreddine ¹³⁵, A.M. Zaitsev ^{123,ag}, T. Zakareishvili ^{158b}, N. Zakharchuk ³⁴, S. Zambito ³⁶, D. Zanzi ³⁶,
 D.R. Zaripovas ⁵⁷, S.V. Zeißner ⁴⁷, C. Zeitnitz ¹⁸¹, G. Zemaityte ¹³⁴, J.C. Zeng ¹⁷², O. Zenin ¹²³, T. Ženiš ^{28a},
 D. Zerwas ⁶⁵, M. Zgubić ¹³⁴, B. Zhang ^{15c}, D.F. Zhang ^{15b}, G. Zhang ^{15b}, J. Zhang ⁶, Kaili. Zhang ^{15a},
 L. Zhang ^{15c}, L. Zhang ^{60a}, M. Zhang ¹⁷², R. Zhang ¹⁸⁰, S. Zhang ¹⁰⁶, X. Zhang ^{60c}, X. Zhang ^{60b},
 Y. Zhang ^{15a,15d}, Z. Zhang ^{63a}, Z. Zhang ⁶⁵, P. Zhao ⁴⁹, Z. Zhao ^{60a}, A. Zhemchugov ⁸⁰, Z. Zheng ¹⁰⁶,
 D. Zhong ¹⁷², B. Zhou ¹⁰⁶, C. Zhou ¹⁸⁰, H. Zhou ⁷, M.S. Zhou ^{15a,15d}, M. Zhou ¹⁵⁴, N. Zhou ^{60c}, Y. Zhou ⁷,
 C.G. Zhu ^{60b}, C. Zhu ^{15a,15d}, H.L. Zhu ^{60a}, H. Zhu ^{15a}, J. Zhu ¹⁰⁶, Y. Zhu ^{60a}, X. Zhuang ^{15a}, K. Zhukov ¹¹¹,
 V. Zhulanov ^{122b,122a}, D. Ziemińska ⁶⁶, N.I. Zimine ⁸⁰, S. Zimmermann ⁵², Z. Zinonos ¹¹⁵, M. Ziolkowski ¹⁵⁰,
 L. Živković ¹⁶, G. Zobernig ¹⁸⁰, A. Zoccoli ^{23b,23a}, K. Zoch ⁵³, T.G. Zorbas ¹⁴⁸, R. Zou ³⁷, L. Zwalski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia² Physics Department, SUNY Albany, Albany NY; United States of America³ Department of Physics, University of Alberta, Edmonton AB; Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) İstanbul Aydin University, Application and Research Center for Advanced Studies, İstanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara; Turkey⁵ LAPP, Université Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America¹² (a) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul; (b) İstanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (c) Department of Physics, Bogazici University, Istanbul; (d) Department of Physics Engineering, Gaziantep University, Gaziantep; Turkey¹³ Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan¹⁴ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain¹⁵ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing;^d University of Chinese Academy of Science (UCAS), Beijing; China¹⁶ Institute of Physics, University of Belgrade, Belgrade; Serbia¹⁷ Department for Physics and Technology, University of Bergen, Bergen; Norway¹⁸ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA; United States of America

- ¹⁹ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany
- ²⁰ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland
- ²¹ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
- ²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ²³ ^(a) INFN Bologna and Universita' di Bologna, Dipartimento di Fisica; ^(b) INFN Sezione di Bologna; Italy
- ²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²⁵ Department of Physics, Boston University, Boston MA; United States of America
- ²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
- ²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest; ^(f) West University in Timisoara, Timisoara; Romania
- ²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Departamento de Física, Universidad de Buenos Aires, Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(d) University of South Africa, Department of Physics, Pretoria; ^(e) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ³⁵ ^(a) Faculté des Sciences Amin Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; Morocco
- ³⁶ CERN, Geneva; Switzerland
- ³⁷ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ³⁸ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ³⁹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴⁰ Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴¹ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴² Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴³ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁴ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁵ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁶ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁷ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund; Germany
- ⁴⁸ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁴⁹ Department of Physics, Duke University, Durham NC; United States of America
- ⁵⁰ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵¹ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵² Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵³ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁴ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁵ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
- ⁵⁶ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁷ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁵⁸ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶⁰ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, KLPPAC-MoE, SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶¹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶² Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima; Japan
- ⁶³ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁴ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁵ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁶ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁷ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁸ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁶⁹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷⁰ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷² ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁶ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁷ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck; Austria
- ⁷⁸ University of Iowa, Iowa City IA; United States of America
- ⁷⁹ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁸⁰ Joint Institute for Nuclear Research, Dubna; Russia
- ⁸¹ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;
- ^(c) Universidade Federal de São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo; Brazil
- ⁸² KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸³ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁴ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁵ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁶ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁷ Kyoto University of Education, Kyoto; Japan

- ⁸⁸ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan
⁸⁹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
⁹⁰ Physics Department, Lancaster University, Lancaster; United Kingdom
⁹¹ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
⁹² Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
⁹³ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
⁹⁴ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
⁹⁵ Department of Physics and Astronomy, University College London, London; United Kingdom
⁹⁶ Louisiana Tech University, Ruston LA; United States of America
⁹⁷ Fysiska institutionen, Lunds universitet, Lund; Sweden
⁹⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne; France
⁹⁹ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
¹⁰⁰ Institut für Physik, Universität Mainz, Mainz; Germany
¹⁰¹ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
¹⁰² CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
¹⁰³ Department of Physics, University of Massachusetts, Amherst MA; United States of America
¹⁰⁴ Department of Physics, McGill University, Montreal QC; Canada
¹⁰⁵ School of Physics, University of Melbourne, Victoria; Australia
¹⁰⁶ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
¹⁰⁷ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
¹⁰⁸ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk; Belarus
¹⁰⁹ Research Institute for Nuclear Problems of Byelorussian State University, Minsk; Belarus
¹¹⁰ Group of Particle Physics, University of Montreal, Montreal QC; Canada
¹¹¹ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow; Russia
¹¹² National Research Nuclear University MEPhI, Moscow; Russia
¹¹³ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow; Russia
¹¹⁴ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
¹¹⁵ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
¹¹⁶ Nagasaki Institute of Applied Science, Nagasaki; Japan
¹¹⁷ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
¹¹⁸ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
¹¹⁹ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen; Netherlands
¹²⁰ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
¹²¹ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
¹²² ^(a) Budker Institute of Nuclear Physics and NSU, SB RAS, Novosibirsk; ^(b) Novosibirsk State University Novosibirsk; Russia
¹²³ Institute for High Energy Physics of the National Research Centre Kurchatov Institute, Protvino; Russia
¹²⁴ Institute for Theoretical and Experimental Physics named by A.I. Alikhanov of National Research Centre "Kurchatov Institute", Moscow; Russia
¹²⁵ Department of Physics, New York University, New York NY; United States of America
¹²⁶ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
¹²⁷ Ohio State University, Columbus OH; United States of America
¹²⁸ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
¹²⁹ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
¹³⁰ Palacky University, RCPTM, Joint Laboratory of Optics, Olomouc; Czech Republic
¹³¹ Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
¹³² Graduate School of Science, Osaka University, Osaka; Japan
¹³³ Department of Physics, University of Oslo, Oslo; Norway
¹³⁴ Department of Physics, Oxford University, Oxford; United Kingdom
¹³⁵ LPNHE, Sorbonne Université, Université de Paris, CNRS/IN2P3, Paris; France
¹³⁶ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
¹³⁷ Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg; Russia
¹³⁸ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
¹³⁹ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica; ^(h) Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
¹⁴⁰ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
¹⁴¹ Czech Technical University in Prague, Prague; Czech Republic
¹⁴² Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
¹⁴³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
¹⁴⁴ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
¹⁴⁵ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
¹⁴⁶ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Universidad Andres Bello, Department of Physics, Santiago; ^(c) Instituto de Alta Investigación, Universidad de Tarapacá; ^(d) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
¹⁴⁷ Department of Physics, University of Washington, Seattle WA; United States of America
¹⁴⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
¹⁴⁹ Department of Physics, Shinshu University, Nagano; Japan
¹⁵⁰ Department Physik, Universität Siegen, Siegen; Germany
¹⁵¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
¹⁵² SLAC National Accelerator Laboratory, Stanford CA; United States of America
¹⁵³ Physics Department, Royal Institute of Technology, Stockholm; Sweden
¹⁵⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
¹⁵⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
¹⁵⁶ School of Physics, University of Sydney, Sydney; Australia
¹⁵⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
¹⁵⁸ ^(a) E. Andronikashvili Institute of Physics, Iv.Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; Georgia
¹⁵⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
¹⁶⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
¹⁶¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
¹⁶² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
¹⁶³ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo; Japan

- ¹⁶⁴ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
¹⁶⁵ Tomsk State University, Tomsk; Russia
¹⁶⁶ Department of Physics, University of Toronto, Toronto ON; Canada
¹⁶⁷ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
¹⁶⁸ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
¹⁶⁹ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
¹⁷⁰ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
¹⁷¹ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
¹⁷² Department of Physics, University of Illinois, Urbana IL; United States of America
¹⁷³ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia; Spain
¹⁷⁴ Department of Physics, University of British Columbia, Vancouver BC; Canada
¹⁷⁵ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
¹⁷⁶ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
¹⁷⁷ Department of Physics, University of Warwick, Coventry; United Kingdom
¹⁷⁸ Waseda University, Tokyo; Japan
¹⁷⁹ Department of Particle Physics, Weizmann Institute of Science, Rehovot; Israel
¹⁸⁰ Department of Physics, University of Wisconsin, Madison WI; United States of America
¹⁸¹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
¹⁸² Department of Physics, Yale University, New Haven CT; United States of America

^a Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^b Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^c Also at CERN, Geneva; Switzerland.

^d Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.

^e Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

^f Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona; Spain.

^g Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^h Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

ⁱ Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^j Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

^k Also at Department of Physics, California State University, East Bay; United States of America.

^l Also at Department of Physics, California State University, Fresno; United States of America.

^m Also at Department of Physics, California State University, Sacramento; United States of America.

ⁿ Also at Department of Physics, King's College London, London; United Kingdom.

^o Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg; Russia.

^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^q Also at Dipartimento di Matematica, Informatica e Fisica, Università di Udine, Udine; Italy.

^r Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow; Russia.

^s Also at Giresun University, Faculty of Engineering, Giresun; Turkey.

^t Also at Graduate School of Science, Osaka University, Osaka; Japan.

^u Also at Hellenic Open University, Patras; Greece.

^v Also at IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.

^w Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.

^x Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.

^y Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen; Netherlands.

^z Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.

^{aa} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.

^{ab} Also at Institute of Particle Physics (IPP), Vancouver; Canada.

^{ac} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

^{ad} Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain.

^{ae} Also at Joint Institute for Nuclear Research, Dubna; Russia.

^{af} Also at Louisiana Tech University, Ruston LA; United States of America.

^{ag} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny; Russia.

^{ah} Also at National Research Nuclear University MEPhI, Moscow; Russia.

^{ai} Also at Physics Department, An-Najah National University, Nablus; Palestine.

^{aj} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

^{ak} Also at The City College of New York, New York NY; United States of America.

^{al} Also at TRIUMF, Vancouver BC; Canada.

^{am} Also at Universita di Napoli Parthenope, Napoli; Italy.

^{an} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.

* Deceased.