


ISSN 1726-5479

SENSORS **11** vol. 146 & TRANSDUCERS **/12**



Nanosensors and Nanodevices

International Frequency Sensor Association Publishing



Editors-in-Chief: professor Sergey Y. Yurish, tel.: +34 696067716, e-mail: editor@sensorsportal.com

Editors for Western Europe

Meijer, Gerard C.M., Delft University of Technology, The Netherlands
Ferrari, Vittorio, Università di Brescia, Italy

Editors for North America

Datskos, Panos G., Oak Ridge National Laboratory, USA
Fabien, J. Josse, Marquette University, USA
Katz, Evgeny, Clarkson University, USA

Editor South America

Costa-Felix, Rodrigo, Inmetro, Brazil

Editor for Eastern Europe

Sachenko, Anatoly, Ternopil State Economic University, Ukraine

Editor for Asia

Ohyama, Shinji, Tokyo Institute of Technology, Japan

Editor for Africa

Maki K.Habib, American University in Cairo, Egypt

Editor for Asia-Pacific

Mukhopadhyay, Subhas, Massey University, New Zealand

Editorial Advisory Board

- Abdul Rahim, Ruzairi**, Universiti Teknologi, Malaysia
Ahmad, Mohd Noor, Northern University of Engineering, Malaysia
Annamalai, Karthigeyan, National Institute of Advanced Industrial Science and Technology, Japan
Arcega, Francisco, University of Zaragoza, Spain
Arguel, Philippe, CNRS, France
Ahn, Jae-Pyoung, Korea Institute of Science and Technology, Korea
Arndt, Michael, Robert Bosch GmbH, Germany
Ascoli, Giorgio, George Mason University, USA
Atalay, Selcuk, Inonu University, Turkey
Atghiaee, Ahmad, University of Tehran, Iran
Augutis, Vyngantas, Kaunas University of Technology, Lithuania
Avachit, Patil Lalchand, North Maharashtra University, India
Ayesh, Aladdin, De Montfort University, UK
Azamimi, Azian binti Abdullah, Universiti Malaysia Perlis, Malaysia
Bahreyni, Behraad, University of Manitoba, Canada
Baliga, Shankar, B., General Motors Transnational, USA
Baoxian, Ye, Zhengzhou University, China
Barford, Lee, Agilent Laboratories, USA
Barlingay, Ravindra, RF Arrays Systems, India
Basu, Sukumar, Jadavpur University, India
Beck, Stephen, University of Sheffield, UK
Ben Bouzid, Sihem, Institut National de Recherche Scientifique, Tunisia
Benachaiba, Chellali, Université de Bechar, Algeria
Binnie, T. David, Napier University, UK
Bischoff, Gerlinde, Inst. Analytical Chemistry, Germany
Bodas, Dhananjay, IMTEK, Germany
Borges Carval, Nuno, Universidade de Aveiro, Portugal
Bouchikhi, Benachir, University Moulay Ismail, Morocco
Bousbia-Salah, Mounir, University of Annaba, Algeria
Bouvet, Marcel, CNRS – UPMC, France
Brudzewski, Kazimierz, Warsaw University of Technology, Poland
Cai, Chenxin, Nanjing Normal University, China
Cai, Qingyun, Hunan University, China
Calvo-Gallego, Jaime, Universidad de Salamanca, Spain
Campanella, Luigi, University La Sapienza, Italy
Carvalho, Vitor, Minho University, Portugal
Cecelja, Franjo, Brunel University, London, UK
Cerda Belmonte, Judith, Imperial College London, UK
Chakrabarty, Chandan Kumar, Universiti Tenaga Nasional, Malaysia
Chakravorty, Dipankar, Association for the Cultivation of Science, India
Changhai, Ru, Harbin Engineering University, China
Chaudhari, Gajanan, Shri Shivaji Science College, India
Chavali, Murthy, N.I. Center for Higher Education, (N.I. University), India
Chen, Jiming, Zhejiang University, China
Chen, Rongshun, National Tsing Hua University, Taiwan
Cheng, Kuo-Sheng, National Cheng Kung University, Taiwan
Chiang, Jeffrey (Cheng-Ta), Industrial Technol. Research Institute, Taiwan
Chiriac, Horia, National Institute of Research and Development, Romania
Chowdhuri, Arijit, University of Delhi, India
Chung, Wen-Yaw, Chung Yuan Christian University, Taiwan
Corres, Jesus, Universidad Publica de Navarra, Spain
Cortes, Camilo A., Universidad Nacional de Colombia, Colombia
Courtois, Christian, Université de Valenciennes, France
Cusano, Andrea, University of Sannio, Italy
D'Amico, Arnaldo, Università di Tor Vergata, Italy
De Stefano, Luca, Institute for Microelectronics and Microsystem, Italy
Deshmukh, Kiran, Shri Shivaji Mahavidyalaya, Barshi, India
Dickert, Franz L., Vienna University, Austria
Diegues, Angel, University of Barcelona, Spain
Dighavkar, C. G., M.G. Vidyamandir's L. V.H. College, India
Dimitropoulos, Panos, University of Thessaly, Greece
Ding, Jianning, Jiangsu Polytechnic University, China
Djordjevich, Alexandar, City University of Hong Kong, Hong Kong
Donato, Nicola, University of Messina, Italy
Donato, Patricio, Universidad de Mar del Plata, Argentina
Dong, Feng, Tianjin University, China
Driljaca, Predrag, Intersema Sensoric SA, Switzerland
Dubey, Venkatesh, Bournemouth University, UK
Enderle, Stefan, Univ. of Ulm and KTB Mechatronics GmbH, Germany
Erdem, Gursan K. Arzum, Ege University, Turkey
Erkmen, Aydan M., Middle East Technical University, Turkey
Estelle, Patrice, Insa Rennes, France
Estrada, Horacio, University of North Carolina, USA
Faiz, Adil, INSA Lyon, France
Fericean, Sorin, Balluff GmbH, Germany
Fernandes, Joana M., University of Porto, Portugal
Francioso, Luca, CNR-IMM Institute for Microelectronics and Microsystems, Italy
Francis, Laurent, University Catholique de Louvain, Belgium
Fu, Weiling, South-Western Hospital, Chongqing, China
Gaura, Elena, Coventry University, UK
Geng, Yanfeng, China University of Petroleum, China
Gole, James, Georgia Institute of Technology, USA
Gong, Hao, National University of Singapore, Singapore
Gonzalez de la Rosa, Juan Jose, University of Cadiz, Spain
Grael, Annette, Goteborg University, Sweden
Graff, Mason, The University of Texas at Arlington, USA
Guan, Shan, Eastman Kodak, USA
Guillet, Bruno, University of Caen, France
Guo, Zhen, New Jersey Institute of Technology, USA
Gupta, Narendra Kumar, Napier University, UK
Hadjiloucas, Sillas, The University of Reading, UK
Haider, Mohammad R., Sonoma State University, USA
Hashsham, Syed, Michigan State University, USA
Hasni, Abdelhafid, Bechar University, Algeria
Hernandez, Alvaro, University of Alcalá, Spain
Hernandez, Wilmar, Universidad Politecnica de Madrid, Spain
Homentcovschi, Dorel, SUNY Binghamton, USA
Horstman, Tom, U.S. Automation Group, LLC, USA
Hsiai, Tzung (John), University of Southern California, USA
Huang, Jeng-Sheng, Chung Yuan Christian University, Taiwan
Huang, Star, National Tsing Hua University, Taiwan
Huang, Wei, PSG Design Center, USA
Hui, David, University of New Orleans, USA
Jaffrezic-Renault, Nicole, Ecole Centrale de Lyon, France
James, Daniel, Griffith University, Australia
Janting, Jakob, DELTA Danish Electronics, Denmark
Jiang, Liudi, University of Southampton, UK
Jiang, Wei, University of Virginia, USA
Jiao, Zheng, Shanghai University, China
John, Joachim, IMEC, Belgium
Kalach, Andrew, Voronezh Institute of Ministry of Interior, Russia
Kang, Moonho, Sunmoon University, Korea South
Kaniusas, Eugenijus, Vienna University of Technology, Austria
Katake, Anup, Texas A&M University, USA
Kausel, Wilfried, University of Music, Vienna, Austria
Kavasoglu, Nese, Mugla University, Turkey
Ke, Cathy, Tyndall National Institute, Ireland
Khelfaoui, Rachid, Université de Bechar, Algeria
Khan, Asif, Aligarh Muslim University, Aligarh, India
Kim, Min Young, Kyungpook National University, Korea South
Ko, Sang Choon, Electronics. and Telecom. Research Inst., Korea South
Kotulska, Malgorzata, Wroclaw University of Technology, Poland
Kockar, Hakan, Balikesir University, Turkey
Kong, Ing, RMIT University, Australia
Kratz, Henrik, Uppsala University, Sweden

Krishnamoorthy, Ganesh, University of Texas at Austin, USA
Kumar, Arun, University of Delaware, Newark, USA
Kumar, Subodh, National Physical Laboratory, India
Kung, Chih-Hsien, Chang-Jung Christian University, Taiwan
Lacnjevac, Caslav, University of Belgrade, Serbia
Lay-Ekuakille, Aime, University of Lecce, Italy
Lee, Jang Myung, Pusan National University, Korea South
Lee, Jun Su, Amkor Technology, Inc. South Korea
Lei, Hua, National Starch and Chemical Company, USA
Li, Fengyuan (Thomas), Purdue University, USA
Li, Genxi, Nanjing University, China
Li, Hui, Shanghai Jiaotong University, China
Li, Sihua, Agiltron, Inc., USA
Li, Xian-Fang, Central South University, China
Li, Yuefa, Wayne State University, USA
Liang, Yuanchang, University of Washington, USA
Liawruangrath, Saisunee, Chiang Mai University, Thailand
Liew, Kim Meow, City University of Hong Kong, Hong Kong
Lin, Hermann, National Kaohsiung University, Taiwan
Lin, Paul, Cleveland State University, USA
Linderholm, Pontus, EPFL - Microsystems Laboratory, Switzerland
Liu, Aihua, University of Oklahoma, USA
Liu Changgeng, Louisiana State University, USA
Liu, Cheng-Hsien, National Tsing Hua University, Taiwan
Liu, Songqin, Southeast University, China
Lodeiro, Carlos, University of Vigo, Spain
Lorenzo, Maria Encarnacio, Universidad Autonoma de Madrid, Spain
Lukasiewicz, Jerzy Pawel, Nicholas Copernicus University, Poland
Ma, Zhanfang, Northeast Normal University, China
Majstorovic, Vidosav, University of Belgrade, Serbia
Malyshev, V.V., National Research Centre 'Kurchatov Institute', Russia
Marquez, Alfredo, Centro de Investigacion en Materiales Avanzados, Mexico
Matay, Ladislav, Slovak Academy of Sciences, Slovakia
Mathur, Prafull, National Physical Laboratory, India
Maurya, D.K., Institute of Materials Research and Engineering, Singapore
Mekid, Samir, University of Manchester, UK
Melnyk, Ivan, Photon Control Inc., Canada
Mendes, Paulo, University of Minho, Portugal
Mennell, Julie, Northumbria University, UK
Mi, Bin, Boston Scientific Corporation, USA
Minas, Graca, University of Minho, Portugal
Mishra, Vivekanand, National Institute of Technology, India
Moghavvemi, Mahmoud, University of Malaya, Malaysia
Mohammadi, Mohammad-Reza, University of Cambridge, UK
Molina Flores, Esteban, Benemérita Universidad Autónoma de Puebla, Mexico
Moradi, Majid, University of Kerman, Iran
Morello, Rosario, University "Mediterranea" of Reggio Calabria, Italy
Mounir, Ben Ali, University of Sousse, Tunisia
Mrad, Nezhil, Defence R&D, Canada
Mulla, Imtiaz Sirajuddin, National Chemical Laboratory, Pune, India
Nabok, Aleksey, Sheffield Hallam University, UK
Neelamegam, Periasamy, Sastra Deemed University, India
Neshkova, Milka, Bulgarian Academy of Sciences, Bulgaria
Oberhammer, Joachim, Royal Institute of Technology, Sweden
Ould Lahoucine, Cherif, University of Guelma, Algeria
Pamidighanta, Sayanu, Bharat Electronics Limited (BEL), India
Pan, Jisheng, Institute of Materials Research & Engineering, Singapore
Park, Joon-Shik, Korea Electronics Technology Institute, Korea South
Passaro, Vittorio M. N., Politecnico di Bari, Italy
Penza, Michele, ENEA C.R., Italy
Pereira, Jose Miguel, Instituto Politecnico de Seteбал, Portugal
Petsev, Dimiter, University of New Mexico, USA
Pogacnik, Lea, University of Ljubljana, Slovenia
Post, Michael, National Research Council, Canada
Prance, Robert, University of Sussex, UK
Prasad, Ambika, Gulbarga University, India
Prateepasen, Asa, Kingmoungut's University of Technology, Thailand
Pugno, Nicola M., Politecnico di Torino, Italy
Pullini, Daniele, Centro Ricerche FIAT, Italy
Pumera, Martin, National Institute for Materials Science, Japan
Radhakrishnan, S., National Chemical Laboratory, Pune, India
Rajanna, K., Indian Institute of Science, India
Ramadan, Qasem, Institute of Microelectronics, Singapore
Rao, Basuthkar, Tata Inst. of Fundamental Research, India
Raoof, Kosai, Joseph Fourier University of Grenoble, France
Rastogi Shiva, K., University of Idaho, USA
Reig, Candid, University of Valencia, Spain
Restivo, Maria Teresa, University of Porto, Portugal
Robert, Michel, University Henri Poincare, France
Rezazadeh, Ghader, Urmia University, Iran
Royo, Santiago, Universitat Politecnica de Catalunya, Spain
Rodriguez, Angel, Universidad Politecnica de Cataluna, Spain
Rothberg, Steve, Loughborough University, UK
Sadana, Ajit, University of Mississippi, USA
Sadeghian Marnani, Hamed, TU Delft, The Netherlands
Sapozhnikova, Ksenia, D.I.Mendeleyev Institute for Metrology, Russia
Sandacci, Serghei, Sensor Technology Ltd., UK
Saxena, Vibha, Bbhba Atomic Research Centre, Mumbai, India
Schneider, John K., Ultra-Scan Corporation, USA
Sengupta, Deepak, Advance Bio-Photonics, India
Seif, Selemeni, Alabama A & M University, USA
Seifter, Achim, Los Alamos National Laboratory, USA
Shah, Kriyang, La Trobe University, Australia
Sankarraj, Anand, Detector Electronics Corp., USA
Silva Girao, Pedro, Technical University of Lisbon, Portugal
Singh, V. R., National Physical Laboratory, India
Slomovitz, Daniel, UTE, Uruguay
Smith, Martin, Open University, UK
Soleimanpour, Amir Masoud, University of Toledo, USA
Soleymanpour, Ahmad, University of Toledo, USA
Somani, Prakash R., Centre for Materials for Electronics Technol., India
Sridharan, M., Sastra University, India
Srinivas, Talabattula, Indian Institute of Science, Bangalore, India
Srivastava, Arvind K., NanoSonix Inc., USA
Stefan-van Staden, Raluca-Ioana, University of Pretoria, South Africa
Stefanescu, Dan Mihai, Romanian Measurement Society, Romania
Sumriddetchka, Sarun, National Electronics and Comp. Technol. Center, Thailand
Sun, Chengliang, Polytechnic University, Hong-Kong
Sun, Dongming, Jilin University, China
Sun, Junhua, Beijing University of Aeronautics and Astronautics, China
Sun, Zhiqiang, Central South University, China
Suri, C. Raman, Institute of Microbial Technology, India
Sysoev, Victor, Saratov State Technical University, Russia
Szewczyk, Roman, Industr. Research Inst. for Automation and Measurement, Poland
Tan, Ooi Kiang, Nanyang Technological University, Singapore
Tang, Dianping, Southwest University, China
Tang, Jaw-Luen, National Chung Cheng University, Taiwan
Teker, Kasif, Frostburg State University, USA
Thirunavukkarasu, I., Manipal University Karnataka, India
Thumbavanam Pad, Kartik, Carnegie Mellon University, USA
Tian, Gui Yun, University of Newcastle, UK
Tsiantos, Vassilios, Technological Educational Institute of Kaval, Greece
Tsigara, Anna, National Hellenic Research Foundation, Greece
Twomey, Karen, University College Cork, Ireland
Valente, Antonio, University, Vila Real, - U.T.A.D., Portugal
Vanga, Raghav Rao, Summit Technology Services, Inc., USA
Vaseashta, Ashok, Marshall University, USA
Vazquez, Carmen, Carlos III University in Madrid, Spain
Vieira, Manuela, Instituto Superior de Engenharia de Lisboa, Portugal
Vigna, Benedetto, STMicroelectronics, Italy
Vrba, Radimir, Brno University of Technology, Czech Republic
Wandelt, Barbara, Technical University of Lodz, Poland
Wang, Jiangping, Xi'an Shiyong University, China
Wang, Kedong, Beihang University, China
Wang, Liang, Pacific Northwest National Laboratory, USA
Wang, Mi, University of Leeds, UK
Wang, Shinn-Fwu, Ching Yun University, Taiwan
Wang, Wei-Chih, University of Washington, USA
Wang, Wensheng, University of Pennsylvania, USA
Watson, Steven, Center for NanoSpace Technologies Inc., USA
Weiping, Yan, Dalian University of Technology, China
Wells, Stephen, Southern Company Services, USA
Wolkenberg, Andrzej, Institute of Electron Technology, Poland
Woods, R. Clive, Louisiana State University, USA
Wu, DerHo, National Pingtung Univ. of Science and Technology, Taiwan
Wu, Zhaoyang, Hunan University, China
Xiu Tao, Ge, Chuzhou University, China
Xu, Lisheng, The Chinese University of Hong Kong, Hong Kong
Xu, Sen, Drexel University, USA
Xu, Tao, University of California, Irvine, USA
Yang, Dongfang, National Research Council, Canada
Yang, Shuang-Hua, Loughborough University, UK
Yang, Wuqiang, The University of Manchester, UK
Yang, Xiaoling, University of Georgia, Athens, GA, USA
Yaping Dan, Harvard University, USA
Ymeti, Aurel, University of Twente, Netherland
Yong Zhao, Northeastern University, China
Yu, Haihu, Wuhan University of Technology, China
Yuan, Yong, Massey University, New Zealand
Yufera Garcia, Alberto, Seville University, Spain
Zakaria, Zulkarnay, University Malaysia Perlis, Malaysia
Zagnoni, Michele, University of Southampton, UK
Zamani, Cyrus, Universitat de Barcelona, Spain
Zeni, Luigi, Second University of Naples, Italy
Zhang, Minglong, Shanghai University, China
Zhang, Quintao, University of California at Berkeley, USA
Zhang, Weiping, Shanghai Jiao Tong University, China
Zhang, Wenming, Shanghai Jiao Tong University, China
Zhang, Xueji, World Precision Instruments, Inc., USA
Zhong, Haoxiang, Henan Normal University, China
Zhu, Qing, Fujifilm Dimatix, Inc., USA
Zorzano, Luis, Universidad de La Rioja, Spain
Zourob, Mohammed, University of Cambridge, UK

Contents

Volume 146
Issue 11
November 2012

www.sensorsportal.com

ISSN 1726-5479

Research Articles

Diffusion in Carbon Nanotubes: Details, Characteristics, Comparisons at Nanolevel <i>Paolo Di Sia</i>	1
Synthesis Characterization and Humidity Sensing Properties of Sol-gel Derived Novel Nanomaterials of $\text{LaSr}_x\text{Fe}_{1-x}\text{O}_{3-\delta}$ <i>Mary Teresita V., Jeseentharani V., Avila Josephine B., Jeyaraj B., Arul Antony S.</i>	8
Gas Sensing Characteristics of ZnO Nanowires Fabricated by Carbothermal Evaporation Method <i>Roghayeh Imani and Mohammad Orvatinia</i>	17
In-Situ Decoration of Electrostatically Functionalized Multiwalled Carbon Nanotubes with $\beta\text{-Ni(OH)}_2$ Nanoparticles for Low Temperature NO_2 Detection <i>Richa Saggat, Vasuda Bhatia, Prashant Shukla, Nitin Bhardwaj, Vinod K Jain</i>	28
Synthesis and Characterization of ZnO Nanoparticles as Prepared by Gel-combustion and ZnO Nanomorphologies by Sol-gel <i>Mario F. Bianchetti, Marjeta Maček-Krzmanec, Ines Bracko, Sreco D. Skopin and Noemi E. Walsöe de Reca</i>	36
Multiwalled Carbon Nanotubes Reinforced Cement Composite Based Room Temperature Sensor for Smoke Detection <i>Prashant Shukla, Vasuda Bhatia, Vikesh Gaur, Nitin Bhardwaj, Vinod Kumar Jain</i>	48
A Facile and Green Synthesis of Small Silver Nanoparticles in β-cyclodextrins Performing as Chemical Microreactors and Capping Agents <i>Giorgio Ventimiglia and Alessandro Motta</i>	59
Electrostatically Functionalized Multi-Walled Carbon Nanotubes Based Flexible and Non-Enzymatic Biosensor for Glucose Detection <i>Bhawana Singh, Vasuda Bhatia, V. K. Jain.</i>	69
Amperometric Acetylcholinesterase Biosensor Based on Poly (Diallyldimethylammonium Chloride)/Gold Nanoparticles/Multi-walled Carbon Nanotubes-chitosans Composite Film-modified Electrode <i>Xia Sun, Zhili Gong, Yaoyao Cao, Xiangyou Wang</i>	78
Structural, Morphological and Optical Properties of Spray Deposited Nano-crystalline CdO Thin Films <i>Maqbul A. Barote, Elahipasha U. Masumdar.</i>	90
A Novel Amperometric Immunosensor Based on $\{\text{MWCNTs-COOH-CHIT}\}_2/\text{GNPs}$ for Detection of Chlorpyrifos <i>Xia Sun, Lu Qiao, Xiangyou Wang</i>	96

Y³⁺ Added Nanocrystallite Mg-Cd Ferrite LPG, Cl₂ and C₂H₅OH Sensors <i>Ashok B. Gadkari, Tukaram J. Shinde, Pramod N. Vasambekar.....</i>	110
Immunosensor Based on Gold Nanoparticles-multi-walled Carbon Nanotubes-chitosans Composite and Prussian Blue for Detection of Chlorpyrifos <i>Xia Sun, Falan Li, Xiangyou Wang.....</i>	121
Nanostructured CdFe₂O₄ Thick Film Resistors as Ethanol Gas Sensors <i>S. V. Bangale, R. D. Prakshale, S. R. Bamane.....</i>	133
A Novel Combustion Route for the Preparation of Nanocrystalline LaAlO₃ Oxide Based Electronic Nose Sensitive to NH₃ at Room Temperature <i>K. A. Khamkar, S. V. Bangale, V. V. Dhapte, D. R. Patil, S. R. Bamane.....</i>	145
Gold Nanoparticle Amplification Combined with Quartz Crystal Microbalance DNA Based Biosensor for Detection of <i>Mycobacterium Tuberculosis</i> <i>Thongchai Kaewphinit, Somchai Santiwatanakul and Kosum Chansiri.....</i>	156
Structural, Morphological and Optical Properties of Spray Deposited Nanocrystalline ZnO Thin Films: Effect of Nozzle to Substrate Distance <i>Elahipasha U. Masumdar, Maqbul A. Barote.</i>	164
Zinc and Pyrrole-added Akaganeite (β-FeOOH) Films by Ultrasonic Spray Pyrolysis Assessed as Propane Sensors <i>Carlos Torres Frausto, Alejandro Avila-Garcia.....</i>	170
Potentiometric Determination of Low Content of Water in Different Organic Solvents Using NASICON Based Probe <i>Parul Yadav and M. C. Bhatnagar.....</i>	182
Development of Electrochemical Sensors for the Detection of Mercury by CNT/Li⁺, C₆₀/Li⁺ and Activated Carbon Modified Glassy Carbon Electrode in Blood Medium <i>Muhammed M. Radhi, Dawood S. Dawood, Nawfal K. Al-Damlooji and Tan W. Tee</i>	191

Authors are encouraged to submit article in MS Word (doc) and Acrobat (pdf) formats by e-mail: editor@sensorsportal.com
Please visit journal's webpage with preparation instructions: <http://www.sensorsportal.com/HTML/DIGEST/Submission.htm>

International Frequency Sensor Association (IFSA).



Promoted by IFSA

Gyroscopes and IMUs for Defense, Aerospace & Industrial Report up to 2017

This report highlights market share analysis by application field and technology,
as well as global company shipments and technology breakdown

Order online:
http://www.sensorsportal.com/HTML/Gyroscopes_and_IMUs_markets.htm



The Fourth International Conference on Sensor Device Technologies and Applications

SENSORDEVICES 2013

25 - 31 August 2013 - Barcelona, Spain

Tracks: Sensor devices - Ultrasonic and Piezosensors - Photonics - Infrared - Gas Sensors - Geosensors - Sensor device technologies - Sensors signal conditioning and interfacing circuits - Medical devices and sensors applications - Sensors domain-oriented devices, technologies, and applications - Sensor-based localization and tracking technologies - Sensors and Transducers for Non-Destructive Testing

Deadline for papers: 30 March 2013

<http://www.iaria.org/conferences2013/SENSORDEVICES13.html>



The Seventh International Conference on Sensor Technologies and Applications

**Deadline for papers:
30 March 2013**

SENSORCOMM 2013

25 - 31 August 2013 - Barcelona, Spain

Tracks: Architectures, protocols and algorithms of sensor networks - Energy, management and control of sensor networks - Resource allocation, services, QoS and fault tolerance in sensor networks - Performance, simulation and modelling of sensor networks - Security and monitoring of sensor networks - Sensor circuits and sensor devices - Radio issues in wireless sensor networks - Software, applications and programming of sensor networks - Data allocation and information in sensor networks - Deployments and implementations of sensor networks - Under water sensors and systems - Energy optimization in wireless sensor networks

<http://www.iaria.org/conferences2013/SENSORCOMM13.html>



The Sixth International Conference on Advances in Circuits, Electronics and Micro-electronics

CENICS 2013

25 - 31 August 2013 - Barcelona, Spain

Deadline for papers: 30 March 2013

Tracks: Semiconductors and applications - Design, models and languages - Signal processing circuits - Arithmetic computational circuits - Microelectronics - Electronics technologies - Special circuits - Consumer electronics - Application-oriented electronics

<http://www.iaria.org/conferences2013/CENICS13.html>

Synthesis and Characterization of ZnO Nanoparticles as Prepared by Gel-combustion and ZnO Nanomorphologies by Sol-gel

¹ Mario F. BIANCHETTI, ² Marjeta MAČEK-KRZMANC, ² Ines BRACKO,
² Sreco D. SKAPIN and ¹ Noemi E. WALSÖE de RECA

¹ CINSO-CITEDEF (UNIDEF-MINCYT-CONICET), Juan Bautista de La Salle 4397,
Villa Martelli (B1603ALO), Prov. Buenos Aires, Argentina

² Advanced Materials Department, Jožef Stefan Institute,
Jamova 39, 1000 Ljubljana, Slovenia

E-mail: walsoe@citedef.gob.ar, marjeta.macek@ijs.si

Received: 21 May 2012 /Accepted: 23 November 2012 /Published: 30 November 2012

Abstract: The synthesis of ZnO nanoparticles by a modified gel-combustion method and the preparation of ZnO nanomorphologies using a combination of sol-gel and membrane template method are reported. Optimization of the synthesis parameters and characterization of the materials by X-Ray Diffraction (XRD), Field-Emission Scanning Electron Microscopy (FESEM) and High-Resolution Transmission Electron Microscopy (HRTEM) were performed to evaluate the synthesized materials for potential application in optoelectronic devices and for gas sensors. *Copyright © 2012 IFSA.*

Keywords: Zinc oxide, Nanoparticles, Gel-combustion, Nanotubes, Nano-morphologies, Sol-gel.

1. Introduction

The nanocrystalline semiconductor ZnO deserves a considerable interest since it is a very useful material for a valuable range of applications: LEDs, transparent transistors, lasers, gas sensors, luminescent devices, solar cells, exhibiting also quantum confinement because of its tuned bandgap [1-4]. It is important to control the parameters affecting the synthesis since electrical, optical, optoelectronic, photochemical and catalytic properties, among others, change considerably with the preparation method [5-8] and the morphology and nanocrystalline structure, being the checking of all these factors useful to develop reliable devices. Otherwise, because of the technological relevance of

this material, the nanotechnology has exerted an increasing control over the morphologies and characteristics of nanostructures [9]. An intensive research in ZnO tubular nanostructures has been performed to enhance the photon-to-electron efficiency, gas sensing and photonic performance related to the surface area increase and the quantum confinement effect [10]. In consequence, ZnO nanostructures have attracted much attention during the last decades and ZnO nanowires, nanobelts, nanorods and nanotubes have been prepared by different techniques [11-15]. However, controlled synthesis of large scale ZnO elongated nanomorphologies (nanotubes or nanowires) requires further investigation since a rational design and repeated fabrication of nanostructures is still needed. Resistivity and photoconductivity of nanocrystalline ZnO are actually studied at CINSO to be applied in sensors. Some authors of this paper have already proved for resistivity type gas sensors built with SnO₂ that replacing the conventional microcrystalline material with nanocrystalline SnO₂, leads to amazing results since sensors sensitivity increased in 30-37 % and the operation temperature decreased from 350-450 °C to 180 to 22 °C [16, 17]. Consequently, the aim of the first part of this work was to synthesize the nanocrystalline ZnO powder by an adapted gel-combustion method used before by the authors [18-20] characterizing the material by XRD and HRTEM and evaluating the quality of prepared ZnO. In order to grow the ZnO surface to enhance the gas absorption in sensors, nanomorphologies were studied and the aim of second part of this work was to synthesize by modified sol-gel template process [21, 22] ZnO nanomorphologies and to characterize them by XRD, FESEM and HRTEM. The evaluation of the parameters affecting the synthesis was considered to apply the material not only for gas sensors but also for optoelectronic devices.

2. Experimental

2.1. ZnO

ZnO exhibits a direct wide band-gap: 3.37 eV [23] and a large exciton binding energy: 60 MeV [24]. ZnO crystallizes in the wurtzite (B4 type) structure at ambient pressure and temperature, enabling to obtain several anisotropic nanomorphologies [25]. It exhibits a hexagonal lattice, belonging to the space group $P6_3mc$, which is characterized by two interconnecting sublattices of Zn²⁺ and O²⁻, in such a way that each Zn²⁺ is surrounded by a tetrahedra composed of O²⁻ and vice-versa giving rise this tetrahedral coordination to polar symmetry along the hexagonal axis. This polarity is responsible for several ZnO properties, piezoelectricity among them. The spontaneous polarization results also a very important factor in crystal growth, etching and defect generation. The lattice parameters of the hexagonal unit cell are: $a = 3.2495 \text{ \AA}$ and $c = 5.2069 \text{ \AA}$, being its density: 5.605 g.cm^{-3} [26].

2.2. Synthesis by a Gel-combustion Method and Characterization of Nanocrystalline ZnO

The gel-combustion process to prepare ZnO nanoparticles (used before by the authors to prepare different nanoceramics particles [18-20]) consisted in the dissolution of the raw material (p/a Merck microcrystalline ZnO) in HNO₃ and water (ratio 1:2) in volume solution. The fuel, glycine, was added to the solution and the preparation was heated to form the gel till producing its complete combustion. The resulting material was calcinated to remove organic residues and ashes appearing in case of fuel excess. The oxide was identified and characterized by XRD with a Philips PW 3710 diffractometer using the Cu K α_1 radiation. The crystallite size was determined by the broadening of peaks applying the Scherrer equation [27]. HRTEM was performed with a JEM-2100-JEOL microscope enabling to observe the morphology and size distribution of crystallites.

2.3. Synthesis and Characterization of ZnO Nanomorphologies Prepared by the Combination of Sol-gel and Membrane Template Method

ZnO nanomorphologies were synthesized by a combined sol-gel [21, 22]. A solution in methanol with 15 wt% of precursor Zn (CH₃COO)₂ · 2H₂O was prepared under continuous stirring. The concentration of solution resulted ~0.5 M (another diluted concentration: 0.25 M was also essayed). Aging was produced by heating at 60 °C for 4 h. Templates (polycarbonate membranes from Millipore with pores diameter 0.2 µm or 0.8 µm) were used. Membranes were impregnated with the solution and a pressure difference was applied (by vacuum or overpressure). The resulting material was dried at 50 °C (using IR lamp for ~ 1 h) and it was calcinated by a slow heating in a temperature range from 550°C to 750 °C. At first, the alcoxide (methoxide) was produced, being hydrolized to form the sol and condensed after drying to produce the gel.

Nanomorphologies were characterized by XRD under the same conditions described in 2.2. Morphology of the nanostructured materials was examined with a Philips 515 SEM microscope and, at higher magnification, with a FESEM, Supra 35 VP, Carl Zeiss). HRTEM was used for structural characterization being the analysis performed with a JEM-2100 (JEOL, Tokyo, Japan).

3. Results and Discussion

3.1. Nanocrystalline ZnO

Results of nanocrystalline ZnO specimens are reported in Table 1: oxidant/fuel ratio and crystallite size (nm). All the samples analyzed with XRD exhibited the wurtzite (B4 type) structure, with hexagonal lattice, belonging to the space group P6₃mc.

Table 1. Calcination temperature: 600 °C.

Specimen Batch	[Oxidant/fuel] Ratio (wt %)	Crystallite Size (nm)
1.	1.628	50 ± 4.2
2.	2.170	24 ± 2.0
3.	2.440	25.6 ± 2.2
4.	2.790	33 ± 2.75
5.	3.255	37 ± 3.10
6.	6.510	117 ± 9.75

Fig. 1 shows the XRD spectrum of nanoparticles appearing the peaks (100), (002), (101), (102), (110), (103), (200), (112 and (201) corresponding to the ZnO wurtzite structure (Card Number 36-1451) with $a = 3.2495 \text{ \AA}$ and $c = 5.2069 \text{ \AA}$. It is a well known phenomenon that the spectrum peaks broaden as the particle size decreases [27] and peaks broadening was used to determine the crystallite size (s) by the Scherrer equation:

$$s = k \lambda / \beta \cos \theta,$$

where k is the constant (usually taken as 0.89), λ is the wavelength of the X-ray beam, β is the full width at half maximum height (FWHM) of a given peak (after removal of the instrumental broadening) and θ is the diffracted angle of the peak. Scherrer equation represents the simplest treatment of peak broadening and it can be extended to include the effect of strain broadening of the

peaks [28]. Evidently, this method will only yield an average particle size (usually depending on the synthesis conditions) and it will not provide information on the dispersion of size or the quantity of grains agglomeration. Crystallite size for different [oxidant/fuel] ratio is reported in Table 1.




Fig. 1. XRD pattern of nanocrystalline ZnO.

The crystallite size variation with the [oxidant/fuel] ratio is shown in Fig. 2 and a remarkable minimum for crystallite sizes around 25 nm is observed for a low and critical [oxidant/fuel] ratio range between 2.17 and 2.44 wt%.




Fig. 2. Crystallites size (nm) vs. [oxidant/fuel] ratio (wt.%).

HRTEM observations enabled to conclude that the increasing calcinations temperature produced the change of crystallites size and shape, thus producing the faceting from spherical to hexagonal shape. Fig. 3a is a HRTEM micrograph of a cluster of ZnO particles showing a mixture of spherical and

faceted hexagonal ZnO nanocrystallites. Twins are observed in larger crystallites (shown by an arrow). Size of grains is between 25 and 67 nm in agreement with XRD measurements (Scherrer's method). Fig. 3b is the electron diffraction corresponding Fig. 3a, showing that particles are well crystallized and in the electron diffraction pattern, the (100), (002), (101), (102) and (110) planes can be indexed as wurtzite structure of ZnO in agreement with XRD spectrum of Fig. 1. The unit cell parameters were calculated [29] by the diffraction data minimizing the sum of the squares of 2θ residuals and the calculated values were: $a = 3.3125 \text{ \AA}$ and $c = 5.226 \text{ \AA}$ with an acceptable agreement with parameters values of the Card Number 36-1451.




Fig. 3a. HRTEM micrograph of a cluster of ZnO particles showing a mixture of nearly spherical and faceted hexagonal ZnO nanocrystallites. Twins are observed in larger particles (shown by arrow).




Fig. 3b. Electron diffraction corresponding to the same zone of Fig. 3a.

3.2. ZnO Nanomorphologies

Specimens have been prepared under the following conditions, concentration solution: $\sim 0.25 \text{ M}$ or 0.5 M ; aging: by heating at $60 \text{ }^{\circ}\text{C}$ for 4 h; pores diameter of the membrane template: $0.2 \text{ }\mu\text{m}$ or $0.8 \text{ }\mu\text{m}$; drying: at $50 \text{ }^{\circ}\text{C}$ for $\sim 1 \text{ h}$ and calcination at $600 \text{ }^{\circ}\text{C}$. Optimal results to grow nanotubes were particularly obtained with a solution concentration: 0.25 M and using membranes with the smaller pores size ($0.2 \text{ }\mu\text{m}$). Crystallized, faceted, nearly transparent nanotubes appeared exhibiting polyhedral form with a hollow core (Fig. 4a). XRD spectra were in agreement with that of Fig. 1, corresponding

to the ZnO wurtzite structure (Card Number 36-1451). SEM observations enabled to prove the appearance of nanotubes with hexagonal cross section. In some areas of the same specimens, also tubes with square, rectangular or rounded cross sections appeared. Faceted nanotubes arranged in bundles were observed too. Tubes dimensions were measured in more than a hundred micrographs finding: mean diameter of tubes resulted from 85 nm to 170 nm, the mean thickness of nanotubes wall was from 8 nm to 20 nm and tubes were from ~800 nm to 2100 nm long. The ZnO nanotubular structure was tightly related to the hexagonal crystallography of this oxide as it is sketched in Fig. 4b. It has been observed a faceted morphology revealing strong evidence that nanotubes grow along the [0001] axis and, consequently, the open extremes of tubes are mostly hexagonal. Several nanotubes have been broken normally or along to the [0001] axis, exhibiting their parts a sheath aspect formed by breakage on the cleavage plane as shown on Fig. 4b. ZnO usually cleaves along the non polar prismatic planes of {1010} though cleavage is also possible along polar surfaces like (0001) or (000 $\bar{1}$) [29]. In few areas of the same specimen, the parallel arranged nanotubes presented rectangular or rounded hollow cores, other tubes appeared twisted, open in one extreme or changing their growth direction though maintaining straight sections (Fig. 5) or thinner nanotubes ending in tips appeared agglomerated in bundles (Fig. 6). FESEM enabled to observe the nanomorphologies with higher magnification and it was proved that they were formed by spherical or nearly hexagonal particles.




Fig. 4. (a) SEM image showing the nanotubes related to the ZnO hexagonal structures sketched in **Fig. 4b**.



Fig. 5. Parallel ordering of faceted nanotubes (SEM).




Fig. 6. Bundles of nanotubes and nanobelts (SEM).

Fig. 7 shows with higher magnification (FESEM) flat tubes with hexagonal or rectangular section, arranged similarly to those of Figs. 5 and 6. Growth conditions were the same for nanotubes of Fig. 7 with the exception of the solution concentration (0.5 M). The nearly parallel array of flat tubes (with square or rectangular cross sections) was observed, which surface looked soft and free of agglomerated particles, being probably this aspect due to the smaller diameter size of particles forming the nanomorphologies. Isolated nanomorphologies, tubes or rods ending in a tip on one extreme and formed by particles, were also found and two of them have been chosen for comparison in Figs. 8 and Fig. 9. Both micrographs were obtained with the same magnification on specimen grown from 0.25M and 0.5M solution concentrations, respectively but with same pore diameter of polycarbonate membrane: 0.8 μm . Both, the increasing solution concentration and the major pores size of membrane, usually contribute to increase the crystallites diameter with mean values ranging from ~ 70 to 100 nm (Fig. 8) to ~ 90 -200 nm (Fig. 9). However, the isolated formation of Figs. 8 and 9 are representative of the structure in which nanotubes exhibit a closed tip on one extreme and on the other the tube is open. It is also interesting to point out that these formations appeared superimposed with sheaths (probably formed as before explained) as shown in Figs. 10 and 11.




Fig. 7. FESEM micrographs of flat nanotubes arrays. ZnO nanomorphologies were prepared from 0.25 M solution concentration.




Fig. 8. ZnO nanotube ending in a tip and formed by clusters of nanoparticles (FESEM). Solution concentration: 0.25 M and membrane pores size: 0.8 μm .




Fig. 9. ZnO nanotube ending in a tip and formed by clusters of nanoparticles (FESEM).
Solution concentration: 0.5 M and membrane pores size: 0.8 μm .




Fig. 10. ZnO sheath formed by clusters of nanoparticles (FESEM).
Solution concentration: 0.25 M, membrane pores size: 0.8 μm .




Fig. 11. Solution concentration: 0.5 M, membrane pores size: 0.8 μm (FESEM).

The nanomorphologies resulted irregular, formed by larger particles, showing rough surfaces and thicker walls. In spite of being the formations longer and wider, it was very difficult, even impossible, to measure their length and width because of the interaction of the different found nanomorphologies. In case of specimen grown from a more concentrated solution (0.5 M) and using a pore sized (0.8 μm) membrane, nanomorphologies were scarcely parallel arranged and often forming nanostar structures (Fig. 12). The nanostars were formed by nanorods produced by the stacking of round or hexagonal particles.




Fig. 12. ZnO nanostar formed by nanorods produced by the stacking of particles. Precursor solution concentration: 0.5 M (FE-SEM), membrane pore size: 0.8 μm .

Fig. 13a: is the HRTEM image of a typical nanotube, formed by stacked particles ending in one side in a tip and broken on the other end, shown in the upper part of figure, exhibiting tubular structure with nearly uniform wall thickness. The walls exhibit a darker contrast because of the thickness of tubes which is homogeneous in this case, though usually the wall thickness looked non homogeneous.




Fig. 13a. HRTEM micrograph of a polycrystalline straight nanotube, ending in a tip on one extreme (upper right side) and being broken on the other extreme.

Nanotubes were generally straight and polycrystalline and they exhibited smooth surfaces. Fig. 13b: is the electron diffraction pattern of the same ZnO nanotube (Fig. 13a) showing the diffraction pattern:

(100), (002), (101), (102), (003) and (100) which corresponds to the ZnO wurtzite structure. On the image of the tube of Fig. 14a is shown the selected area electron diffraction (SAED) which inset is shown in Fig. 14b. The SAED pattern agrees with XRD pattern, being the only difference between both analyses, the relative intensities between the diffraction peaks.




Fig. 13b. Electron diffraction pattern of the ZnO nanotube of Fig. 13a, corresponding to the ZnO wurtzite structure.




Fig. 14a. HRTEM micrograph of a polycrystalline nanotube.

4. Conclusions

A simple modified gel-combustion method is proposed to prepare ZnO nanoparticles controlling the [oxidant/fuel] ratio to grow crystallites with different diameters. The powder was initially formed by spherical particles evolving to faceted hexagonal platelets by thermal treatment. Characterization was performed by XRD and HRTEM being coincident both analysis indicating the ZnO hexagonal wurtzite structure. A simple modified sol-gel template method was proposed to grow ZnO nanomorphologies, evaluating the parameters affecting the synthesis and characterizing the material with XRD, FESEM and HRTEM it was possible to determine the strict required conditions to grow (nearly aligned) nanotubes with hexagonal cross section. The effect of the concentration solution, aging process, pores diameter of the template membrane, drying process and duration and temperature of calcinations were carefully evaluated, establishing the optimal conditions to the mostly growing of ZnO nanotubes.




Fig. 14b. SAED pattern of the zone shown in Fig. 14a.

Acknowledgements

The authors are indebted to CONICET by the Grant PIP Ner.1122-00901-00355 (2010/13) granted for this research and to Eng. Ma. Emilia. F. de Rapp, Dr. Ismael Fábregas and Fernando Vázquez Rovere by their valuable assistance in XRD analysis and determination of crystallite size, BET measurements and drawings and design, respectively.

References

- [1]. H. J. Bolink, E. Coronado, D. Repetto, M. Sessolo, Air stable hybrid organic-inorganic light emitting diodes using ZnO as the cathode, *Appl. Phys. Lett.*, 91, 2007, pp. 223501.
- [2]. M. A. Martínez, J. Herrero, M. T. Gutiérrez, Deposition of transparent and conductive Al-doped ZnO thin films for photovoltaic solar cells, *Solar Energy Materials and Solar Cells*, 45, 1997, pp. 75-86.
- [3]. P. Mitra, A. P. Chatterjee, H. S. Maiti, ZnO thin film sensor, *Materials Letters*, 35, 1998, pp. 33-38.
- [4]. L. Brus, Quantum crystallites and nonlinear optics, *Appl. Phys. A: Mater. Sci. Process.*, 53, 1991, pp. 465-474.
- [5]. J. S. Wang, K. M. Lakin, C-axis inclined ZnO piezoelectric shear wave films, *Appl. Phys. Lett.*, 42, 1983, pp. 352.
- [6]. H. Cao, J. Y. Xu, D. Z. Zhang, S.-H. Chang, S. T. Ho, E. W. Seeling, X. Liu, R. P. H. Chang, Spatial confinement of laser light in active random media, *Phys. Rev. Lett.*, 84, 24, 2000, pp. 5584.
- [7]. F. C. M. Van de Pol, Thin-film ZnO - properties and applications, *Amer. Ceram. Soc. Bull.*, 69, 1990, pp. 1959.
- [8]. Zhong L. Wang, Nanogenerators for self-powdered devices and systems, (Ed.), *Georgia Institute of Technology*, 2011.
- [9]. L. Schmidt-Mende, J. Mc Manus-Driscoll, ZnO-nanostructures, defects and devices, *Materials Today*, 10, 2007, pp. 40-49.
- [10]. R. F. Severse, Will UV Lasers Beat the Blues?, *Science*, 276, 1997, pp. 895-898.
- [11]. R. M. Wang, Y. J. Xing, J. Xu, D. P. Yu, Fabrication and microstructure analysis on zinc oxide nanotubes, *New J. Phys.*, 5, 2003, pp. 115-1 - 115-7.
- [12]. J. Q. Hu, Q. Li, X. M. Meng, C. S. Lee, S. T. Lee, Thermal reduction route to the fabrication of coaxial Zn/ZnO nanocables and ZnO nanotubes, *Chemistry of Materials*, 15, 2003, pp. 305-308.
- [13]. J. Zhang, L. Sun, C. Liao, C. Yan, A simple route towards tubular ZnO, *Chem. Commun.*, 3, 2002, pp. 262-263.
- [14]. G. S. Wu, T. Xie, X. Y. Yuan, Y. Li, L. Yang, Y. H. Xiao, L. D. Zhang, Controlled synthesis of ZnO nanowires or nanotubes via sol-gel template process, *Solid State Communications*, 134, 2005, pp. 485- 486.

- [15].C. D. Bojorge, V. R. Kent, E. Teliz, H. R. Cánepa, R. Henriquez, H. Gómez, R. Marotti, E. A. Dalchiele, Zinc oxide nanowires electrochemically grown onto sol-gel spin-coated seed layers, *Phys. Stat. Solidi A*, 1-8, 2011.
- [16].M. F. Bianchetti, I. Bracko, S. D. Skapin, N. E. Walsöe de Reca, Nanocrystalline tin dioxide to be applied for a gas sensor, *Sensors and Transducers*, 137, 2, 2012, pp. 155-164.
- [17].L. T. Alaniz, C. L. Arrieta, M. F. Bianchetti, C. A. Gillari, J. F. Giménez, H. A. Lacomi, D. F. Valerio, N. E. Walsöe de Reca, Gas sensor with a direct contact heating microdevice and the sensing method, *A. R. Patent - PP-070105987*, granted on 28/12/2007.
- [18].R. E. Juárez, D. G. Lamas, G. E. Lascalea and N. E. Walsöe de Reca, Synthesis of nanocrystalline powders of TZP Ceramics by a nitrate-citrate combustion route, The Netherlands, *Journal of the European Ceramic Society*, Vol. 2, No. 2, 2000, pp. 133-138.
- [19].M. F. Bianchetti, R. E. Juárez, D. G. Lamas, N. E. Walsöe de Reca, L. Pérez, E. Cabanillas, Synthesis of nanocrystalline $\text{CeO}_2\text{-Y}_2\text{O}_3$ powders by a nitrate-glycine gel-combustion process, *Journal of Materials Research*, 17, 2002, pp. 2185-2188.
- [20].Gustavo Lascalea, Preparation and study of properties of based on zirconia nanocrystalline powders and sub-micrometric ceramic materials by gel-combustion, Doctoral Thesis on Science and Technology of Materials, *Institute Jorge Sabato UNSAM*, CNEA, Buenos Aires, Argentina.
- [21].G. X. Wang, J. S. Park, M. S. Park and X. L. Goua, Synthesis and high gas sensitivity of tin oxide nanotubes, *Sensors and Actuators B*, 131, 2008, pp. 313-317.
- [22].M. G. Bellino, J. Sacanell, D. G. Lamas, A. G. Leyva, N. E. Walsöe de Reca, High-performance Solid-Oxide Fuel cells cathodes based on cobaltite nanotubes, *J. Am. Chem. Soc.*, 127, 2007, pp. 3066-3067.
- [23].Landolt-Börnstein. New Series, Group III, *Springer*, Heidelberg, Germany, 1999, Vols. 17B, 22, 41B.
- [24].U. Özgür, Ya Alivov, C. Liu, A. Teke, M. A. Rehchikov, S. Dogan, V. Avrutin, S. J. Cho, H. Morkoc, A comprehensive review of ZnO materials and devices, *J. Appl. Phys.*, 98, 2005, Art. 41301, pp. 1-103.
- [25].A. B. Djurišić, Y. H. Leung, Optical Properties of ZnO Nanostructures, *Small*, 2006, pp. 944-961.
- [26].D. R. Lide (Ed.), *CRC Handbook of Chemistry and Physics*, 73rd Edition, *CRC Press*, New York, 1992.
- [27].H. P. Klug, L. E. Alexander, *X-Ray Diffraction Procedures for polycrystalline and amorphous Materials*, *Wiley Interscience Publication*, New York, 1974.
- [28].D. Balzar, *Defect and Microstructure Analysis from Diffraction*, *Oxford University Press*, London, New York, 1999.
- [29].H. Lüth, (Ed.), *Surfaces and Interfaces of Solid Materials*, 3rd Edition, *Springer Verlag*, Aachen-Jülich, 1992, pp. 35-61.

2012 Copyright ©, International Frequency Sensor Association (IFSA). All rights reserved.
(<http://www.sensorsportal.com>)

Sensors & Transducers Journal (ISSN 1726-5479)

Open access, peer review
international journal devoted to research,
development and applications of sensors,
transducers and sensor systems.
The 2008 e-Impact Factor is 205.767

Published monthly by
International Frequency Sensor Association (IFSA)



Submit your article online:
<http://www.sensorsportal.com/HTML/DIGEST/Submition.htm>

Guide for Contributors

Aims and Scope

Sensors & Transducers Journal (ISSN 1726-5479) provides an advanced forum for the science and technology of physical, chemical sensors and biosensors. It publishes state-of-the-art reviews, regular research and application specific papers, short notes, letters to Editor and sensors related books reviews as well as academic, practical and commercial information of interest to its readership. Because of it is a peer reviewed international journal, papers rapidly published in *Sensors & Transducers Journal* will receive a very high publicity. The journal is published monthly as twelve issues per year by International Frequency Sensor Association (IFSA). In addition, some special sponsored and conference issues published annually. *Sensors & Transducers Journal* is indexed and abstracted very quickly by Chemical Abstracts, IndexCopernicus Journals Master List, Open J-Gate, Google Scholar, etc. Since 2011 the journal is covered and indexed (including a Scopus, Embase, Engineering Village and Reaxys) in Elsevier products.

Topics Covered

Contributions are invited on all aspects of research, development and application of the science and technology of sensors, transducers and sensor instrumentations. Topics include, but are not restricted to:

- Physical, chemical and biosensors;
- Digital, frequency, period, duty-cycle, time interval, PWM, pulse number output sensors and transducers;
- Theory, principles, effects, design, standardization and modeling;
- Smart sensors and systems;
- Sensor instrumentation;
- Virtual instruments;
- Sensors interfaces, buses and networks;
- Signal processing;
- Frequency (period, duty-cycle)-to-digital converters, ADC;
- Technologies and materials;
- Nanosensors;
- Microsystems;
- Applications.

Submission of papers

Articles should be written in English. Authors are invited to submit by e-mail editor@sensorsportal.com 8-14 pages article (including abstract, illustrations (color or grayscale), photos and references) in both: MS Word (doc) and Acrobat (pdf) formats. Detailed preparation instructions, paper example and template of manuscript are available from the journal's webpage: <http://www.sensorsportal.com/HTML/DIGEST/Submission.htm> Authors must follow the instructions strictly when submitting their manuscripts.

Advertising Information

Advertising orders and enquires may be sent to sales@sensorsportal.com Please download also our media kit: http://www.sensorsportal.com/DOWNLOADS/Media_Kit_2012.pdf

International Frequency Sensor Association Publishing Call for Books Proposals

Sensors, MEMS, Measuring instrumentation, etc.



Benefits and rewards of being an IFSA author:

1

Royalties

Today IFSA offers most high royalty in the world: you will receive 50 % of each book sold in comparison with 8-11 % from other publishers, and get payment on monthly basis compared with other publishers' yearly basis.

2

Quick Publication

IFSA recognizes the value to our customers of timely information, so we produce your book quickly: 2 months publishing schedule compared with other publishers' 5-18-month schedule.

3

The Best Targeted Marketing and Promotion

As a leading online publisher in sensors related fields, IFSA and its Sensors Web Portal has a great expertise and experience to market and promote your book worldwide. An extensive marketing plan will be developed for each new book, including intensive promotions in IFSA's media: journal, magazine, newsletter and online bookstore at Sensors Web Portal.

4

Published Format: printable pdf (Acrobat).

When you publish with IFSA your book will never go out of print and can be delivered to customers in a few minutes.

You are invited kindly to share in the benefits of being an IFSA author and to submit your book proposal or/and a sample chapter for review by e-mail to editor@sensorsportal.com. These proposals may include technical references, application engineering handbooks, monographs, guides and textbooks. Also edited survey books, state-of-the art or state-of-the-technology, are of interest to us. For more detail please visit: http://www.sensorsportal.com/HTML/IFSA_Publishing.htm

Digital Sensors and Sensor Systems: Practical Design

Sergey Y. Yurish



The goal of this book is to help the practitioners achieve the best metrological and technical performances of digital sensors and sensor systems at low cost, and significantly to reduce time-to-market. It should be also useful for students, lectures and professors to provide a solid background of the novel concepts and design approach.

Book features include:

- Each of chapter can be used independently and contains its own detailed list of references
- Easy-to-repeat experiments
- Practical orientation
- Dozens examples of various complete sensors and sensor systems for physical and chemical, electrical and non-electrical values
- Detailed description of technology driven and coming alternative to the ADC a frequency (time)-to-digital conversion

Formats: printable pdf (Acrobat) and print (hardcover), 419 pages


ISBN: 978-84-616-0652-8,
e-ISBN: 978-84-615-6957-1

Digital Sensors and Sensor Systems: Practical Design will greatly benefit undergraduate and at PhD students, engineers, scientists and researchers in both industry and academia. It is especially suited as a reference guide for practitioners, working for Original Equipment Manufacturers (OEM) electronics market (electronics/hardware), sensor industry, and using commercial-off-the-shelf components

http://sensorsportal.com/HTML/BOOKSTORE/Digital_Sensors.htm

**ADVANCES IN SENSORS:
REVIEWS****1****Sergey Y. Yurish**
Editor

Modern Sensors, Transducers and Sensor Networks



Modern Sensors, Transducers and Sensor Networks is the first book from the Advances in Sensors: Reviews book Series contains dozen collected sensor related state-of-the-art reviews written by 31 internationally recognized experts from academia and industry.

Built upon the series Advances in Sensors: Reviews - a premier sensor review source, the *Modern Sensors, Transducers and Sensor Networks* presents an overview of highlights in the field. Coverage includes current developments in sensing nanomaterials, technologies, MEMS sensor design, synthesis, modeling and applications of sensors, transducers and wireless sensor networks, signal detection and advanced signal processing, as well as new sensing principles and methods of measurements.

Modern Sensors, Transducers and Sensor Networks is intended for anyone who wants to cover a comprehensive range of topics in the field of sensors paradigms and developments. It provides guidance for technology solution developers from academia, research institutions, and industry, providing them with a broader perspective of sensor science and industry.

Order online:

http://sensorsportal.com/HTML/BOOKSTORE/Advance_in_Sensors.htm



www.sensorsportal.com