

OFFPRINT

Reply to the Comment by James F. Lutsko and Jean Pierre Boon

A. Plastino and M. C. Rocca
EPL, 107 (2014) 10004

Please visit the website www.epljournal.org

Note that the author(s) has the following rights:

For complete copyright details see: https://authors.epletters.net/documents/copyright.pdf.

⁻ immediately after publication, to use all or part of the article without revision or modification, **including the EPLA-formatted version**, for personal compilations and use only;

[–] no sooner than 12 months from the date of first publication, to include the accepted manuscript (all or part), **but** not the EPLA-formatted version, on institute repositories or third-party websites provided a link to the online EPL abstract or EPL homepage is included.



A Letters Journal Exploring the Frontiers of Physics

AN INVITATION TO SUBMIT YOUR WORK

www.epljournal.org

The Editorial Board invites you to submit your letters to EPL

EPL is a leading international journal publishing original, high-quality Letters in all areas of physics, ranging from condensed matter topics and interdisciplinary research to astrophysics, geophysics, plasma and fusion sciences, including those with application potential.

The high profile of the journal combined with the excellent scientific quality of the articles continue to ensure EPL is an essential resource for its worldwide audience. EPL offers authors global visibility and a great opportunity to share their work with others across the whole of the physics community.

Run by active scientists, for scientists

EPL is reviewed by scientists for scientists, to serve and support the international scientific community. The Editorial Board is a team of active research scientists with an expert understanding of the needs of both authors and researchers.







IMPACT FACTOR 2,753* *As listed in the ISI* 2010 Science

Citation Index Journal Citation Reports

full text downloads in 201

30 DAYS

average receipt to online publication in 2010

16961

citations in 2010 37% increase from 2007

"We've had a very positive experience with EPL, and not only on this occasion. The fact that one can identify an appropriate editor, and the editor is an active scientist in the field, makes a huge difference."

Dr. Ivar Martiny

Los Alamos National Laboratory, USA

Six good reasons to publish with EPL

We want to work with you to help gain recognition for your high-quality work through worldwide visibility and high citations.

- **Quality** The 40+ Co-Editors, who are experts in their fields, oversee the entire peer-review process, from selection of the referees to making all final acceptance decisions
- Impact Factor The 2010 Impact Factor is 2.753; your work will be in the right place to be cited by your peers
- **Speed of processing** We aim to provide you with a quick and efficient service; the median time from acceptance to online publication is 30 days
- High visibility All articles are free to read for 30 days from online publication date
- International reach Over 2,000 institutions have access to EPL, enabling your work to be read by your peers in 100 countries
- **6 Open Access** Articles are offered open access for a one-off author payment

Details on preparing, submitting and tracking the progress of your manuscript from submission to acceptance are available on the EPL submission website **www.epletters.net**.

If you would like further information about our author service or EPL in general, please visit **www.epliournal.org** or e-mail us at **info@epliournal.org**.

EPL is published in partnership with:









European Physical Society


EDP Science


IOP Publishing




A LETTERS JOURNAL EXPLORING THE FRONTIERS OF PHYSICS

EPL Compilation Index www.epljournal.org






Biaxial strain on lens-shaped quantum rings of different inner radii, adapted from **Zhang** *et al* 2008 EPL **83** 67004.



Artistic impression of electrostatic particle—particle interactions in dielectrophoresis, adapted from **N Aubry and P Singh** 2006 *EPL* **74** 623.



Artistic impression of velocity and normal stress profiles around a sphere that moves through a polymer solution, adapted from **R Tulnier**, **J K G Dhont and T-H Fan** 2006 *EPL* **75** 929.

Visit the EPL website to read the latest articles published in cutting-edge fields of research from across the whole of physics.

Each compilation is led by its own Co-Editor, who is a leading scientist in that field, and who is responsible for overseeing the review process, selecting referees and making publication decisions for every manuscript.

- Graphene
- Liquid Crystals
- High Transition Temperature Superconductors
- Quantum Information Processing & Communication
- Biological & Soft Matter Physics
- Atomic, Molecular & Optical Physics
- Bose-Einstein Condensates & Ultracold Gases
- Metamaterials, Nanostructures & Magnetic Materials
- Mathematical Methods
- Physics of Gases, Plasmas & Electric Fields
- High Energy Nuclear Physics

If you are working on research in any of these areas, the Co-Editors would be delighted to receive your submission. Articles should be submitted via the automated manuscript system at **www.epletters.net**

If you would like further information about our author service or EPL in general, please visit **www.epljournal.org** or e-mail us at **info@epljournal.org**







IOP Publishing

Image: Ornamental multiplication of space-time figures of temperature transformation rules (adapted from T. S. Bíró and P. Ván 2010 *EPL* **89** 30001; artistic impression by Frédérique Swist).

EPL, **107** (2014) 10004

doi: 10.1209/0295-5075/107/10004

www.epljournal.org

Reply

Reply to the Comment by James F. Lutsko and Jean Pierre Boon

A. Plastino and M. C. Rocca

La Plata National University and Argentina's National Research Council, (IFLP-CCT-CONICET) C. C. 727, 1900 La Plata - Argentina

received 15 February 2014; accepted 13 June 2014 published online 30 June 2014

PACS 05.20.-y - Classical statistical mechanics

PACS 05.70.Ce - Thermodynamic functions and equations of state

PACS 05.90.+m – Other topics in statistical physics, thermodynamics, and nonlinear dynamical systems

Copyright © EPLA, 2014

It is well known that, for obtaining the partition function \mathcal{Z} , two alternative routes can be followed:

- the "natural" one, given by \mathcal{Z} 's definition in terms of a sum over "un-normalized" probabilities, and
- $-\mathcal{Z}$ as the Laplace transform of the energy density.

In the orthodox Boltzmann-Gibbs statistical mechanics, that uses the ordinary exponential function, the two routes yield the same result.

We proved in [1] that such is NOT the case for Tsallis' thermostatistics, for which the first alternative (use of a probability distribution) diverges in one or more dimensions, due to the long tail of the q-exponential function. One must necessarily follow the second path (without employing probability distributions), that yields finite results. Thus, the q-Laplace transform is seen to become an indispensable tool for nonextensive statistics.

In their Comment, Lutsko and Boon (LB) raise four interesting points (their essence given below in italics) that certainly deserve detailed debate.

- LB assert that, while our procedure yields a finite value for the partition function, the original q-exponential distribution remains un-normalizable.
 True, but our whole point is that we do NOT want to employ probability distributions (PD) in out treatment. Our only microscopic input is the energy-density, as discussed, for example, in Reif's text-book [2].
- 2) Our formalism would not satisfy the relationship $U = -(\partial \beta F/\partial \beta)_V$. The F-definition above is wrong. We know that

$$S_q = kZ_q^{q-1}(\ln_q Z_q + \beta \langle U_q \rangle),$$

where k stands for Boltzmann's constant. Using now the prescription

$$F_q = \langle U_q \rangle - TS_q,$$

we find

$$F_q = (1 - Z_q^{q-1}) \langle U_q \rangle - \frac{Z_q^{q-1}}{\beta} \ln_q Z_q,$$

an expression that does not coincide with that of LB for F_q . From our last relation one finds

$$\begin{split} &\frac{\partial \beta F_q}{\partial \beta} = (1 - Z_q^{q-1}) \left\langle U_q \right\rangle + \beta (1 - Z_q^{q-1}) \frac{\partial \left\langle U_q \right\rangle}{\partial \beta} \\ &- \beta \left\langle U_q \right\rangle \frac{\partial Z_q^{q-1}}{\partial \beta} - \frac{\partial Z_q^{q-1}}{\partial \beta} \ln_q Z_q - Z_q^{q-1} \frac{\partial \ln_q Z_q}{\partial \beta}, \end{split}$$

that, for q=1, reduces to

$$\frac{\partial \beta F}{\partial \beta} = -\frac{1}{Z} \frac{\partial Z}{\partial \beta} = \langle U \rangle \,,$$

in full agreement with Tsallis' prescription. The evaluation of $\frac{\partial \beta F_q}{\partial \beta}$ is a function of q that turns out to coincide with $\langle U \rangle$ for q=1, which, in turn, contradicts LB's assertions.

- 3) Now the resulting entropy is not equivalent to the original Tsallis entropy evaluated with the q-exponential distribution (as probability distributions). Of course it is not! We do away with probability distributions in order to avoid the Tsallis divergences.
- 4) The expansion used in eq. (4) of [1] seems quite arbitrary. One could, for example, replace $a_n x^n$

by $(2^n a_n)(x/2)^n$ and thereby obtain an inequivalent form. Our answer is that the McLaurin expansion is UNIQUE and can not be arbitrarily modified as LB want.

Summing up, the LB comments are interesting and stimulate fertile debate around mathematical niceties that enter Tsallis' theory. These certainly need to be fully explored. Their questions and our answers will hopefully serve such purpose.

* * *

The authors acknowledge support from CONICET (Argentine Agency).

REFERENCES

- [1] Plastino A. and Rocca M. C., EPL, 104 (2013) 60003.
- [2] Reif F., Fundamentals of Statistical and Thermal Physics (McGraw-Hill, New York) 1965.