

A catalogue of the type specimens of Heteroptera (Insecta) housed at the Instituto Fundación Miguel Lillo (Tucumán, Argentina)

MELO, María C.^{1*}, ZAMUDIO, María P.² & DELLAPÉ, Pablo M.¹

¹ Universidad Nacional de La Plata, CONICET, División Entomología, Museo de La Plata. Paseo del Bosque s/n B1900FWA, La Plata, Buenos Aires, Argentina. *E-mail: ceciliamel@fncym.unlp.edu.ar

² Fundación Miguel Lillo. San Miguel de Tucumán, Tucumán, Argentina.

Received 11 - X - 2017 | Accepted 04 - V - 2018 | Published 28 - VI - 2018

<https://doi.org/10.25085/rsea.770201>

Catálogo de los tipos de Heteroptera (Insecta) depositados en el Instituto Fundación Miguel Lillo (Tucumán, Argentina)

RESUMEN. Este catálogo reúne los ejemplares tipo del suborden Heteroptera depositados en la Colección Entomológica del Instituto Fundación Miguel Lillo (IFML- Tucumán, Argentina). Se listan 60 holotipos y 453 paratipos pertenecientes a 20 familias, y se mencionan tres especies y una subespecie que no se encuentran en la Colección, pero que deberían estar depositadas en ella según la publicación original. Finalmente, se listan 15 especies rotuladas y codificadas como tipos que no forman parte de la serie tipo original; se las incluye en este trabajo porque la información asociada podría ser útil para futuros estudios taxonómicos.

PALABRAS CLAVE. Heteroptera. Holotipo. Instituto Fundación Miguel Lillo. Paratipo.

ABSTRACT. This catalogue contains information about the type material of the suborder Heteroptera housed at the Entomological Collection of the Instituto Fundación Miguel Lillo (IFML-Tucumán, Argentina). We listed 60 holotypes and 453 paratypes belonging to 20 families, and three species and one subspecies that were not found in the collection but, according the original description, should be deposited in IFML. Finally, we listed 15 species that are labeled and coded as types but that are no part of the original type series. Nevertheless, they were included in this contribution because the associated information could be useful for future taxonomic research.

KEYWORDS. Heteroptera. Holotype. Instituto Fundacion Miguel Lillo. Paratype.

INTRODUCTION

With more than 40,000 described species, Heteroptera (Hemiptera), or true bugs, are part of the most successful radiation of nonholometabolous insects (Weirauch & Schuh, 2011). Heteropterans live on many different habitats: terrestrial, aquatic, intertidal and associated to other arthropods; and they include groups of phytophagous, predators and blood-sucking bugs.

Many species of heteropterans are known for their economical and/or medical concern, like species of the genus *Triatoma* Klug, vectors of the Chagas-Mazza disease (Schaefer & Panizzi, 2000).

The entomological collection of the Instituto Fundación Miguel Lillo (IFML - Tucumán, Argentina) is one of the most important in South America, including about 5 million specimens and type specimens of ca. 5,500 species (Aranda et al., 2016); for a brief historical

Private collection	Actual collection
Bachmann, A.O.	MACN
Birabén, M.	MLP
Bosq, J.M.	MLP- MACN
Carayon, J.	MNHN
Carpintero, D.J.	MACN
Carvalho, J.C.M.	USNM and MNRJ
Daguerre, J.B.	USNM
Duret, J.P.	Probably MACN
Forster	Probably MACN
Froeschner, R.	USNM
Hussey, R.L.	USNM
Kormilev, N.	USNM
Lizer y Trelles, C.A.	Probably MACN
Lutz, J.C.	USNM
Maldonado Capriles, J.	USNM
Martínez, A.	MACN
Piran, A.A.	MACN
Polhemus, J.T.	USNM
Prosen, A.	Probably MACN
Rolston, L.H.	North Dakota State University
Slater, J.A.	AMNH
Uhler, P.R.	USNM
Walz, F.	Probably MACN
Wygodzinsky, P.	AMNH (at least Reduviidae)
Misión de Estudios de Patología Regional Argentina (MEPRA)	Probably MACN
Instituto Sánchez Labrador (ISM)	MACN and Museo de Cs. Naturales de Salta (Argentina)
Instituto Medicina Regional (IMR)	IFML (partially)

Table 1

review of the collection see Aranda et al. (2016).

Two previous works dealt with the type entomological collection at IFML, Hayward (1963) and Hayward (1967) that include true bugs families; both included a total of 67 species and subspecies of Heteroptera. In this contribution, we studied the type material of the suborder Heteroptera housed at the entomological collection of the IFML, increasing considerably the numbers given by Hayward and in many cases fixing misunderstandings and errors.

MATERIAL AND METHODS

The original combination of the type names is presented. The code THEM[number], provided by the IFML collection, refers to each type specimen of Hemiptera. The species are arranged alphabetically by genus following the classification of the suborder of Schuh & Slater (1995) and in the case of Lygaeoidea of Henry (1997). When the original description of the species has more information about the collecting data that is missing in the labels, it is given between brackets.

In the cases where more type material is deposited

in other institutions or private collections, we mention them according to the data in the original description of the species. The acronyms used for the institutions are: Museo de La Plata, Argentina (MLP); Museo Argentino de Ciencias Naturales "Bernardino Rivadavia", Argentina (MACN); Instituto de Medicina Regional, Argentina (IMR); Instituto San Miguel, FCNGM, Argentina (ISM); Misión de Estudios Parasitológicos de la República Argentina, Argentina (MEPRA); Universidad Nacional Autónoma de México, México (UNAM); Museo Nacional de Historia Natural, Uruguay (MNHNM); Museo Nacional de Historia Natural, Santiago, Chile (MNHC); Universidade de São Paulo, Museu de Zoologia, Brazil (MZSP); Coleção Entomológica do Instituto Oswaldo Cruz, Brazil (CEIOC); Coleção de Triatomíneos do Instituto Oswaldo Cruz, Brazil (CTIOC); Museu Paraense "Emílio Goeldi", Brasil (MPEG); Museo Nacional Rio de Janeiro, Brazil (MNRJ); Instituto Nacional de Pesquisas de Amazônia, Manaus, Brazil (IMPA); Museu del Instituto de Zoología Agrícola, Maracay, Venezuela (MIZA); Hungarian Natural History Museum, Hungary (HNHM); Museum National d'Histoire naturelle, France (MNHN); British Museum of Natural History, England

(BMNH); Swedish Museum of Natural History, Sweden (SMNH); Museum für Naturkunde der Humboldt-Universität, Germany (ZMHB); Naturhistorisches Museum Wien, Austria (NMW); Zoologisches Museum, Universiteit van Amsterdam, Netherlands (ZMUA); Rijksmuseum Van Natuurlijke Historie, Netherlands (RNHL); Museum of Natural History, Helsinki, Finland (MZH); Naturhistorisches Museum, Basel, Switzerland (NHMB); Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia (ZIN); National Museum of Natural History, Smithsonian Institution, USA (USNM); American Museum of Natural History, USA (AMNH); California Academy of Sciences, USA (CAS); Cornell University, USA (CUIC); Department of Entomology, University of Kansas (UKANS); Carnegie Museum of Natural History, USA (CMNH); University of California, Essig Museum of Entomology, Berkeley, California, USA (EMEC); Florida State Collection of Arthropods, USA (FSCA); Museum of Comparative Zoology, Harvard, USA (MCZ); Texas A&M University, Texas, USA (TAMU); Snow Entomological Museum, University of Kansas, Lawrence, USA (SEMC); and 25 private collections. Many of these collections are known to have been purchased or donated, at least partially, to scientific institutions as indicated in the table I.

RESULTS

As the result of our revision we listed 60 holotypes and 453 paratypes corresponding to 122 specific and subspecific Neotropical and Andean taxa belonging to 20 families that are deposited in the Heteroptera type collection of the IFML. These numbers make this collection one of the most important in Argentina, including a high representation of southern South American fauna of Heteroptera since most of the specimens are from Argentina, Brazil and Uruguay.

In addition to the type specimens, we also mention three species and one subspecies that were not found in the collection but should be deposited in IFML according to data included in the original publication. Finally, we listed specimens of 15 species that are labeled as types but that are no part of the original type series and, therefore can not be recognized as such according to the International Code of Zoological Nomenclature (1999). However, these were included in the catalogue because the associated information could be useful for future taxonomic research and to avoid further mistakes due to the wrong labeling.

DIPSOCOROMORPHA

DIPSOCORIDAE

***Cryptostemma haywardi* Wygodzinsky 1951a: 52–58.**

Holotype: ♂, [Argentina], Tucumán, San Pedro de Colalao, [Dep. Trancas, bajo piedras a la orilla del río

Tacanas], 8-XI-1948, [P.] Wygodzinsky col., THEM121.

Paratype: 1♀, same data, THEM122.

Comments: Additional 32 paratypes (21 adults and 11 nymphs) were deposited in Wygodzinsky's collection.

SCHIZOPTERIDAE

***Membracioides zschokkei* Wygodzinsky 1951a: 61–64.**

Paratype: 1♂, Panama, Gatun Lake, Tres Rios Plantation, 1931, T.O. Zschokke col., THEM430.

Comments: The holotype and eight paratypes were deposited in CAS, and two paratypes in Wygodzinsky's collection.

***Nannocoris descolei* Wygodzinsky 1951a: 58–61.**

Holotype: ♂, R.[epública] A.[rgentina], Tucumán [pie de la sierra de San Javier, bajo piedras grandes en el pasto al lado del camino], 30-VIII-1948, [P.] Wygodzinsky col., THEM428.

Paratype: 1♀, same data, 24-VI-1950, THEM429.

Comments: Additional six paratypes were deposited in Wygodzinsky's collection, and 16 paratypes in Wygodzinsky's and J. Carayon's collections.

***Schizoptera monrosi* Wygodzinsky 1951a: 65–68.**

Holotype: ♂ (slide) [Argentina], Tucumán, San Pedro de Colalao, [dep. Trancas, bajo una piedra a la orilla del río Tacanas], 8-XI-1948, [P.] Wygodzinsky col., THEM427.

Comments: Additional three paratypes were deposited in Wygodzinsky's collection.

***Schizoptera willinki* Wygodzinsky 1951a: 68–71.**

Holotype: ♂ (slide), R.[epública] A.[rgentina], Tucumán [camino al cerro de San Javier, bajo piedras grandes al lado del camino], 24-VI-1950, [P.] Wygodzinsky col., THEM426.

Paratype: 1♀, [Argentina], Tucumán, Sierra de San Javier [camino al cerro de San Javier, bajo piedras grandes al lado del camino], 30-VIII-1948, [P.] Wygodzinsky col., THEM425.

Comments: Additional six paratypes were deposited in Wygodzinsky's collection.

NEPOMORPHA

NEPOIDEA

BELOSTOMATIDAE

***Lethocerus mazzai* De Carlo 1961 : 21–23.**

Paratypes: 1♀ [Argentina], Tucumán, Monteros, I-[1]957, Z. Tomsic [col.], THEM479; *Lethocerus mazzai* De Carlo, Museo Argentino de Ciencias Naturales; 1♂, [Argentina], Tucumán, San Pedro de Colalao, *Lethocerus mazzai* De Carlo, Museo Argentino de

Ciencias Naturales, THEM484; 2♂, [Argentina], Tucumán, cerro San Javier, Ciudad Universitaria, 4-III-[1]960, A. Willink [col.], THEM476, THEM477, *Lethocerus mazzai* De Carlo, Museo Argentino de Ciencias Naturales; 5♀, [Argentina], Tucumán, cerro San Javier, Ciudad Universitaria, 4-III-[1]960, A. Willink [col.], THEM478, THEM480, THEM481, THEM482, THEM483, *Lethocerus mazzai* De Carlo, Museo Argentino de Ciencias Naturales.

Comments: The male holotype and additional nine paratypes were deposited in MACN, and one paratype in Bachmann's collection. One female paratype from "Tucumán, cerro San Javier" is missing in IFML.

CORIXOIDEA

CORIXIDAE

CORIXINAE

***Ectemnostegella quechua* Bachmann 1961: 19–20.**

Holotype: ♂ [Argentina], Jujuy, Abra Pampa, 3400 m, 5-6/III/1960, R. Golbach leg., THEM093.

Paratypes: 1♀ (allotype), same data as holotype, THEM094; 3♀, same data, THEM095; 1♂, [only one wing, one leg and part of abdomen glued to two separated cardboards], same data, THEM096; 3♀, same data, THEM097.

Comments: Additional paratypes were deposited in MACN (three specimens), MLP (three specimens), and Bachmann's collection (three specimens). The author also mentioned four nymphs at IFML that were not found.

***Sigara (Tropocorixa) argentinensis chichinal* Bachmann 1960: 38–39.**

Paratypes: 2♂, [Argentina], Río Negro, G[ene]ral Roca, 20-II-1959, [A.] Bachmann leg., THEM108; 2♀, same data, THEM109.

Comments: The male holotype and four paratypes were deposited in MACN, additional paratypes in MLP (three specimens), and Bachmann's collection (six specimens). Abdomen and genitalia of each male specimen glued to a separate cardboard.

***Sigara (Tropocorixa) argentinensis vuriloche* Bachmann 1960: 39–40.**

Paratypes: 2♂ [Argentina], Río Negro, Bariloche, 19-IV-1954, [A.] Bachmann leg., THEM110; 2♀, same data, THEM111.

Comments: Bachmann (1960) stated that the paratypes deposited in IFML are from the same locality than the holotype and several paratypes: "Río Negro, lagoons between Nahuel Huapi and Moreno lakes". The male holotype and 15 paratypes were deposited in MACN, additional paratypes in MLP (five, specimens), and Bachmann's collection (eight specimens).

***Sigara (Tropocorixa) tucma* Bachmann 1961: 21–22.**

Holotype: ♂ [Argentina], Tucumán, S[ierr]a. [de] S[an] Javier, 1200 m, 3-III-[19]60, [A.] Willink col., THEM107.

Paratypes: 1♀, Tucumán, S[ierr]a. S[an] Javier, 1200m, [A.] Willink [col.], 3-III-1960, THEM106; 2♀, Tucumán, S[ierr]a. S[an] Javier, 1200m, [A.] Willink [col.], 3-III-[19]60, THEM112; 1♂ (two cards, one with head and thorax and the other with abdomen), [Tucumán], Raco, VI-1930, THEM113; 1♀, same data as THEM113, THEM114.

Comments: Additional paratypes were deposited in MACN (three specimens), MLP (two specimens), and Bachmann's collection (six specimens).

***Sigara (Tropocorixa) yala* Bachmann 1979: 339-341.**

Paratypes: 1♂, Argentina, Catamarca, Huallín, 15-XII-1973, L. Stange col., [170 m] THEM098; 1♂, Argentina, Catamarca, La Ciénaga de Belén, [1450 m], 15-XI-[1]969, [L.] Stange, [A.] Teran, [A.] Willink cols., Entomofauna subandina, Inst. M. Lillo, THEM099; 3♂ 3♀, same data, THEM100, THEM101, THEM102, THEM103, THEM104, THEM105.

Comments: The male holotype and three paratypes were deposited in MACN, additional paratypes in MLP (two specimens), UKANS (two specimens), and Bachmann's collection (three specimens).

MICRONECTINAE

***Tenagobia carapachay* Bachmann 1961: 22–24.**

Paratypes: 2♀, Argentina, Buenos Aires, Delta del Paraná, 24-25/II/1934, THEM115; 1♂ (only head, thorax and wings), same data, THEM116; 1 slide mounted abdomen and posterior legs belonging to THEM116, same data, Doello-Jurado, Daguerre & Viana cols., THEM117.

Comments: The male holotype and ten paratypes were deposited in MACN, additional paratypes in MLP (three specimens), and Bachmann's collection (five specimens). According to the original description all specimens were collected by the same person.

NAUCOROIDEA

NAUCORIDAE

***Ambrysus (Ambrysus) kolla* Lopez Ruf 2004: 98–101.**

Holotype: ♀, [Argentina], Tucumán, La Hoyada, 23-II-1999, leg. E. Domínguez, THEM217.

Paratypes: 1♂, [Argentina], Tucumán, La Hoyada, 23-II-1999, leg. E. Domínguez, THEM218; 1♀, same data, THEM210; 1♀, same data, THEM215; 1♀, same data, THEM214; 1♂, same data, THEM216; 1♀,

[Argentina], Jujuy, ruta 34, A.[rroyo] Los Berros, 9-XI-1992, Lopez Ruf col., THEM213; 1♂, same data, THEM211; 1♂, same data, THEM212.

Comments: We found some disagreements between the publication and the type material in IFML. According to the publication there are six female paratypes from "La Hoyada, Tucumán" and one male; and three females and two males from "Jujuy, Arroyo Los Berros". Additional paratypes were deposited in MLP (two specimens) and MACN (two specimens).

***Ambrysus gemignanii* De Carlo 1950: 24–26.**

Paratypes: 1♂, [Argentina], Salta, Capiazutti, VII-[19]44, R. Golbach col., THEM219; 1♂, same data, THEM220; 1♂, same data, THEM221; 1♂, same data, THEM222.

Comments: The male holotype and 16 paratypes were deposited in MACN. The original description mentions two males and two females for the date "VIII-1944"; we found four males with the date "VII-[19]44".

LEPTOPODOMORPHA

SALDOIDEA

SALDIDAE

***Pseudosaldula aurea* Schuh & Polhemus 2009: 26–27.**

Paratype: 1♂, Argentina, Tucumán Prov.[ince], 16 km W of Tafí del Valle, on R[ou]t[e]. 307, 26° 46.11' S, 65° 43.85' W, 2900 m., 21-II-1993, R.T. Schuh & J.T. Polhemus cols., AMNH_ENT 00023288, THEM444.

Comments: Male holotype and nine paratypes were deposited in AMNH.

***Pseudosaldula penai* Schuh & Polhemus 2009: 47–50.**

Paratypes: 1♂, Argentina: Jujuy Prov.[ince], El Quemado, below summit Abra Potrerillo on R[ou]t[e]. 52, 23° 41.63' S - 65° 39.96' W, 4170 m, 16-II-1993, R.T. Schuh, J.T. Polhemus & E. Dominguez cols., AMNH_ENT00023145, THEM445; 1♀, same data, AMNH_ENT00023160, THEM447; 1♀ same data, AMNH_ENT 00023159, THEM448; 1♂, Argentina: Jujuy Prov.[ince]: Cuesta de Lipan, 28 km W of Parmamarca [Purmamarca] on R[ou]t[e]. 52, 23° 40.89' S - 65° 37.60' W, 3825 m., 16-II-1993, R.T. Schuh, J.T. Polhemus & E. Dominguez cols., AMNH_ENT00023144, THEM446; 1♂, Argentina: Salta prov.[ince]: just NW of Santa Rosa de Tastil on R[ou]t[e]. 51, 24° 26.49' S - 65° 58.01' W, 3215 m, 18-II-1993, R.T. Schuh & J.T. Polhemus [cols.], AMNH_ENT00023025, THEM449; 1♀, same data, AMNH_ENT00023006, THEM450; 1♀, same data, AMNH_ENT00023005, THEM451.

Comments: Male holotype was deposited in AMNH,

additional paratypes in AMNH (172 specimens); MACN (five specimens); USNM (four specimens); MNNC (four specimens); Polhemus' collection (20 specimens). According to the original description there should be a female with the data "9 km E of Iturbe, 22.21666° S - 65.16666° W, 3460 m, 15-II-1993, R.T. Schuh, J.T. Polhemus [cols.], AMNH_ENT00020877" that is absent in the IFML collection.

***Pseudosaldula pilosa* Schuh & Polhemus 2009: 52–55.**

Paratypes: 2♀, Argentina: Tucumán, 15 km NW Tafí del Valle, 2800 m, 02/03-I-1982, R.T. Schuh & B. Massie [cols.], large permanent seep, densely vegetated, AMNH_ENT00022834, THEM456; 1♀, same data, AMNH_ENT00022835, THEM 457; 1♂, same data, AMNH_ENT00022903, THEM452; 1♂, same data, AMNH_ENT00022902, THEM453; 1♀, Argentina: Tucumán Prov[ince]., Infiernillo on R[ou]t[e] 307, 31 km E of Amaicha del Valle, 3030 m, 21-II-1993, R.T. Schuh & J.T. Polhemus [cols.], AMNH_ENT00022876, THEM458; 1♀, same data, AMNH_ENT00022877, THEM459; 1♂, same data, AMNH_ENT00022860, THEM454; 1♂, same data, AMNH_ENT00022859, THEM455.

Comments: The male holotype was deposited in AMNH, additional paratypes in MACN (four specimens), AMNH (171 specimens), and Polhemus' collection (ten specimens), USNM (six specimens), MNNC (12 specimens), EELM (one specimen). In the original publication the date of the paratypes from "Infiernillo" were stated as 1983.

***Pseudosaldula saxicola* Schuh & Polhemus 2009: 57–61.**

Paratypes: 1♂, Argentina: Jujuy Prov.[ince]: bet.[ween] Laguna de Yala/ R[ou]t[e]. 9, just NW of Jujuy, 1835 m, 10-II-1993, R.T. Schuh, J.T. Polhemus & E. Dominguez [cols.], AMNH_ENT00023514, THEM461; 1♂, Argentina, Salta Prov.[ince]: just ab.[ove] Escoipe on R[ou]t[e]. 33, 25°10.44' S- 65°45.87' W, 2120 m, 19-II-1993, R.T. Schuh & J.T. Polhemus cols., AMNH_ENT00023512, THEM462; 1♀, same data, AMNH_ENT00023526, THEM466; 1♂, Argentina, Tucumán, 36 km NW of Monteros, 1300 m, 3-I-1982, R.T. Schuh & B.M. Massie [cols.], on boulders in rushing forest stream flowing into Río Los Sosa, AMNH_ENT00022960, THEM460; 1♂, Argentina, Tucumán, 27 km NW of Monteros, 1000 m, 3-I-1982, R.T. Schuh & B.M. Massie [cols.], on boulders in rushing forest stream flowing into Río Los Sosa, AMNH_ENT00022969, THEM465; 1♂, same data, AMNH_ENT00022971, THEM463; 1♂, same data, AMNH_ENT00022968, THEM464.

Comments: The male holotype was deposited in AMNH, and additional paratypes in AMNH (62 specimens), USNM (four specimens), and Polhemus' collection (30 specimens). The original publication

mentions only one male from "Monteros" deposited in IFML, the other two males are mentioned as deposited in USNM.

***Pseudosaldula vulgaris* Schuh & Polhemus 2009: 61–66.**

Paratypes: 1♀, Peru, Cajamarca, 2 km W of Llacanora, n[ea]r. Cajamarca, 2530 m, 19-I-1976, R.T. & J.C. Schuh [cols.], sandy river margin, AMNH_ENT00019798, THEM468; 1♂, Peru, Ancash, between Huaraz and Punta Callán, 3440 m, 16-I-1976, R.T. & J.C. Schuh [cols.], seep area, AMNH_ENT00019765, THEM473; 1♂, same data, AMNH_ENT00020375, THEM472; 1♂, Peru, La Libertad, 14 km SW of Huamachuco, Rio Bado, 3050 m, 21-I-1976, R.T. & J.C. Schuh [cols.], sandy river margin, 10-70% veg[etation]. cover, AMNH_ENT00019987, THEM470; 1♂, same data, AMNH_ENT00019988, THEM471; 1♀, same data, AMNH_ENT00019719, THEM469; 1♀, same data, AMNH_ENT00019720, THEM467.

Comments: The male holotype was deposited in AMNH, additional paratypes in AMNH (919 specimens), MACN (five specimens), USNM (five specimens), EELM (five specimens), MNNC (six specimens), SEMC (four specimens), and Polhemus' collection (27 specimens).

***Pseudosaldula yungas* Schuh & Polhemus 2009: 66–68.**

Paratypes: 1♀, Bolivia. Cochabamba. Chapare, El Palmar, 1000 m, 10/18-I-1958, Monrós & [P.] Wygodzinsky cols., AMNH_ENT00023463, THEM475; 1♂, same data, AMNH_ENT00023462, THEM474.

Comments: The male holotype was deposited in USNM, additional paratypes in AMNH (five specimens), and Polhemus' collection (20 specimens).

CIMICOMORPHA

REDUVIOIDEA

REDUVIIDAE

ECTRICHODIINAE

***Brontostoma oglobini* Wygodzinsky 1951c: 49–50.**

Holotype: ♂, [Argentina], Misiones, Loreto, Dr. A.A. Oglobin col., THEM297.

Paratype: 1♀, [Argentina], Misiones, Loreto, THEM298.

Comments: These specimens were originally deposited in IMR, then transferred to IFML. Additional paratypes were deposited in MACN (one specimen), MNRJ (one specimen), MCZ (one specimen), and Wygodzinsky's collection (three specimens).

***Brontostoma oglobini minor* Wygodzinsky 1951c: 51.**

Paratype: 1♂, [Argentina], Salta, Pocitos, I-1950, THEM299.

Comments: This specimen was originally deposited in IMR, then transferred to IFML; the male holotype was deposited in Wygodzinsky's collection.

***Pothea wygodzinsky* Carpintero 1978: 238–254.**

Paratypes: 1♂, Argentina, Tucumán, Quebrada de Lules, XI-[19]26, THEM333; 1♂, Argentina, Tucumán, Dep.[artamento] Trancas, VII-[19]46, Bellomo col., THEM334; 1♂, Argentina, Jujuy, Dique de Cienaga, 25-II-[1]962, col. Weirauch, ex col. Weirauch, THEM335; 1♀, Argentina, Tucumán, Dep.[artamento] Trancas, XI-[19]47, [R.] Goldbach, THEM336; 1♀, R.[epública] A.[rgentina], Tucumán, Sierra del Nogalito, 1100 m, 27-V-[1]963, col. Weirauch, THEM337; 1♀, R.[epública] A.[rgentina], Jujuy, La Cienaga, 23-XII-1964, col. R.F. Laurent, Weirauch; ex col. Weirauch, THEM338.

Comments: The male holotype and one paratype were deposited in MACN, one additional paratype in Carpintero's collection.

***Rhiginia aimara* Carpintero & Maldonado Capriles 1990: 452–453.**

Holotype: ♂, Peru, Tingo María, 670 m, leg. Weirauch, THEM346; (genitalia pinned separately THEM347).

Paratype: 1♀, WKW 2572; Yurai, Perú, 300 m; ex col. Weirauch [valle Chanchamayo, 800m, 1939, leg. Weirauch], THEM345.

Comments: The info between brackets is absent in the original publication.

***Rhiginia willinki* Carpintero & Maldonado Capriles 1990: 449–452.**

Holotype: ♂, Peru, Central, Pichica Coluga, 2150 m, 18-IX-[19]60, ex col. Weyrauch; THEM348; (genitalia pinned separately THEM349).

Paratype: 1♀, Peru, Sinchono, Cordillera Azul, 1300 m, V-[19]47, leg. Weyrauch, ex col. Weyrauch, THEM344.

EMESINAE

***Bergemesa kuscheli* Wygodzinsky 1950a: 44.**

Holotype: ♀, Peru, Tingo María, [1946], Kuschel col., [IMR] THEM295.

Comments: This specimen was originally deposited in IMR, then transferred to IFML. The specimen is broken and glued to a cardboard.

***Bergemesa proseni* Wygodzinsky 1950a: 40–41.**

Holotype: ♂, [Argentina], Salta, Sta. Victoria, 20-X-[19]48, Prosen col., [IMR740] THEM296.

Paratype: 1♂, same data, THEM301.

Comments: These specimens were originally

deposited in IMR, then transferred to IFML.

***Ghilianella mariae* Wygodzinsky 1953: 292–295.**

Holotype: ♂, [Peru], Berg bei Pachacamac, 350 m, 15-II-1952, 35 km suedlich von Lima, [unter Steinen auf Lehmboden], WKW 8346-C, M. & F. Monros & Weirauch cols., THEM324.

Paratype: 1♀, same data, THEM325.

Comments: Additional paratypes were deposited in Wygodzinsky's (17 specimens) and Maldonado Capriles' (one specimen) collections.

***Malacopus schubarti* Wygodzinsky 1950b: 248–249.**

Paratype: 1♀, [Brasil], S[ao] Paulo, Mun. Pirassununga, Faz. Graciosa, 31-V-[19]47, Schubart col., THEM328.

Comments: This specimen was originally deposited in IMR, then transferred to IFML. The male holotype was deposited in CTIOC, and three additional paratypes in Wygodzinsky's collection.

***Metapterus docilis* Wygodzinsky 1951d: 120.**

Holotype: ♀, [Argentina], Jujuy, San Pedro, THEM326.

Paratype: 1♀, Argentina, Córdoba, Los Reartes, 13-VIII-1940, L.P. Rosas Costa col., IMR769, THEM329.

Comments: These specimens were originally deposited in IMR, then transferred to IFML. Additional paratypes were deposited in MACN (three specimens), MLP (one specimen), and Wygodzinsky's collection (two specimens).

***Metapterus rosascostai* Wygodzinsky 1951d: 120–122.**

Holotype: ♂, [Argentina], Tucumán, San Pedro de Colalao, 22-V-1948, J.A. Rosas Lola[?] col., IMR769, THEM327.

Comments: These specimens were originally deposited in IMR, then transferred to IFML.

***Polauchenia marcapata* Wygodzinsky 1966: 298–299.**

Paratype: 1♀, Peru, Valle de Chanchamayo, [Oreja de Capelo], 1400 m, 1939, Weirauch col., THEM399.

Comments: The female holotype was deposited in BMNH.

***Polauchenia schubarti* Wygodzinsky 1950c: 81–84.**

Paratype: 1♀, [Brazil], Pirassununga, na luz, cerca 20, 26-VII-1947, Schubart col., THEM340.

Comments: This specimen was originally deposited in IMR, then transferred to IFML. The male holotype was deposited in CEIOC, and two additional paratypes in Wygodzinsky's collection. The date in the original publication is 26-II-1947.

***Stenolemus calilegua* Wygodzinsky & Abalos 1950: 103.**

Holotype: ♀, [Argentina], Jujuy, Calilegua, XII-[19]45, IMR 838, THEM356.

Comments: This specimen was originally deposited in the IMR, and then transferred to the IFML.

***Stenolemus huali* Wygodzinsky & Abalos 1950: 105–106.**

Holotype: ♂, Bolivia, Chapare, Zischka col., IMR 838, THEM352.

Comments: This specimen was originally deposited in IMR, then transferred to IFML.

***Stenolemus vianai* Wygodzinsky & Abalos 1950: 109.**

Paratype: 1♂, Argentina, Córdoba, Los Cocos, I-1947, Leg. Viana, THEM355.

Comments: The male holotype was deposited in MACN; this paratype was originally deposited in IMR.

HARPACTORINAE

***Apiomerus costalimai* Prosen & Martinez 1955: 43–46.**

Paratype: 1♂, [Argentina], Buenos Aires, Tandil, 21-XII-[19]51, THEM286.

Comments: The male holotype and five paratypes were deposited in MEPRA, additional paratypes in CTIOC (two specimens), Prosen's (four specimens), Martinez's (four specimens), Pirán's (two specimens), Forster's, and Francisco Walz's collections (several paratypes without indication of the exact quantity). The specimen deposited in IFML is probably a paratype belonging to one of these private collections.

***Atopozelus omalus* Elkins 1954a: 47.**

Paratypes: 1♀, [Argentina], Tucumán, city, 24-IV-1946, Abalos col., IMR517, THEM288; 1♂, [Argentina], Salta, 29-VI-1944, THEM287; 1♀, [Argentina], Salta, Capiasuti, 5-VIII-[19]44, THEM289; 1♀, [Argentina], Salta, Urundel, 30-XI-[19]48, Monros & [P.] Wygodzinsky cols., IMR749, THEM291; 1 without abdomen [♂], Guay[a]colac, Formosa, Argentina, II-1949, *Atopozelus omalus* Elk., det. J.C. Elkins '57, IMR, THEM290.

Comments: The male holotype and two additional paratypes were deposited in ISM; and additional paratypes in Wygodzinsky's (one specimen), Pirán's (three specimens), and Elkins's collections (one specimen). The specimens THEM288, THEM290 and THEM291 were deposited in the IMR, and then were transferred to IFML.

***Atrachelus (Phorobura) malaisei* Elkins 1954b: 114–115.**

Paratype: 1♂, [Argentina, Tucumán], Dep.[artamento]

Famaillá, San Ramón, V-[19]47, B.L. García col., THEM285.

Comments: The male holotype was deposited in Facultad de Agronomía y Veterinaria, Universidad de Buenos Aires; additional paratypes in CUIC (one specimen), ISM (one specimen), Elkins' (one specimen), and Lizer & Trelles' collections (six specimens).

***Ecelenodalus dyseuretus* Elkins & Wygodzinsky 1957: 206–208.**

Paratype: 1♂, Brazil, São Paulo, Onda Verde, Faz. São João, I-1946, F. Lane col., THEM320.

Comments: The male holotype was deposited in CTIOC, additional paratypes in Hussey's (one specimen), Elkins's (two specimens), and Wygodzinsky's collections (one specimen).

***Ecelenodalus maderus* Elkins & Wygodzinsky 1957: 208.**

Holotype: ♂, Bolivia, Santa Cruz, IX-1917, [Lizer & Trelles col.] THEM323.

Paratype: 1♀ (allotype), same data as holotype, THEM322.

Comments: Two additional paratypes were deposited in Elkins's and Wygodzinsky's collections.

PEIRATINAE

***Rasahus argentinensis* Coscarón 1983: 91–92.**

Paratype: 1♂, Argentina, Salta, Abra Grande, 4/15-XII-[1]967, [R.] Golbach col., THEM350.

Comments: The male holotype and one additional paratype were deposited in Martínez's collection.

PHYMATINAE

***Macrocephalus argentinus* Kormilev 1950: 581–582.**

Holotype: ♂, [Argentina, Tucumán], [EI] Cadillal, 9-XII-[19]20, THEM248.

Paratype: 1♀, Arg.[entina], Tucumán, XII-46, T. Araoz col., THEM259.

Comments: Additional paratypes were deposited in ISM (one specimen), MLP (one specimen), Bosq's (two specimens) and Martínez's collections (one specimen).

***Phymata argentina montana* Kormilev 1951: 98–99.**

Paratype: 1♂, R.[epública] A.[rgentina], La Rioja, 1928, THEM252.

Comments: The male holotype was deposited in MACN, additional paratypes in MACN (12 specimens), MLP (three specimens), Duret's (one specimen), Bachmann's (three specimens), Cátedra de Zoología Agrícola, UBA (one specimen).

***Phymata carinata pampeana* Kormilev 1951: 71–72.**

Paratypes: 2♂, B[ueno]s. A[ire]s., Tornquist, 24-I-[19]47, [A.] Bachmann & Rossi cols., THEM254; 2♀, Argentina, B[ueno]s. Aires, Tornquist, 24-I-[19]47, [A.] Bachmann & Rossi cols., THEM255.

Comments: The male holotype from "Buenos Aires, Sierra de la Ventana, Tornquist, A. Bachmann & Rossi leg., 24-I-[19]47"; and 18 male and 19 female paratypes (one mentioned as allotype) are missing. Additional paratypes were deposited in MACN (19 specimens) and Bachmann's collection (eight specimens).

***Phymata delpontei* Kormilev 1950: 583.**

Holotype: ♂, R.[epública] A.[rgentina], Mis[iones], Bemberg, 14-30/III/1945, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM249.

Comments: Additional paratypes were deposited in CEIOC (one specimen), ISM (one specimen), MACN (three specimens), MLP (nine specimens), Bosq's (six specimens), and Martínez's (one specimen) collections.

***Phymata haywardi* Kormilev 1950: 585.**

Holotype: ♂, Arg.[entina], Misiones, Iguazú, 1-III-[19]45, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM282.

Paratype: 1♀, [Argentina, Misiones], P[uer]to. Iguazú, Alto Paraná, II/III-[19]45, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM283.

Comments: Additional paratypes in MACN (one specimen) and Bosq's collections (two specimens).

***Phymata monrosi* Kormilev 1950: 585–586.**

Holotype: ♂, Arg.[entina], [Tucumán], Anta Muerta, 11-I-[19]48, Monrós & [A.] Willink cols., THEM250.

Paratypes: 1♀ (allotype), Argent.[ina], [Tucumán], Anta Muerta, 11-I-[19]48, [A.] Willink & Monrós cols., THEM251; 2♂, [Argentina, Tucumán], Anta Muerta, 11-I-[19]48, Monrós & [A.] Willink cols., THEM263; 1♂, Arg.[entina], [Tucumán], Anta Muerta, 11-I-[19]48, Monrós & [A.] Willink cols., THEM260; 1♀, [Argentina, Tucumán], Siambón, XII-[19]44, THEM261; 1♀, same data, THEM264; 1♂, same data, THEM267; 1♀, same data, THEM271; 1♀, same data, THEM272; 1♂, same data, THEM274; 1♀, same data, THEM276; 1♂, [Argentina, Tucumán], Dep.[artamento] Tafí, El Siambón, XII-[19]36, THEM262; 1♂, same data, THEM275; 1♂, same data, THEM278; 1♂, same data, THEM280; 1♂, Arg.[entina], Tucumán, Tafí, [EI] Siambón, 21-X-[19]45, [A.] Willink col., THEM268; 1♀, Arg.[entina], Tucumán, Tafí del Valle, 9-XII-[19]45, [K.J.] Hayward col., THEM266; 1♂, [Argentina, Tucumán], Dep.[artamento] Tafí, Villa Noug[u]és, XII-1937, THEM277; 1♀, same data, THEM279; 1♀, Arg.[entina], Tucumán, Aconquija, III-[19]46, [R.] Golbach col., THEM265; 1♀, Argent.[ina], Tucumán, 19-II-[19]46, M. Córdoba col., THEM269; 1♀,

[Argentina], Tucumán, 1-5/II-1947, J. Córdoba col., THEM273; 1♂, Arg.[entina], S[an]tiago del Estero, La Banda, San Ramón, 9-IV-[19]46, Briones col., THEM270; 1♀, Arg.[entina], Salta, Quebrada Río Blanco, 20-I-[19]48, Monrós & [A.] Willink cols., THEM281.

Comments: Additional paratypes were deposited in MACN (two specimens), MLP (two specimens), Bosq's (two specimens), and Arnau's collection (four specimens).

***Phymata orfilai* Kormilev 1950: 584.**

Paratype: 1♀, [Argentina, Tucumán], Villa Nogués, 21-I-1931, THEM253.

Comments: The male holotype was deposited in ISM, additional paratypes in MACN (one specimen), and MLP (one specimen).

***Phymata simulans explanata* Kormilev 1960: 346–347.**

Paratypes: 2♀, [Misiones], P[uer]to. Iguazú, Alto Paraná, II-[1]945, THEM257.

Specimen: Paratype 1♂, [Misiones], P[uer]to. Iguazú, Alto Paraná, II-[19]45, THEM256.

Comments: According to the original description two female paratypes from "Misiones, Iguazu" are deposited in Kormilev's collection and in ISM but none of them are indicated from "Alto Parana" and with a date. The holotype and three additional paratypes were deposited in Kormilev's collection, and one paratype in HNHM.

REDUVIINAE

***Zelurus abalosi* Lent & Wygodzinsky 1951: 585–587.**

Holotype: ♂, IMR748, [campamento Standard Oil, Aguas Blancas, Dept. Orán, Salta, Argentina, á luz, Wygodzinsky col., 24-XI-1948] THEM405.

Paratypes: 1♀ (allotype), IMR748, (same data as holotype), THEM406.

Comments: The holotype and five paratypes were originally deposited in IMR, only one paratype is actually found in IFML; additional paratypes in CTIOC (two specimens), MACN (three specimens), and Wygodzinsky's collection (one specimen).

***Zelurus delpontei* Lent & Wygodzinsky 1951: 587–589.**

Holotype: ♂, [Argentina], Sumampa, S.[antiago] del Estero, 15-I-1947, A.M. Alvarado, THEM409.

Comments: A male paratype with same data as holotype but with date "23-V-1944, IMR215" in IMR, additional paratypes in MACN (one specimen) and MLP (one specimen).

***Zelurus femoralis intermedius* Lent & Wygodzinsky 1954: 422–427.**

Holotype: ♂, IMR 748 (without more data) ["Aguas Blancas, Camp. Standard Oil, Dep. Orán, na luz,

Wygodzinsky]. col. 24-XI-1948" according to the publication] THEM386.

Paratypes: 1♀ (allotype), IMR 748 (without more data, should be same as holotype according to the publication) THEM387; 1♂, [Argentina], Salta, [capital], II-[19]42, THEM413; 1♀, [Argentina], Jujuy, La Isla, THEM414.

Comments: According to the original description, in IFML there should be two more paratypes: "1♀ from Jujuy, La Isla", and "1♂ from Salta, capital, II-1942", but they are actually missing. Additional paratypes were deposited in MACN, IMR and MEPRA, and CTIOC (number not specified).

***Zelurus femoralis longispinus* Lent & Wygodzinsky 1954: 420–422.**

Holotype: ♂, [Argentina, Santiago del Estero], Colonia Dora, IX-[19]48, M. Gomez, THEM388.

Paratype: 1♀ (allotype), [Argentina], Colonia Dora, S[antia]go del Estero, X-[19]48, Manuel Gomez, THEM389.

Comments: Additional paratypes were deposited in MACN, MEPRA, CTIOC, IMR, ISM, Duret's and Bosq's collections (numbers not specified).

***Zelurus lilloi* Lent & Wygodzinsky 1954: 438–440.**

Holotype: ♂, [Argentina], Tucumán, Cerro San Javier, 1000 m, 25-XI-[1]946, THEM408.

Paratypes: 9♂, same data as holotype, THEM393-THYM396, THEM398, THEM401-THYM404; 1♀, [Argentina], Cuesta Anfama, 2000 m, XI-[1]932, THEM400; 2♂, [Argentina], Tucumán, Tafí del Valle, 10-XII-[19]47, R. Golbach [col.], [2000 m], THEM392, THEM397;

Specimen: 1♂, (paratype) [Argentina], Tucumán, Cerro San Javier, 9-I-[19]46, THEM399.

Comments: Additional paratypes were deposited in CTIOC, IMR, and Wygodzinsky's collection (number not specified). The specimen THEM399 is not listed among the studied material. The original description mentions three male paratypes from "Tafí del Valle".

***Zelurus romanai* Lent & Wygodzinsky 1951: 583–585.**

Holotype: ♂, R.[epública] A.[rgentina], S.[an] P[edro de]. Colalao, Tucumán, II-[19]49, Arnau [col.], THEM390.

Paratypes: 1♀, IMR 790 [Parque Aconquija, Tucumán, bajo una piedra, [P.] Wygodzinsky col. 22/2/[1]949], THEM391; 1♂, [Argentina, Tucumán], Quebrada [de] Lules, 21-XI-[19]26, THEM411.

Comments: One additional paratype was deposited in CTIOC, and another one in Wygodzinsky's collection. According to the original description at least one male paratype from "Las Estancias, Catamarca, 1700 m, Maila M. Lamb col., 12-I-[1]949" should be in IFML.

***Zelurus weyrauchi* Lent & Wygodzinsky 1951: 591–594.**

Paratypes: 1♀ (allotype), Quebrada Verde, Lurin Lima, Peru, bajo piedras, 150 m, 18-VI-[19]50, leg. Pedro Aguilar, FC 280, THEM410; 1 nymph, Quebrada Verde, Lurin Lima, 150 m, bajo piedras, 18-VI-[19]50, leg. Pedro Aguilar, FC 280, THEM412.

Comments: This paratype was originally deposited in IMR; the male holotype was deposited in CTIOC, and additional paratypes in CEIOC (one specimen) and Wygodzinsky's collection (eight specimens). In the original description there is no indication of where the nymph was deposited.

STENOPODINAE

***Seridentus latissimus* Giacchi 1998: 31–32.**

Holotype: ♂, Argentina, Misiones, Iguazú, 30-I/13-III/[19]45, [K.J.] Hayward, [A.] Willink & [R.] Golbach, THEM366.

***Stenopoda guaranitica* Giacchi 1969: 19–21.**

Paratypes: 1♂, [Argentina], Jujuy, Calilegua, XII-1945, D. Poole [col.], THEM357; 1♀, Argentina, Jujuy, Calilegua, XI-[19]45, D. Poole [col.], THEM364; 1♂, [Argentina], Mendoza, XII-[19]46, THEM359; 1♂, [Argentina], Salta, Metán, II-[1]941, THEM361; 1♂, [Argentina], Salta, La Candelaria, 20-III-[19]28, THEM358; 2♂, [Argentina], Salta capital, III-1942, THEM360, THEM365; 1♀, Uruguay, Artigas, Sepulturas, 15-I-[19]52, THEM363.

Specimen: 1♂, Bolivia, S[an]ta Cruz, El Cidral, I-1962, R. Golbach [col.], THEM362.

Comments: The male holotype was deposited in MACN; the author did not mention the place where additional paratypes were deposited. The specimen labelled as THEM362 is not mentioned in the list of studied material.

***Stenopoda lativentris* Giacchi 1969: 15.**

Paratype: 1♂, Bolivia, Chapare, Cochabamba, El Palmar, 1000 m, 10/18-I-1958, Monrós & [P.] Wygodzinsky [cols.], THEM351.

Comments: The male holotype was deposited in ISM. The author did not mention the place where the additional seven paratypes were deposited.

***Zylobus monrosi* Wygodzinsky 1959: 312–316.**

Holotype: ♂, El Palmar, Chapare, Cochabamba, Bolivia, 1000 m, [a la luz] 10/18-I-1958, [Villavicencio] Monrós & [P.] Wygodzinsky [cols.], THEM415.

TRIATOMINAE

***Belminus peruvianus* Herrer, Lent & Wygodzinsky 1954: 91–94.**

Holotype: ♂, Peru, Cuenca del Rio Marañón, [IMR]

THEM293.

Paratype: 1♀, same data, [IMR] THEM294.

Comments: These specimens were originally deposited in IMR, then transferred to IFML. Additional paratypes were deposited in USNM (one specimen), CTIOC (one specimen), Instituto de Higiene de Lima (Perú) (16 specimens), and Wygodzinsky's collection (two specimens). In the original publication three different localities near "Rio Marañón" are mentioned for the holotype and two paratypes, one of each corresponds to the one mentioned above (Jaen, 750 m, Yamón, 1100 m; and Lonya Grande, 1300 m).

***Panstrongylus herreri* Wygodzinsky 1948: 198–202.**

Holotype: ♂, IRM715, THEM368.

Paratype: 1♀ (allotype), IMR715, *Panstrongylus herreri* THEM380.

Comments: According to Wygodzinsky (1948) the specimens are from the Northern forest of Perú and were reared in the laboratory. Four male paratypes that were originally deposited at IMR are missing.

***Triatoma guasayana* Wygodzinsky & Abalos 1949: 55–60.**

Holotype: ♂, IRM 714, THEM367.

Paratypes: 1♀ (allotype), IRM 714, THEM379; 1♂, [Argentina], Villa Giménez, Río Hondo?, S[antia]go. [del] Estero, 25-X-[19]46, THEM369; 1♂, [Argentina], Villa Giménez, Río Hondo?, S[antia]go. [del] Estero, 25-X-[19]46, THEM370; 1♂, IMR716, THEM371; 1♂, IMR714, THEM373; 1♂, IMR716, THEM374; 1♀, IMR714, THEM375; 1♂, [Argentina], Catamarca, XI-[19]46, THEM372; 1♀, [Argentina], La Rioja, Cuayapa, 4-X-[19]54, K.J. Hayward [col.], THEM376; 1♂, [Argentina], S[antia]go. del Estero, Mal Pago, 26-X-[19]46, THEM377; 1♀, [Argentina], S[antia]go. del Estero, Mal Pago, 26-X-[19]46, THEM378.

***Triatoma delpontei* Romaña & Abalos 1947: 80–83.**

Holotype: ♂, [Argentina], El Mojón, S[antia]go. del Estero, 17-III-[19]45, 344.2, THEM382.

Paratypes: 1♀ (allotype), [Argentina], El Mojón, S[antia]go. del Estero, 17-III-[19]45, 344.1, THEM381; 1♀, IMR373, [Argentina], Tapso, Catam.[arca], 24-IV-[19]45, Romaña y Abalos cols., THEM383; 1♀, IMR373, [Argentina], Tapso, Catam.[arca], 24-IV-[19]45, Romaña y Abalos cols., THEM384; 1♀, IMR359, [Argentina], Puente Negro, S[antia]go. del Estero, R. y A. colec., THEM385.

Comments: Additional eight paratypes were deposited in IMR.

MIROIDEA

MIRIDAE

MIRINAE

***Prepops subandinus* Carvalho & Wallerstein 1978: 527–529.**

Holotype: ♂, Argentina, Tucumán, 4300 m, 1-XI-[19]64, leg. W. Weyrauch, ex col. Weyrauch, THEM177.

Comments: One paratype was deposited in Carvalho's collection.

***Prepops notabilis* Carvalho & Fontes 1968: 31–32.**

Paratypes: 1♀, [Argentina], Córdoba, Diquesito La Calera, 10-I-[19]58, A. Willink col., THEM196; 1♀, [Argentina], La Rioja, Guayapa, 4-X-[19]54, K.J. Hayward [col.], THEM189; 1♂, [Argentina], Salta, Ruiz de los Llanos, II-[19]47, R. Golbach col., THEM190; 1♀, same data, THEM182; 3♂, [Argentina], Río Negro, Choele Choel, XI-[19]46, THEM193, THEM194 and THEM200; 1♀, same data, THEM203; 2♂, [Argentina], Catamarca, [EI] Rodeo, 25-I-[1]958, R. Golbach col., THEM180 and THEM201; 7♂, [Argentina], Catamarca, [EI] Rodeo, 28-I-[19]58, R. Golbach col., THEM183, THEM186, THEM191, THEM192, THEM195, THEM199, THEM204; 4♀, same data, THEM178, THEM197, THEM198, THEM202; 5♂, [Argentina], Catamarca, Quebrada de Cebila, 8-X-[19]54, K.J. Hayward col., THEM181, THEM184, THEM185, THEM187, THEM188; 1♀, same data, THEM179.

Comments: According to the original description the male holotype and one female paratype from "Santiago del Estero" should be deposited in the IFML collection. There is no indication of the depository of the other paratypes. However, if we assume that all of them should be in IFML: four ♂ and two ♀ paratypes from Santiago del Estero; one ♂ and one ♀ from Río Negro; two ♂ from La Rioja; two ♂ and three ♀ from Catamarca; two ♀ from Salta; and two ♀ from Córdoba are absent in the collection.

***Stenodema golbachi* Carvalho and Carpintero 1989: 1106.**

Holotype: ♂, R.[epública] A.[rgentina], Jujuy, La Quiaca, 3400 m, 9-11/II/1960, col. R. Golbach, THEM209.

Comments: The paratypes were deposited in Carvalho's and Carpintero's collection.

***Stenodema noaensis* Carvalho and Carpintero 1989: 1103–1104.**

Paratypes: 3♀, Arg.[entina], Tucumán, [EI] Infiernillo, 2800 m, I-[19]86, Carpintero col. THEM170; 3♀, same data, THEM171; 3♂, same data, THEM172; 3♂, same data, THEM173.

Comments: The male holotype was deposited in Carpintero's collection; additional paratypes in USNM, and authors' collections.

ORTHOTYLINAE

***Chileria andina* Forero 2009: 15–20.**

Paratypes: 1♀, Argentina, Tucumán Prov.[ince], Ampimpa, 17 Km E of Amaicha del Valle in R[ou]t[e]. 307, 2755 m, 21-II-1993, R.T. Schuh & J.T. Polhemus cols., adults and nymphs on: *Flourensia fiebrigii* Blake (Asteraceae), AMNH_PBI00194737, THEM441; 1♀, same data, AMNH_PBI00194738, THEM442; 1♀, same data, AMNH_PBI00194739, THEM443; 1♂, same data, AMNH_PBI 00194761, THEM438; 1♂, same data, AMNH_PBI00194762, THEM439; 1♂, same data, AMNH_PBI00194763, THEM440.

Comments: According to the original description the male holotype should be deposited in IFML coded as AMNH_PBI 00195153 but it was not found in the collection; additional paratypes in AMNH (62 specimens) and USNM (83 specimens).

***Hadronemisca saltensis* Carvalho & Wallerstein 1978: 524–525.**

Holotype: ♂, R.[epública] A.[rgentina], Salta, Tacuil (2400 m), 23/27-I-1968, [R.] Golbach, [A.] Terán & [A.] Willink cols., Entomofauna Subandina, THEM175.

Comments: One paratype deposited in Carvalho's collection.

***Melanotrichus bonaerensis* Carvalho & Carpintero 1986: 618–619.**

Paratypes: 2♀, [Argentina], Prov.[incia] B[ueno]s. A[ire]s., San Justo, XI-[19]83, *Melanotrichus bonaerensis* n. sp. det. J.C.M. Carvalho, THEM176.

Comments: The male holotype was deposited in Carpintero's collection. The original description listed 74 paratypes from "San Justo" deposited in the authors' collection, probably these two females are part of this series.

TINGIDAE

***Corythaica pavonia* Ajmat 2000: 214–215.**

Holotype: ♂, Argentina, Córdoba, La Falda, 28-I-1992, Col. M.V.A. [de] Toledo, s/ *Pavonia hastata*, THEM431.

Paratypes: 1♀ (allotype), Argentina, Córdoba, La Falda, 28-I-1992, Col. M.V.A. [de] Toledo, s/ *Pavonia hastata*, THEM432.

***Corythaica misionera* Ajmat 2000: 216–217.**

Holotype: ♂, R.[epública] Argentina, Misiones, Puerto Rico, 30-III-1986, H. Erb col. THEM433.

Paratype: 1♀ (allotype), R.[epública] Argentina, Misiones, Puerto Rico, 30-III-1986, sobre *Solanum*

mauritanum compl., H. Erb col. THEM434.

***Corytucha tapiensis* Ajmat 1991: 143–144.**

Holotype: ♂, Argentina, Tucumán, Tapia, 1-IV-1986, M.V.A. de Toledo col., s/ *Celtis pubescens* [(H.B.K.) Spreng (Ulmaceae)], THEM435.

Paratype: 1♀ (allotype), Argentina, Tucumán, Tapia, 1-IV-1986, M.V.A. de Toledo col., s/ *Celtis pubescens* [(H.B.K.) Spreng (Ulmaceae)], THEM436.

Comments: The specimen THEM436 is considerably destroyed and only the abdomen is present.

***Corytucha rolstoni* Ajmat 1991: 140-141.**

Holotype: ♂, [Argentina], Misiones, Acaragua, 19-X-[19]69, G.M.R., THEM437.

CIMICOIDEA

CIMICIDAE

***Cimex tucmatiani* Wygodzinsky 1951b: 190–192.**

Paratypes: 1♀, R.[epública] Argentina, Tucumán, El Chorrillo, 31-XII-1948, Sra. de Gimenez col., THEM057; 1♀ (microscopic slide), [Argentina], Tacanas, Trancas, 22-28/II-1947, [R.] Golbach col., sobre murciélago, THEM056.

Comments: The female holotype, two paratypes, and five nymphs are deposited in the IMR. The female from "El Chorrillo" is mentioned from 1948 and deposited in the IMR in the original description.

PENTATOMOMORPHA

ARADOIDEA

ARADIDAE

***Aneurus (Iralunelus) bergi* Kormilev 1980: 55–56.**

Holotype: ♀, Argentina, Corrientes, Paso de la Patria, 2-XI-1970, C. Porter & L. Stange cols., THEM006.

***Aneurus (Iralunelus) monrosi* Kormilev 1980: 54–55.**

Holotype: ♂, Arg.[entina], Salta, Cabeza de Buey, 18-III-1957, Monrós & [Z.] Tomsic cols., THEM002.

Paratypes: 1♀, same data, THEM003; 3♀, same data, 16-III-[19]59, THEM004 and THEM005.

Comments: Additional three paratypes were deposited in Kormilev's collection.

***Mezira formosa* Kormilev 1953b: 243.**

Holotype: ♂, Arg.[entina], Formosa, Sombrero Negro, 2-VI-[19]48, [R.] Golbach col., THEM007.

Paratype: 1♀, same data as holotype, THEM008.

Comments: Two additional paratypes were deposited in MLP.

***Neuroctenus subandinus* Kormilev 1953b: 249–251.**

Paratypes: 1♂ 1♀, Tucumán, IX-[19]46, R. Golbach col., THEM015; 1♂ 1♀, R.[epública] A.[rgentina], Tucumán, V.[illa] Padre Monti, Burreyacu, 17-I/7-II-1948, R. Golbach col., THEM026; 1♂ 1♀, same data, THEM020; 1♂ 1♀, same data, THEM021; 2♀, same data, THEM028; 2♀, same data, THEM029; 2♂, same data, THEM030; 1♂ 1♀, same data, THEM031; 2♀, same data, THEM035; 2♀, same data, THEM036; 1♂ 1♀, [Argentina], Tucumán, S.[an] P.[edro] de Colalao, 16-VIII -[19]46, A. Willink col., THEM038; 2♀, same data, THEM037; 2♀, same data, THEM052; 2♂, same data, THEM051; 2♀, same data, THEM055; 1♂ 1♀, same data, THEM049; 2♂ same data, THEM027; 2♀, same data, THEM034; 2♀, same data, THEM032; 1♂ 1♀, [Argentina], Tucumán, San P.[edro] de Colalao, I-[1]950, R. Monrós col., THEM013; 2♀, same data, THEM012; 2♂, same data, THEM009; 2♂, [Argentina], Tucumán, Lacavera, 28-XI-[19]51, Aczel. & [R.] Golbach col., THEM014; 1♂ 1♀, same data, THEM016; 1♀, [Argentina], Jujuy, Cerro Perales, 27-I-[19]48, [A.] Willink & Monrós col.[s], THEM011; 2♂, [Argentina], Salta, Tartagal, 21-VII-[19]44, R. Golbach col., THEM054; 2♂, same data, THEM018; 1♂ 1♀, same data, THEM048; 1♀ 1 nymph, same data, THEM017; 1♂ 1♀, same data, THEM019; 1♂ 1♀, Arg.[entina], Salta, Urundel, 25-I-[19]50, R. Golbach col., THEM053; 1♂ 1♀, same data, THEM041; 1♂ 1♀, same data, THEM024; 1♂ 1♀, same data, THEM023; 1♂ 1♀, same data, THEM046; 1♂ 1♀, same data, THEM022; 1♂ 1♀, same data, THEM047; 1♂ 1♀, same data, THEM033; 1♂ 1♀, same data, THEM025; 1♂ 1♀, same data, THEM043; 1♂ 1♀, same data, THEM044; 1♂ 1♀, same data, THEM045; 1♂ 1♀, same data, THEM042; 1♂ 1♀, same data, THEM050; 3♀, Arg.[entina], Salta, Urundel, 25-I-[19]12, [R.] Golbach col., THEM039; 1♂, Arg.[entina], Mendoza, Tunuyán, 11-X-[19]47, Ares col., THEM040; 1♀, no data, THEM010.

Comments: The male holotype and two paratypes were deposited in MACN, additional paratypes in MLP (14 specimens), HNHM (three specimens), Prosen's (13 specimens), Bosq's (six specimens), Biraben's (two specimens), Duret's (seven specimens), Lizer & Trelles' (31 specimens) and Kormilev's (11 specimens) collections.

In the original description the female from "Jujuy" is referred from "Ceno Pezales"; there is one nymph instead of one male among the specimens from "Tartagal"; one female from "San Pedro de Colalao" collected by Monrós is missing; the material from "Burreyacu" is mentioned as collected in "20-I-948" and the material from "Lacavera" "22-11-51"; the specimens from "San Pedro de Colalao" collected by Willink are listed as deposited in IFML, MACN and Kormilev's collection. Finally, the female without data identified as THEM010 is not mentioned in the publication.

PENTATOMOIDEA

CYDNIDAE

***Onalips completus* Froeschner 1960: 418–420.**

Paratypes: 1♀, [Argentina], Salta, Aguaray, X-[19]46, Bohn col., THEM118; 1♀, [Argentina], Formosa, Misión Laishi, 17-XI-[19]50, [A.] Willink-Monrós cols., THEM119.

Comments: The male holotype is deposited in USNM, additional paratypes in MCZ (one specimen), CMNH (one specimen), Lutz's (one specimen), and Froeschner's (one specimen) collections.

***Dallasiellus (Dallasiellus) alutaceus* Froeschner 1960: 598–599.**

Paratype: 1♀, Bolivia, Beni, Rurrenabaque, Oct. 1921, W.M. Mann col., Mulford Biol. Expl., 1921- 1922, THEM120.

Comments: The male holotype is deposited in USNM, additional paratypes in USNM (three specimens), CMNH (three specimens), Lutz's (one specimen), Carvalho's (one specimen), and 17 specimens in USNM and Froeschner's collections. In the original description there are no types deposited in IFML. Eight females with the same collection data were deposited in USNM and Froeschner's collection. Therefore, probably the specimen we found at the IFML belonged to Froeschner's collection.

PENTATOMIDAE

ASOPINAE

***Supputius subtropicalis* Pirán 1956: 2–4.**

Paratypes: 1♀, R.[epública] A.[rgentina], Corrientes, Manantiales, XI-1946, T. de Apóstol col., THEM245; 1♀, same data, THEM246.

Comments: The male holotype and seven paratypes were deposited in Pirán's collection, one paratype in Daguerre's collection, one paratype in Duret's collection, one paratype in ZMHB, three in MNHNM, and three in the Laboratorio de Entomología de la Dirección de Agronomía de Montevideo.

DISCOCEPHALINAE

***Lincus repizcus* Rolston 1983: 24–26.**

Holotype: ♂, Perú, Valle Chanchamayo, 800 m, 13-VIII-1951, leg. Weirauch, THEM226.

Comments: One paratype was deposited in USNM.

***Neodoxoplatys haywardi* Kormilev 1956: 5–6.**

Holotype: ♂, Arg.[entina] Misiones, P[uer]to. Bemberg, 15-I-1945, THEM234.

Comments: According to the publication, the

holotype corresponds to a male from "Misiones, Iguazú, Hayward, Willink & Golbach cols., I-1945".

PENTATOMINAE

***Agroecus reticulatus* Rider & Rolston 1987: 430–432.**

Holotype: ♀, R.[epública] A.[rgentina], Tucumán, [EI] Siambón, XII-[1]944, Olea col., THEM223.

Comments: One antennae is glued to a separate cardboard.

***Berecynthus monrosi* Pirán 1963: 219–220.**

Holotype: ♀, Bolivia, Santa Cruz, Chiquitos, Santiago, 8-13/II/1958, Monrós col., THEM225.

***Mecidea pampeana* Sailer 1952: 495–497.**

Paratypes: 1♂, [Argentina], Tucumán, XI/XII-[19]44, R. Golbach col., THEM232; 1♂, same data, THEM229; 1♂, same data, THEM227; 1♂, same data, THEM231; 1♀, same data, THEM230; 1♀, same data, THEM228; 1♀, [Argentina], Tucumán, capital, IV-1932, THEM233.

Comments: The male holotype and six paratypes were deposited in USNM; additional paratypes in MACN (63 specimens), MLP (16 specimens), and BMNH (one specimen). According to the original publication three males and three females are missing in IFML.

***Pallantia macunaima* Grazia 1980: 26–27.**

Paratypes: 1♀, Paraguay, Carumbé, Dep.[artamento] San Pedro, 28-I/10-III-1965, R. Golbach col., THEM236; 1♀, same data, THEM238; 1♀, same data, 1-II/8-III-1966, THEM237.

Comments: The male holotype was deposited in the MNRJ, additional four paratypes in the MZSP. According to the original publication there should be four paratypes, a female from "28-I" missing in IFML.

***Solubea ornata* Sailer 1944: 124–126.**

Paratypes: 2♂, P.[uerto] R.[ico], Hormigueros 1549, 11-X-[19]43, *Oryza sativa*, J. Brunet coll. Lot. No41-208/4, THEM241 and THEM242; 2♀, P.[uerto] R.[ico], Hormigueros 1549, 11-X-[19]43, *Oryza sativa*, J. Brunet coll. Lot. No41-208/4, THEM243 and THEM244.

Comments: The male holotype and 72 paratypes were deposited in USNM, additional paratypes in AMNH (17 specimens) and Uhler's collection (81 specimens). The original publication mentions 69 paratypes, none from IFML.

***Stictochilus barbatus* Rolston & Rider 1986: 79–81.**

Holotype: ♂, [Argentina], Salta, Abra Grande, 4-15/XII/[1]967, [R.] Golbach col., THEM239.

Comments: One paratype was deposited in AMNH, another paratype in Rolston's collection.

***Stictochilus bituberculatus* Rolston & Rider 1986: 81–82.**

Holotype: ♂, Argentina, Tucumán, San Ramón, XI-1947, García col., THEM240.

Comments: One paratype was deposited in AMNH.

***Thyanta acuminata* Ruckes 1956: 63–65.**

Paratype: 1♂, [Argentina], Salta, Ruiz de los Llanos, II-1947, [R.] Golbach col., THEM247.

Comments: The holotype and 4 paratypes were deposited in AMNH; additional paratypes in CUIA (five specimens), and USNM (5 specimens). The original description stated "Paratype...Ruiz de Los Llanos, May 7, 1920 (Goldbach) one male in the Wygodzinsky's collection".

LYGAEOIDEA

BLISSIDAE

***Ischnodemus paramoides* Slater & Wilcox 1969: 232–233.**

Holotype: ♂, [Argentina], Santa Fe, Villa Ana, II-[19]45, [K.J.] Hayward & [A.] Willink cols., THEM124.

Paratypes: 2♀, same data, II-[19]46, THEM126; 1♂ 1♀, same data, II-[19]45, THEM127; 2♀, same data, II-[19]45, THEM128; 2♀, same data, II-[19]46, THEM129.

Comments: Additional 16 paratypes were deposited in MLP, SMNH, BMNH, USNM and Slater's collection.

***Ischnodemus pullus* Slater & Wilcox 1969: 236.**

Holotype: ♀, [Argentina], Catamarca, El Rodeo, I-[19]59, 1500 m, R. Golbach col., THEM125.

***Patritiodemus minutus* Slater & Ahmad 1969: 135–136.**

Holotype: ♂, Argentina, Misiones, Caraguatay, 23-V-1954, Wittmer col., THEM 139.

Comments: The type locality is wrongly spelled in the publication as Caragnaty.

***Reticulatodemus nitidus* Slater & Wilcox 1966: 71–72.**

Holotype: ♂, [Argentina], Catamarca, El Rodeo, I-[19]59, 1500 m, R. Golbach col., THEM141.

Comments: One paratype was deposited in Slater's collection.

***Riggiella vianai* Kormilev 1949a: 6–11.**

Paratypes: 1♀, [Argentina], Misiones, Puerto Bemberg, 22-I-[19]45 [K.J. Hayward, A. Willink & R. Golbach cols.], THEM142; 1♀, same data, THEM143; 1♀, same data, THEM144; 1♂, same data, 12-29/II/1945, [K.J.] Hayward, [A.] Willink y [R.] Golbach cols., THEM145.

Comments: The male holotype and two paratypes were deposited in MACN, one additional paratype in

MLP. According to the original description there should be two male and five female paratypes from Puerto Bemberg, Misiones in IFML. The male specimen has the hemelytra glued to a separate cardboard.

COLOBATHRISTIDAE

***Peruda monrosi* Kormilev 1949b: 378–382.**

Holotype: ♂, [locality unknown] THEM058.

Comments: According to the author the holotype was probably collected in Perú or Ecuador.

LYGAEIDAE

LYGAEINAE

***Lygaeus ashlocki* Brailovsky 1978: 146–148.**

Paratypes: 1♀, Perú, Tarma, 1-XII-[19]42, 3000 mts., W. Weirauch col., THEM132; 1♀, same data, THEM133.

Comments: The male holotype and two paratypes were deposited in AMNH, additional paratypes in MNHN (one specimen), and UNAM (two specimens).

***Lygaeus froeschneri* Brailovsky 1978: 127–128.**

Paratypes: 1♂, [Peru], Puno, 3900 m, XII-[19]40, ex col. Weirauch, THEM131; 1♀, same data, THEM130.

Comments: Male holotype and nine paratypes were deposited in USNM, six paratypes in AMNH, and three paratypes in UNAM.

***Lygaeus peruvianus* Brailovsky 1978: 136–137.**

Paratypes: 1♀, Peru, Rio Luria, 27-I-[19]55, THEM134; 1♀, Peru, Huanuco, 1900 m, 1-III-[19]47, W. Weirauch col., THEM135; 1♀, same data, THEM136; 1♂, Peru, Recuay, 3400 m, V-[19]40, Weirauch col., THEM137; 1♀ (without abdomen), Peru, Valle Chanchamayo, 15-VIII-1957 [800 m], leg. Weirauch, THEM138.

Comments: According to Brailovsky (1978), the male holotype and four paratypes were deposited in CAS; three paratypes in UNAM, and three in IFML. We found some disagreements between the publication and the paratypes examined in IFML, there is only one paratype from Río Luria, it is a male specimen and was deposited in UNAM. He also mentioned only male paratype/s from Huanuco deposited in IFML, but he did not mention the number of specimens, on the other hand the specimens THEM135 and THEM136 are from "Huanuco" and agree with the label data but are females.

***Oxygranulobaphus willinki* Brailovsky 1982: 267–269.**

Paratypes: 1♂, R.[epública] A.[rgentina], Salta, Aguaray, XI-1946, [O.] Budin col., THEM148; 1♂, same data, XI-[19]46, O. Budin col., THEM155; 1♂, same data, THEM161; 1♀, Argentina, Salta, Aguaray, XI-[19]46, [O.] Budin col., THEM160; 1♀, same data, THEM163; 1♀,

same data, THEM157; 1♂, Chaco, Resistencia, 12-XI-[19]56, [A.] Willink & Monrós cols., THEM150; 1♀, Argentina, Chaco, Pampa del Indio, 16-XI-1950, [A.] Willink & Monrós cols., THEM152; 1♂, Misiones, P[uer]to. Aguirre, 3-4/II/[19]45, THEM167; 1♂, Argentina, Misiones, Bemberg, 14-30/III/1945, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM151; 1♀, Argentina, Salta, Oran, Abra Grande, 10/I-1/III/1967, R. Golbach col., THEM162; 1♀, same data, THEM146; 1♂, same data, THEM165; 1♀, same data, THEM166; 1♀, same data, THEM153; 1♀, same data, THEM164; 1♀, same data, THEM156; 1♀, same data, THEM149; 1♂, same data, THEM158; 1♂, same data, THEM169; 1♂, same data, THEM168; 1♀, same data, THEM159; 1♂, Paraguay, Isla Paranambú, I-1945, THEM154; 2♀, Bolivia, Tarija, Ing. Bermejo, 14-28/II/1969, R. Golbach col., THEM147.

Comments: The male holotype and three paratypes were deposited in USNM; additional paratypes in AMNH (two specimens), BMNH (two specimens), MNHN (eight specimens), ZMHB (seven specimens), UNAM (12 specimens), and IFML (31 specimens). Brailovsky (1982) mentioned seven male and nine female paratypes from "Salta, Oran, Abra Grande"; and four male and four female paratypes from "Salta, Aguairay" deposited in IFML.

ORSILLINAE

***Robinsonocoris tingitoides* Kormilev 1952: 10–11.**

Paratype: ♂, [Chile], J.J. Fernandez [Miradero del Selkirk], 31-XII-[19]51, G. Kuschel col., THEM140.

Comments: The male holotype and four paratypes were deposited in Investigaciones Entomológicas, Universidad de Chile, one paratype in MACN, and four paratypes in Kormilev's collection; probably one of these paratypes is the male deposited in IFML.

PYRRHOCOROIDEA

LARGIDAE

***Stenomacra tungurahua* Brailovsky & Mayorga 1997: 5–6.**

Paratypes: 1♂, Ecuador, Baños, 1800 mts., Prov.[incia] Tungurahua, 4-IV-1958, W. Weyrauch [col.], THEM485; 1♀, same data, THEM486; 1♀, same data, 5-IV-1958, THEM487.

Comments: The male holotype and one paratype were deposited in UNAM, additional paratypes in MNHN (two specimens) and USNM (one specimen). The original publication stated that two males and two females from "Ecuador: Provincia Tungurahua: Banios (1800 mts.), 4/5-IV-58, W. Weyrauch" are deposited in IFML and UNAM.

***Thaumastaneis nigricans* Dellapé & Melo 2007: 22–24.**

Paratype: 1♀, Bolivia, Santa Cruz, Chiquitos, Santiago, 8-13/II/1958, Monrós col., *Thaumastaneis* sp. Det. M.V. Ahmat 1982, THEM123.

Comments: The male holotype was deposited in MACN.

COREOIDEA

ALYDIDAE

***Cydamus delpontei* Kormilev 1953c: 62–63.**

Paratype: 1♂, Argent.[ina], Formosa, Clorinda, 22-27/XII/[19]48, [R.] Golbach col., THEM001.

Comments: The male holotype and one paratype were deposited in MACN, additional paratypes in MLP (one specimen) and Duret's collection (four specimens).

COREIDAE

COREINAE

***Althos cribatissimus* Brailovsky 1990: 34–35, 55.**

Paratypes: 1♀, Argentina, Tucumán, Alto del Tio, km 94 ruta Tafí-Amaicha, 2700 m, 6-III-[19]68, A. Willink col., THEM062; 1♂, same data, THEM063; 1♂, same data, THEM064; 1♀ (without genitalia now) [Argentina], Jujuy, Tres Cruces, 3600 m, 20-XI-1979, [A.] Willink, [P.] Fidalgo & [E.] Dominguez cols., THEM065.

Comments: Female holotype and two paratypes were deposited in AMNH, additional paratypes in BMNH (three specimens) and UNAM (five specimens). The original description mentioned only one female from "Alto del Tio" deposited in IFML.

***Althos tucumanensis* Brailovsky 1990: 79–80.**

Holotype: ♂, Argentina, Tucumán, Aconpuija (sic, should be Aconquija), XI-[19]46, R. Golbach col., THEM059.

Paratypes: 2♀, same data as holotype, THEM060, THEM061.

Comments: Additional paratypes were deposited in BMNH (one specimen), FSCA (one specimen), NMW (two specimens), and UNAM (five specimens). According to the original description the holotype is a female.

***Cebrenis chapadana* Brailovsky 1995: 52–54.**

Paratypes: 1♂, [Brazil] Paracatu, M.[ato] G.[rosso], VI-1960, -86-60, Exp. Formosa col., THEM081; 1♀, same data, THEM080.

Comments: The male holotype and 26 paratypes were deposited in CMNH; additional paratypes in AMNH (one specimen), IMPA (five specimens), MNRJ (one specimen), MPEG (two specimens), and UNAM (eight specimens).

***Cebrenis cauta* Brailovsky 1995: 75–81.**

Paratypes: 1♂, [Argentina], Misiones, THEM070; 1♂, Argentina, Misiones, Iguazú, X-1980, col. Dr. Carpintero, THEM072; 1♂, Argentina, Mendoza, Uspallata, 15-I-1947, [K.J.] Hayward & [A.] Willink cols., THEM071; 1♂, same data, THEM074; 1♂, Argentina, Misiones, Iguazú, 30-I-13-III-[19]45, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM075; 1♂, same data, THEM066; 1♂, same data, THEM069; 1♀, same data, THEM078; 1♂, Misiones, Puerto Iguazú, Alto Paraná, III-[19]45, A. Willink col., THEM077; 1♂, same data, THEM067; 1♂, Argentina, Misiones, Iguazú, 28-II-[19]45, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM073; 1♀, Argentina, Misiones, P[uer]to Iguazú, 24-XI-[19]80, A. Willink col., THEM076; 1♀, same data, THEM079; 1♀, Argentina, Misiones, Iguazú, 10-IX-[19]81, R. Foerster col., THEM068.

Comments: The male holotype and 36 paratypes were deposited in UNAM, additional paratypes in AMNH (nine specimens), BMNH (seven specimens), CAS (nine specimens), CMNH (four specimens), EMEC (four specimens), IRNB (two specimens), MACN (seven specimens), MIZA (six specimens), MLP (one specimen), MNHN (two specimens), MNRJ (six specimens), MPEG (two specimens), MZH (five specimens), NHMB (six specimens), TAMU (five specimens), USNM (three specimens), ZIN (37 specimens), and Slater's collection (five specimens). One specimen deposited in IFML is missing.

***Eubule nigra* Brailovsky 1992a: 203–207.**

Paratype: 1♂, Peru, Matucana, Rio Rimac, 23-VI-[19]57, 2400 m, W. Weyrauch, THEM082.

Comments: The male holotype and one paratype were deposited in USNM, additional paratypes in BMNH (two specimens), UNAM (two specimens), and ZMUA (one specimen). Pygophore glued to a separate cardboard.

***Paryphes pullulus* Brailovsky 1986a: 108–110.**

Paratype: 1♀, [Brasil], Para, R.[io] Cumina, Cach. Tronco, 24-VIII-[19]36, Almeida [col.], THEM083.

Comments: Male holotype and 22 paratypes were deposited in CMNH, additional paratypes in CAS (one specimen), INPA (two specimens), MNRJ (three specimens), MPEG (one specimen), MZSP (two specimens), and UNAM (seven specimens). According to the original description this paratype was deposited in CMNH.

***Petersitocoroides similis* Brailovsky 1992b: 195, 198.**

Paratype: 1♀, Brasil, Santa Catarina, Pinhal, XII-[19]52, Anton Maller col., THEM084.

Comments: The male holotype and one paratype were deposited in RNHL, additional paratypes in AMNH (one specimen), MPEG (one specimen), and UNAM (five

specimens).

***Piezogaster bolivianus* Brailovsky 1993: 113–114.**

Holotype: ♂, Bolivia, Santa Cruz, Chiquitos, Santiago, 8-13/II/1958, Monrós col., THEM085.

Comments: One female paratype was deposited in UNAM.

***Scamurius bachmanni* Brailovsky 1986b: 37–38.**

Holotype: ♂, [Argentina], Santa Fe, 5-III-[19]46, THEM086.

Paratypes: 1 (without genitalia), same data, THEM087; 1♀, same data, THEM088.

Comments: Two additional paratypes were deposited in UNAM.

***Sethenira malloi* Pirán 1962: 166–167.**

Paratype: 1♀, [Argentina], Salta, Los Toldos, [2400 m], 21-III-[19]60, R. Golbach col., THEM092.

Comments: The female holotype was deposited in MLP, additional paratypes in Pirán's collection (seven specimens) and Instituto de Patología Vegetal (INTA) (one specimen). In the original description the author lists a male paratype with the following data: "Los Perales, Jujuy, 3-II-1950, col. F. Monrós- A. Willink" also deposited at the IFML; but apparently this specimen was not deposited in the collection as it is also not mentioned in Hayward (1963).

***Sundarus sheilae* Brailovsky 1988: 582–583.**

Holotype: ♂, Bolivia, Santa Cruz, El Cidral, I-1962, R. Golbach col., THEM090.

Paratype: 1♀, same data, THEM089.

Comments: Additional paratypes were deposited in AMNH (one specimen) and UNAM (one specimen).

***Vazquezitocoris catamarcanus* Brailovsky 1990: 132–133.**

Holotype: ♀, Argentina, Catamarca, El Rodeo, 28-I-[19]58, R. Golbach col., THEM091.

Comments: According to the original description the holotype was deposited in UNAM.

RHOPALIDAE

***Jadera choprai* Göllner-Scheiding 1979: 53–55.**

Paratypes: 1♂, Bolivia, Dep[ar]t.[amento] Santa Cruz, Prov.[incia] Cordillera, Las Juntas, II-1947, Peredo col., THEM423; 1♀, same data, THEM424; 1♂, Bolivia, Dep[ar]t.[amento] Santa Cruz, Prov.[incia] Cordillera, Cabezas, I-1947, Peredo col., THEM421 (head and pronotum separated); 1♀, same data, I-1947, THEM422.

Comments: The male holotype and additional three paratypes were deposited in ZMHB.

***Jadera golbachii* Göllner-Scheiding 1979: 56–57.**

Paratypes: 1♀, [Argentina], Salta, Oran, Abra

Grande, 10-I-1-III/[19]67, R. Golbach col., THEM416; 1♂, Argentina, Catamarca, El Alto, 11-I-1960, [A.] Willink & [Z.] Tomsic cols., THEM417; 1♀, same data, THEM418; 1♀, same data, THEM419; 1♀, same data, THEM420.

Comments: The male holotype and one additional paratype were deposited in ZMHB.

SPECIMENS THAT COULD BE PART OF A TYPE SERIES

***Phymata fortificata patagonica* Kormilev 1953a: 89–91.**

Comments: In the original description of this species the following specimens are mentioned as paratypes: "1♂ 1♀, Neuquén; 9♂ 5♀, Río Negro, Río Colorado, Hayward & Willink cols.". We found the following material that could be part of the type series: "1♂, Arg., Río Negro, Río Colorado, 13-XI-46, Hayward & Willink cols.; 3♂ 7♀, Río Colorado, Gob. Río Negro, 16-XI-46; 1♂ 1♀, same data, 7-XI-46; 1♂, Neuquén, 21/29-XI-46, Hayward & Willink cols.". This last specimen is the only one labeled as paratype; but as it does not match exactly with the data given by the author, the condition of the specimen as paratype is doubtful.

SPECIMENS THAT SHOULD BE DEPOSITED IN THE IFML BUT WERE NOT FOUND IN THE COLLECTION.

CORIXIDAE

***Trichocorixa millicorum* Bachmann 1979: 326–329.**

Paratypes: 3♂ 3♀, Río Negro, Jagüel de los Milicos, 20 km N Villa Regina, cuerpo de agua hipersalino con sales cristalizadas en el fondo, 5-X-1964, A. O. Bachmann legit.

SALDIDAE

***Pseudosaldula salina* Schuh & Polhemus 2009: 55–57.**

Paratypes: 2♂ 1♀, Jujuy: 9 km W jct Rts 40 & 52 on E side of Salinas Grandes, 23.56666° S; 65.83333° W, 3440 m, 16-II-993, R.T. Schuh and J.T. Polhemus.

REDUVIIDAE

***Zelurus quiquin* Lent & Wygodzinsky 1954: 434–437.**

Paratypes: 1♂, Gua[ya]pa, Patquia, La Rioja, 28-I-1947; 1♂, Yacanto, Breyer col. (IMR).

***Zelurus sororius guarani* Lent & Wygodzinsky 1954: 428–430.**

Paratype: 1♂, Paraguay, Colonia Independencia, Foerster col. (IMR1244).

SPECIMENS LABELED AND CODED AS TYPES BUT WITHOUT SUCH STATUS

REDUVIIDAE

***Atopozelus omalus* Elkins 1954a: 47.**

Specimen: Paratype ♂, [Argentina], Salta, Tartagal, 21-VII-1944, THEM292.

Comments: The specimen is not listed among the type material.

***Atrachelus (Phorobura) ignobilis* Stål 1859: 368.**

Specimen: Homeotype, 1 without abdomen, R.[epública] A.[rgentina], Mis.[iones], Iguazú, 30-I/13-III/1945, [K.J.] Hayward, [A.] Willink & [R.] Golbach cols., THEM284.

Comment: The term "homeotype" refers to a specimen that has been compared with the holotype, but does not have the status of type.

***Pothea amoena* Miller 1956: 8–9.**

Specimen: Paratype, 1♀, Misiones, arroyo Yacutinga, 29-XI-[19]51, vv: ii: N.K. Monrós; *Pothea amoena* (Miller 1956) det. Dr. Carpintero, THEM330.

Comments: Miller described this species based on a male from "Brazil, Rio Grande do Sul" deposited in Deutsches Entomologisches Institut, Berlin. Carpintero (1978) redescribed the species and designated a female paratype, an invalid action.

***Daraxa (Daraxacera) annulipes* Carpintero 1980: 18.**

Specimen: Metatipo, 1♀, [Argentina], Salta, Anta, Segunda sección, El Dorado, VI-[1]948, A. Luna col., THEM321; 1♀, [Argentina], Jujuy, Los Perales, 3-II-[19]50, [A.] Willink & Monrós cols., THEM315; 1♀, [Argentina], Jujuy, ciudad, XII-[19]47, THEM314; 1♂, [Argentina], Jujuy, ciudad, I-[19]48, THEM318; 1♀, [Argentina], Jujuy, Mision, 5-V-[19]48, THEM316; 1♂, [Argentina], Jujuy, 27-I, THEM317; 1♀, [Argentina], Salta, Cafayate, 5-III-1950, [K. J.] Hayward col., THEM311; 1♂, [Argentina, Tucumán], [EI] Siambón, [1]946, Oleh col., THEM319.

Comments: This species was described based on a male holotype from "Córdoba, Argentina" deposited at Carpintero's collection, and a female paratype from "Tucumán, Argentina" deposited in the MACN. The term "metatipo" (or "metatipo" in Spanish) refers to a specimen identified by the author of the species after the year of publication of the name.

***Daraxa (Daraxa) breddini* Carpintero 1980: 15.**

Specimens: Metatipos: 1♂, [Argentina], Tucumán, Tacanas, Trancas, I-[19]49, [P.] Arnaud col., THEM312; 1♂, [Argentina], Tucumán, San Pedro de Colalao, I-[19]51, P. Arnaud col., THEM310; 1♂, same data, THEM313.

Comments: This species was described based only

on a male holotype from "Salta, Argentina" deposited in Carpintero's collection.

***Pseudodaraxa littoralis* Carpintero 1980: 20.**

Specimen: Metatipo, 1♂, [Argentina], Entre Ríos, Concordia, [19]79, Viana col., THEM341.

Comments: This species was described based on a male holotype from "Entre Ríos, Argentina" deposited in Carpintero's collection, and ten male paratypes from the same locality than the holotype, from which eight were deposited in MACN and two in Carpintero's collection. Although the localities match with the type specimens the collector is different.

***Brontostoma nanus* Carpintero 1980: 12–13.**

Specimen: Metatipo, 1♀, Bolivia, Santa Cruz, El Cidral, I-1962, R. Golbach col., THEM300.

Comments: This species was described based only on a male holotype from "Paraguay" deposited in Martínez's collection.

***Cricetopareis paraguayana* Carpintero 1980: 28–29.**

Specimens: Metatipos, 1♂, [Argentina], Misiones, San Pedro, 16-XI-1973, Escobar & Claps cols., THEM302; 1♂, same data, THEM303; 1♂, same data, THEM304; 1♂, same data, THEM305; 1♂, same data, THEM306; 1♂, same data, THEM307; 1♀, same data, THEM308 (brachypterous); 1♂, same data, THEM309.

Comments: This species was described based on a male holotype from "Paraguay" deposited at Carpintero's collection; and 13 paratypes from "Paraguay and Argentina (Misiones)" deposited in MACN, ISM and Martínez's collection.

***Pothea vianai* Carpintero 1978: 224–238.**

Specimens: (all labeled as paratypes) 1♀, Paraguay, Departamento San Pedro Carumbé, I-[1]971, col. R. Golbach, THEM 331; 1♀, Argentina, Misiones, San Javier, 21-XI-1973, Escobar-Claps [cols.], THEM 332.

Comments: This species was described based on a male holotype and 13 paratypes from Argentina and were deposited in MACN and MLP; none of them match with the data of the specimens in IFML.

***Rhiginia ruficoria* Maldonado Capriles 1972: 49–51.**

Specimen: Paratype, 1♂, V. Hermoso, Córdoba, III-1966; *Rhiginia argentina* n. sp. det. Dr. Carpintero; *Rhiginia ruficoria* det. Maldonado C. 1972, THEM343.

Comments: This species was described based on a male holotype from "Argentina, Tucumán" deposited at the AMNH, and paratypes from "Santiago del Estero and Chaco provinces" in Argentina all deposited at AMNH and in Maldonado Capriles' collection.

***Stenolemus decarloi* Wygodzinsky 1947: 137–139.**

Specimen: Paratype, [Argentina], Jujuy, I-1948, THEM353.

Comments: This species was described based on a female holotype from "Córdoba, Argentina" deposited in MACN and a female paratype from "Bolivia" deposited in USNM.

***Stenolemus saileri* Wygodzinsky 1947: 139–142.**

Specimen: Paratype ♂, Chapare, Bolivia, Zibclika col., THEM354.

Comments: This species was described based only on a female holotype deposited at the USNM.

***Spiniger arnau* Costa Lima & Costa Leite 1950: 146.**

Specimen: Paratype ♀ (allotype), [Argentina], Tucumán, XII-[1]945, THEM407.

Comments: This species was described based only on a male from "Tucumán, Argentina"; but in 1954, Lent & Wygodzinsky redescribed the species and designated one female from "Tucumán" as allotype of the valid name *Zelurus arnau* (Costa Lima & Costa Leite).

PENTATOMIDAE

***Arocera contralineata* Pirán 1955: 82–84.**

Specimen: Paratype ♀, [Argentina], Salta, Cafayate, IV-1946, K.J. Hayward col., THEM224.

Comments: This species was described based on a male holotype from "Corrientes, Argentina", and paratypes from "Corrientes, Jujuy and Salta (Argentina), and Paraguay", the only specimen mentioned as deposited in IFML is a male with the following data: "Calilegua, Jujuy, leg. Ing. F. Monrós". The holotype and paratypes were deposited in Pirán's collection, additional paratypes are in the MLP and the Colección de Zoología Agrícola del Ministerio de Agricultura y Ganadería, Argentina.

TESSARATOMIDAE

***Piezosternum thunbergi* Stål 1860: 28–29.**

Specimen: Paratype ♀, [Argentina], Misiones, Aristóbulo del Valle, 28-I-[19]51, Monrós & [A.] Willink cols., THEM235.

Comments: This species was described based on a male from "Rio de Janeiro, Brazil" almost a century before the specimen labeled as paratype was collected.

ACKNOWLEDGEMENTS

We thank the staff of the Instituto Fundación Miguel Lillo for their support during our visits to the collection. This study was supported by the Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Argentina, and the following grants: PIP 0249 (2013-2015), and UNLP grant N784.

LITERATURE CITED

- Ajmat, M.V. (1991) Contribución al conocimiento de los Tingidae de la Argentina. Subfamilia Tinginae. II. El género *Corytucha* Stål. *Acta Zoológica Lilloana*, **40**(1), 133–145.
- Ajmat, M.V. (2000) Contribución al conocimiento de las Tingidae de la Argentina. III. El género *Corythaica* Stål 1873. *Acta Zoológica Lilloana*, **45**(2), 201–218.
- Aranda, S.G., Córdoba, S.P. & Sánchez, F.R. (2016) Catálogo de los Tipos Primarios de Coleoptera depositados en la Colección Entomológica del Instituto– Fundación Miguel Lillo. *Acta Zoológica Lilloana*, **60**(1), 10–46
- Bachmann, A.O. (1960) Notas sobre Corixidae (Hemiptera). *Revista de la Sociedad Entomológica Argentina*, **22**(1–4), 34–40.
- Bachmann, A.O. (1961) Notas sobre Corixidae (Hemiptera) 2º Serie. *Neotropica*, **7**(22), 19–24.
- Bachmann, A.O. (1979) Notas para una monografía de las Corixidae Argentinas (Insecta, Heteroptera). *Acta Zoológica Lilloana*, **35**, 305–349.
- Brailovsky, H. (1978) Estudio del género *Lygaeus* Fabricius 1794, del Nuevo Mundo, con descripción de cinco nuevas especies (Hemiptera-Heteroptera-Lygaeidae-Lygaeinae). *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México*, **49**(1), 123–166.
- Brailovsky, H. (1982) Un nuevo arreglo nomenclatorial y descripción de tres nuevos géneros y dos nuevas especies americanas de la subfamilia Lygaeinae (Hemiptera-Heteroptera-Lygaeidae). *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México*, **52**(1), 259–276.
- Brailovsky, H. (1986a) Nuevos datos distribucionales y descripción de tres nuevas especies del género *Paryphes* Burmeister (Hemiptera-Heteroptera-Coreidae-Coreini). *Anales del Instituto de Biología de la Universidad Autónoma de México*, **56**(1), 101–128.
- Brailovsky, H. (1986b) Revisión del género *Scamurius*. *Folia Entomologica Mexicana*, **70**, 25–52.
- Brailovsky, H. (1988) Revisión del género *Sundarus* Amyot & Serville (Hemiptera-Coreidae-Coreini) para el continente americano. *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México, serie Zool.* **58**(2), 561–622.
- Brailovsky, H. (1990) Revisión del Complejo *Althos* con descripción de géneros nuevos y especies nuevas (Hemiptera-Heteroptera-Coreidae-Coreini). *Publicaciones especiales del Instituto de Biología, UNAM*, N°5, 156 pp.
- Brailovsky, H. (1992a) El género *Eubule* con descripción de cuatro especies y algunos géneros nuevos (Hemiptera-Heteroptera-Coreidae-Spartocerini). *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México, serie Zool.* **63**(2), 201–213.
- Brailovsky, H. (1992b) Un género y tres especies nuevas de coreidos neotropicales (Hemiptera: Heteroptera: Coreidae: Coreinae: Coreini). *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México, serie Zool.* **63**(2), 185–199.
- Brailovsky, H. (1993) Género nuevo y especies nuevas de Coreidos neotropicales (Hemiptera-Heteroptera-Coreidae: Acanthocerini, Chariesterini, Coreini, Discogastrini, Leptoscelidini y Nematopodini). *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México, serie Zool.* **64**(2), 109–127.
- Brailovsky, H. (1995) Revisión del complejo *Cebrenis* (Hemiptera-Heteroptera-Coreidae-Coreinae-Coreini). *Publicación especial del Instituto de Biología, UNAM*, **15**, 1–124.
- Brailovsky, H., & Mayorga, C. (1997) An analysis of the genus *Stenomacra* Stål with description of four new species, and some taxonomic rearrangements (Hemiptera: Heteroptera; Largidae). *Journal of the New York Entomological Society*, **105**(1–2), 1–14.
- Carpintero, D.J. (1978) Revisión del género *Pothea* Amyot and Serville, 1843. Sus especies en la Argentina (Hemiptera, Reduviidae, Ectrichodiinae). *Revista Museo Argentino de Ciencias Naturales "Bernardino Rivadavia"*, **5**, 177–286.
- Carpintero, D.J. (1980) Nuevos Ectrichodiinae americanos (Insecta- Hemiptera- Reduviidae). *Acta Scientifica*, **14**, 1–33.
- Carpintero, D.J., & Maldonado Capriles, J. (1990) Contributions to the knowledge of American Ectrichodiinae. II. Notes about *Rhiginia* and *Pothea* (Hemiptera: Reduviidae). *Journal of Agriculture of the University of Puerto Rico*, **74**(4), 449–456.
- Carvalho, J.C.M., & Carpintero, D.L. (1986) Mirídeos neotropicales, CCLXXIII: descrições de um novo genero e treze espécies novas da República Argentina (Hemiptera). *Revista Brasileira de Biologia*, **46**(3), 607–625.
- Carvalho, J.C.M., & Carpintero, D.L. (1989) Mirídeos neotropicales, CCCIX: Quatro espécie novas da tribo Stenodemini coleccionadas na República Argentina (Hemiptera). *Revista Brasileira de Biologia*, **49**(4), 1101–1108.
- Carvalho, J.C.M., & Fontes, A.V. (1968) Mirídeos neotropicales, C: Três novas espécies da tribo Resthenini (Hemiptera). *Revista Brasileira de Biologia*, **28**(1), 20–34.
- Carvalho, J.C.M., & Wallerstein, P. (1978) Mirídeos neotropicales, CCXVI: Descrições de seis especies novas da República Argentina (Hemiptera). *Revista Brasileira de Biologia*, **38**(3), 523–530.
- Coscarón, M.C. (1983) Revisión del género *Rasahus* (Insecta, Heteroptera, Reduviidae). *Revista del Museo de La Plata, sección Zoología*, **12**(36), 75–138.
- Costa Lima, A.M., & Costa Leite, I. (1950) Sobre as especies de *Spiniger* do grupo *femoralis*. *Memorias do Instituto Oswaldo Cruz*, **48**, 143–146.
- De Carlo, J.A. (1950) Géneros y especies de la subfamilia Ambrysiniae Usinger (Hemiptera- Naucoridae). *Anales de la Sociedad Científica Argentina*, **150**, 3–27.
- De Carlo, J.A. (1961) Descripción de una nueva especie del género *Lethocerus* Mayr (Hem., Belostomatidae). *Revista de la Sociedad Entomológica Argentina*, **23**, 21–23.
- Dellapé, P.M., & Melo, M.C. (2007) *Thaumastaneis nigricans*, a new species of a remarkable ant mimetic Larginae (Heteroptera: Largidae) and the discovery of an ant mimetic complex. *Zootaxa*, **1475**, 21–26.
- Elkins, J.C. (1954a) A new American Harpactorine genus. *Texas Reports on Biology and Medicine*, **12**(1), 39–48.
- Elkins, J.C. (1954b) A synopsis of *Atrachelus* (Hemiptera, Reduviidae). *Proceedings of the Entomological Society of Washington*, **56**(3), 97–120.
- Elkins, J.C., & Wygodzinsky, P. (1957) A new Neotropical Harpactorine genus. *Revista Brasileira de Biologia*, **17**(2), 203–210.

- Forero, D. (2009) Description of One New Species of *Chileria* and Three New Species of *Orthotylus*, with Nomenclatural and Distributional Notes on Neotropical Orthotylinae (Heteroptera: Miridae: Orthotylini). *American Museum Novitates*, **3642**, 1–50.
- Froeschner, R.C. (1960) Cydnidae of the Western Hemisphere. *Proceedings of the United States National Museum*, **3**(3430), 337–680.
- Giacchi, J.C. (1969) Revisión del género *Stenopoda* Laporte, 1833 (Hemiptera, Reduviidae, Stenopodainae). *Physis, secc.C*, **29**(78), 1–26.
- Giacchi, J.C. (1998) Una nueva especie del género *Seridentus* Osborn, 1904 (Stenopodainae, Reduviidae, Heteroptera). *Physis, Secc. C*, **56**(130–131), 31–32.
- Göllner-Scheiding, U. (1979) Die Gattung *Jadera* Stål, 1862 (Heteroptera, Rhopalidae). *Deutsche Entomologische Zeitung*, **26**, 47–75.
- Grazia, J. (1980) Revision do género *Pallantia* Stål, 1862 (Heteroptera, Pentatomidae). *Revista Brasileira de Entomologia*, **24**(1), 15–27.
- Hayward, K.J. (1963) Lista de los tipos de Insecta (exceptuando Diptera) conservados en el Instituto Miguel Lillo. *Acta Zoológica Lilloana*, **19**, 297–334.
- Hayward, K.J. (1967) Lista de los tipos de Insectos y otros invertebrados conservados en el Instituto Miguel Lillo (3ª entrega). *Acta Zoológica Lilloana*, **22**, 337–352.
- Henry, T.J. (1997) Phylogenetic analysis of family groups within the infraorder Pentatomomorpha (Hemiptera: Heteroptera), with emphasis on the Lygaeoidea. *Annals of the Entomological Society of America*, **90**(3), 275–301.
- Herrer, A., Lent, H., & Wygodzinsky, P. (1954) Contribución al conocimiento del género *Belminus* Stål, 1859 (Triatominae, Reduviidae, Hemiptera). *Anales del Instituto de Medicina Regional, Tucumán*, **4**, 85–105.
- International Code of Zoological Nomenclature (1999) Fourth Edition. London, I–XXIX.
- Kormilev, N.A. (1949a) *Riggiella vianai* n. g., n. sp. de la Argentina (Hemiptera, Lygaeidae, Blissinae). *Comunicaciones del Instituto Nacional de Investigación de las Ciencias Naturales, Anexo al Museo Argentino de Ciencias Naturales "Bernardino Rivadavia"*, **1**(11), 1–13.
- Kormilev, N.A. (1949b) La familia Colobathristidae Stål en la Argentina con la descripción de tres especies nuevas neotropicales (Hemiptera). *Acta Zoológica Lilloana*, **7**, 359–383.
- Kormilev, N.A. (1950) Notes on Neotropical Phymatidae. Diagnosis of new species (Hemiptera). *Revista de Entomología*, **21**, 581–591.
- Kormilev, N.A. (1951) Phymatidae Argentinas (Hemiptera) con observaciones sobre Phymatidae en general. *Revista del Instituto Nacional de Investigación de las Ciencias Naturales, Bernardino Rivadavia, Ciencias Zoológicas*, **2**(2), 45–110.
- Kormilev, N.A. (1952) Los Insectos de las Islas Juan Fernández. I. Lygaeidae (Hemiptera). *Revista Chilena de Entomología*, **2**, 7–14.
- Kormilev, N.A. (1953a) Phymatidae argentinas (Hemiptera) con observaciones sobre Phymatidae en general. *Revista del Instituto Nacional de Investigación de las Ciencias Naturales anexo al Museo Argentino de Ciencias Naturales "Bernardino Rivadavia"*, *Ciencias Zoológicas*, **2**(2), 45–110.
- Kormilev, N.A. (1953b) Aradidae (Hemiptera) argentinae II. *Acta Zoológica Lilloana*, **13**, 207–256.
- Kormilev, N.A. (1953c) Revisión de Microlytrinae Stål de la Argentina con descripción de un género y siete especies nuevas de Argentina, Brasil y Bolivia (Hemiptera, Coriscidae). *Revista de la Sociedad Entomológica Argentina*, **16**, 49–66.
- Kormilev, N.A. (1956) Notas sobre Pentatomoidea Neotropicales V (Hemiptera). *Acta Scientífica de los Institutos de Investigación de San Miguel*, **4**, 1–7.
- Kormilev, N.A. (1960) Revision of the Phymatinae (Hemiptera: Phymatidae). *The Philippine Journal of Science*, **89**(3-4), 287–486.
- Kormilev, N.A. (1980) Sobre especies argentinas del género *Aneurus* Curtis, 1825 (Hemiptera: Aradidae). *Acta Zoológica Lilloana*, **36**(1), 53–56.
- Lent, H., & Wygodzinsky, P. (1951) Contribuição ao conhecimento de *Zelurus fulvomaaculatus* (Ber, 1879) e sete outras especies afins (Reduviidae, Hemiptera). *Memorias do Instituto Oswaldo Cruz*, **49**, 575–594.
- Lent, H., & Wygodzinsky, P. (1954) Contribuição ao conhecimento das especies de *Zelurus* do grupo *femoralis* (Reduviidae, Hemiptera). *Revista Brasileira de Biología*, **14**(4), 407–442.
- Lopez Ruf, M. (2004) Una especie nueva del género *Ambrysus* (Hemiptera: Naucoridae). *Revista de la Sociedad Entomológica Argentina*, **63**(1–2), 97–101.
- Maldonado Capriles, J. (1972) Neotropical Reduviidae (Heteroptera) in the Museum of Zoology of the University of Helsinki, Finland, with description of new species. *Notulae Entomologicae*, **52**, 47–56.
- Miller, N.C.E. (1956) New genera and species of Ethiopian, Oriental and Neotropical Reduviidae. *Beitrage zur Entomologie*, **6**(1-2), 1–9.
- Pirán, A.A. (1955) *Arocera contralineata*, especie nueva de la fauna Argentina (Hemiptera, Pentatomidae). *Neotropica*, **1**(6), 81–84.
- Pirán, A.A. (1956) Dos nuevas especies del género *Supputius* Dist., 1899 (Hemiptera, Pentatomidae, Asopinae). *Comunicaciones Zoológicas del Museo de Historia Natural de Montevideo*, **4**(74), 1–7.
- Pirán, A.A. (1962) Las especies de *Sethenira* (Hemiptera, Coreidae) con la descripción de una especie nueva. *Acta Zoológica Lilloana*, **18**, 163–168.
- Pirán, A.A. (1963) Hemiptera neotropica. IX. Especies nuevas y no mencionadas para las faunas de Perú, Brasil y Bolivia. *Physis*, **24**(67), 119–222.
- Prosen, A.F., & Martínez, A. (1955) Una nueva especie de *Apiomerus* (Hemiptera). *Misión de Estudios de Patología Regional Argentina*, **26**(85–86), 43–46.
- Rider, D.A., & Rolston, L.H. (1987) Review of the genus *Agroecus* Dallas, with the description of a new species (Hemiptera: Pentatomidae). *Journal of the New York Entomological Society*, **95**(3), 428–39.
- Rolston, L.H. (1983) A revision of the genus *Lincus* Stål (Hemiptera: Pentatomidae: Discocephalinae: Ochlerini). *Journal of the New York Entomological Society*, **91**(1), 1–47.
- Rolston, L.H., & Rider, D.A. (1986) Two new species of *Stictochilus* Bergroth from Argentina (Hemiptera: Pentatomidae). *Journal of the New York Entomological Society*, **94**(1), 78–82.
- Romaña, C., & Abalos, J. (1947) *Triatoma delpontei* nueva especie (Hemiptera, Reduviidae). *Anales del Instituto de Medicina Regional*, **2**(1), 79–93.

- Ruckes, H. (1956) Six new species of *Thyanta* Stål (Heteroptera, Pentatomidae). *Bulletin of the Brooklyn Entomological Society*, **51**(3), 57–68.
- Sailer, R.I. (1944) The genus *Solubea* (Heteroptera: Pentatomidae). *Proceedings of the Entomological Society of Washington*, **46**(5), 105–127.
- Sailer, R.I. (1952) A review of the stink bugs of the genus *Mecidea*. *Proceedings of the United States National Museum*, **102**(3309), 471–505.
- Schaefer, C.W., & Panizzi, A.R. (2000) *Heteroptera of Economic Importance*. CRC Press, Boca Raton, USA.
- Schuh, R.T., & Polhemus, J.T. (2009) Revision and analysis of *Pseudosaldula* Cobben (Insecta: Hemiptera: Saldidae): A group with a classic andean distribution. *Bulletin of the American Museum of Natural History*, **323**, 1–102.
- Schuh, R.T., & Slater, J.A. (1995) *True bugs of the world (Hemiptera: Heteroptera): classification and natural history*. Cornell University Press, Ithaca, London.
- Slater, J.A., & Ahmad, I. (1969) Neotropical Blissinae: *Patritiodemus*, a new genus with six new species (Hemiptera, Lygaeidae). *Acta Entomologica Musei Nationalis Pragae*, **38**, 127–139.
- Slater, J.A., & Wilcox, D.B. (1966) An analysis of three new genera of neotropical Blissinae (Hemiptera: Lygaeidae). *Annals of the Entomological Society of America*, **59**(1), 61–76.
- Slater, J.A., & Wilcox, D.B. (1969) A revision of the genus *Ischnodemus* in the Neotropical region (Hemiptera: Lygaeidae; Blissinae). *Miscellaneous Publications of the Entomological Society of America*, **16**(4), 199–238.
- Stål, C. (1859) Till kennedomen om Reduviini. *Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Forhandlingar*, **16**(10), 363–386.
- Stål, C. (1860) Bidrag til Rio Janeiro-Traktens Hemipter-Fauna. *Kongliga Svenska Vetenskaps-Akademiens Handlingar*, **2**(7), 1–84.
- Weirauch, C., & Schuh, R.T. (2011) Systematics and evolution of Heteroptera: 25 years of progress. *Annual Review of Entomology*, **56**, 487–510.
- Wygodzinsky, P. (1947) Novas contribuições ao conhecimento dos *Stenolemus* das Americas (Emesinae, Reduviidae, Hemiptera). *Revista Brasileira de Biologia*, **7**(1), 127–144.
- Wygodzinsky, P. (1948) Sobre *Panstrongylus* del Perú, con la descripción de una nueva especie (Triatominae, Reduviidae, Hemiptera). *Anales del Instituto de Medicina Regional, Tucumán*, **2**(1), 197–208.
- Wygodzinsky, P. (1950a) Sobre el género *Bergemesa* nov. (Emesinae, Reduviidae, Hemiptera). *Anales de la Sociedad Científica Argentina*, **150**, 28–45.
- Wygodzinsky, P. (1950b) Contribution towards the knowledge of the Emesinae (Reduviidae, Hemiptera). *Revista Brasileira de Biologia*, **10**, 241–251.
- Wygodzinsky, P. (1950c) Sobre alguns Emesinae (Reduviidae, Hemiptera). *Revista Brasileira de Biologia*, **10**(1), 73–84.
- Wygodzinsky, P. (1951a) Sobre algunos Cryptostemmatidae, principalmente de la Argentina (Hemiptera). *Acta Zoológica Lilloana*, **10**, 51–74.
- Wygodzinsky, P. (1951b) Notas sobre Cimicidae de la República Argentina (Hemiptera). *Anales del Instituto de Medicina Regional*, **3**(2), 185–197.
- Wygodzinsky, P. (1951c) Notas sobre Ectrichodiinae Neotropicales. *Revista de la Sociedad Entomológica Argentina*, **15**, 35–52.
- Wygodzinsky, P. (1951d) Contribución al conocimiento del género *Metapterus* Costa, 1860, de las Américas y de Juan Fernández. *Revista Chilena de Entomología*, **1**, 113–128.
- Wygodzinsky, P. (1953) Apuntes sobre Emesinae americanas (Reduviidae: Hemiptera). *Acta Zoológica Lilloana*, **14**, 281–315.
- Wygodzinsky, P. (1959) Notas y descripciones de Reduviidae bolivianas (Hemiptera). *Acta Zoológica Lilloana*, **17**, 293–320.
- Wygodzinsky, P. (1966) A monograph of the Emesinae (Reduviidae, Hemiptera). *Bulletin of the American Museum of Natural History*, **133**, 1–614.
- Wygodzinsky, P., & Abalos, J.W. (1949) *Triatoma guasayana* sp. N. (Triatominae, Reduviidae, Hemiptera). *Semana Médica*, **56**, 2.
- Wygodzinsky, P., & Abalos, J.W. (1950) Sobre algunos *Stenolemus* americanos (Emesinae, Reduviidae, Hemiptera). *Anales del Instituto de Medicina Regional*, **3**(1), 99–110.